

PROFESSIONAL QUALITY COOKING EQUIPMENT

TITAN SERIES

30" Range with Sealed Gas Step-up Burners



ARR-304IS

(shown with optional leg caps)

DESIGN



CLASS



S FUNCTION



RANGETOP FEATURES

- Sealed burners deliver exceptional performance at every level setting and lift off to provide easy cleanup
- 3 sizes of burners to serve your everyday needs: 17,000 BTU (lg), 13,000 BTU (med), 9,000 BTU (sm)
- Variable infinite flame settings for all sealed top burners
- Fail-safe system ensures re-ignition in the event the flame goes out even on the lowest burner setting
- Step-up range provides 2 unequal levels of cooking surface
- Elevated rear burners provide easy access to saute pans and allow larger pots to be used consecutively
- Sealed Single Piece tooled porcelainized cook top can hold more than a gallon of spills
- Analog controls provide easy, push and turn operation ensuring child safety
- Blue LED light indicate flame and oven
- Heavy metal die-cast black satin knobs with chrome bezels
- Stainless Steel Island BackTrim is included and installed

OVEN FEATURES

- Multiple functions include: Standard Bake, Innovection® Convection Bake, Infrared Broil and Fan mode
- Innovection[®] System with convection fan optimizes uniform air flow
- Two chrome racks glide at 5 (including base) cooking levels on heavy chrome side supports
- Accommodates full size commercial sheet pan
- Two lights in each oven are controlled from front panel switch

INNOVECTION® CONVECTION OVEN TECHNOLOGY

Balanced turbulent heat distribution is essential when baking, roasting, and dehydrating food.

The American Range Innovection® convection oven technology features dual convection motors and louvered side panels to enhance uniform heat distribution throughout the large oven cavity.

The strategic placement of the dual Innovection® convection fans ensures consistent heat distribution even when challenged with cooking the largest turkey, ham or roast.



INNOVECTION® CONVECTION OVEN IS GREEN TECHNOLOGY

The highly efficient design of the Innovection® Convection Oven uses 19% less gas versus a standard convection oven.

TECHNICAL SPECIFICATIONS

| Overall Oven Capacity | 4.9 CU. FT. | | |
|---|--|--|--|
| Oven Dimensions | 26 - 1/2"W × 20 - 1/2" D × 15 - 1/2" H | | |
| Surface Burner Rating | 17,000 BTU (lg) - 13,000 BTU (md) - 9,000 BTU (sm) | | |
| Infrared Broiler | 18,000 BTU | | |
| Oven Bake Burner | 30,000 BTU | | |
| Total Gas Connection Rating per model # | ARR-304IS 104,000 BTU | | |
| Gas Supply | 7" W.C. Natural, 11" W.C. Propane | | |
| Electrical Supply | 120 VAC 15 AMP 60 Hz Single Phase | | |
| Shipping Weight | 400 Lbs | | |

ACCESSORIES & OPTIONS

| (| S/S Curb base | ARR-30CB-T | Casters (Set of 2) | ARR-2CAS-T | Wok Adapter ARR-WOK-T |
|---|------------------|------------|---------------------------|------------|-----------------------|
| 9 | S/S Leg Caps (2) | ARR-2LC-T | Porcelainized Broiler Pan | R31005 | |

CUSTOMIZE YOUR RANGE: Now you can customize your American Range to match your kitchen setting. Pick from numerous colors and finishes to give your range a unique one-of-a-kind look. For more details regarding color and finish options, go to our website: www.americanrange.com.





Raven Black



Dark Blue





Alpine White Sandstone Gun Metal Grey







Finish

Bronze



DESIGNER FINISHES

Jitterbug S/S

Oil Rubbed

Hammered

Textured Flat Black




Powder

Coat Biscuit

ISLAND TRIM REQUIRES 10" MINIMUM DISTANCE FROM REAR COMBUSTIBLE WALL

COOKING SURFA

Ш





Custom Finishes Available

— 13" — CABINET DEPTH

N = Natural gas L = IP Gas

Must ship from factory with proper gas type Must provide ${\bf N}$ or ${\bf L}$ after model number for type of gas needed.





ISLAND OR PENINSULA INSTALLATIONS 10" MINIMUM CLEARANCE FROM BACK OF RANGETO COMBUSTIBLE SURFACE ISLAND TRIM IS 0 IN. CLEARANCETO NON COMBUSTIBLE SURFACE (G) E LOCATION OF GAS AND ELECTRICAL SUPPLY NO SIDE WALL ABOVE COOKING SURFACE

