27" Single Wall Oven

800 Series - Stainless Steel HBN8451UC





HBN8451UC Stainless Steel

The Bosch wall oven installs flush and features a QuietClose™ door.

Features & Benefits

Dampened hinges softly and quietly guide the QuietClose™ door shut.

A full-extension telescopic rack offers safe access to the oven cavity.

Touch control with SteelTouch™ buttons makes operating the oven easier.

The wall oven is designed to be installed flush with cabinetry.

Bosch wall ovens are compatible with most competitors' cutouts.

Cooking modes Bake, Variable Broil (hi & low), Roast, Warm, Sabbath, Proof Dough, Convection Bake, Convection Broil, Convection Roast, Pizza, Multi Rack Genuine European Convection, Convection, Conversion, Temperature Probe, Fast Preheat Cleaning type Self Clean Telescopic rack Illumination type Incandescent Interior lights 2 Oven Performance Bake / broil element wattages Convection element wattages Convection element wattages Technical Details Watts (W) Circuit breaker (A) Volts (V) Frequency (Hz) Power cord length (in) Plug type Energy source Electric	General Properties	
Telescopic rack Illumination type Incandescent Interior lights Oven Performance Bake / broil element wattages Convection element wattages Technical Details Watts (W) Circuit breaker (A) Volts (V) Frequency (Hz) Power cord length (in) Plug type Incandescent 2,400 / 3,800 W 2,400 / 3,800 W 3,800 W 2,000 W 240 / 3,800 W 4,000 W 5,325 W 6,325 W 6,325 W 6,325 W Frequency (Hz) Fixed Connection, No Plug		(hi & low), Roast, Warm, Sabbath, Proof Dough, Convection Bake, Convection Broil, Convection Roast, Pizza, Multi Rack Genuine European Convection, Convection Conversion, Temperature Probe, Fast
Illumination type Incandescent Interior lights Oven Performance Bake / broil element wattages Convection element wattages Technical Details Watts (W) Circuit breaker (A) Volts (V) Frequency (Hz) Power cord length (in) Plug type Incandescent 2,400 / 3,800 W 2,000 W 4,300 W 4,300 W 5,325 W 6,325 W 6,325 W 6,325 W Frequency (Hz) Fixed Connection, No Plug	Cleaning type	Self Clean
Interior lights 2 Oven Performance Bake / broil element 2,400 / 3,800 W Convection element 2,000 W Technical Details Watts (W) 6,325 W Circuit breaker (A) 30 A Volts (V) 240 / 208 V Frequency (Hz) 60 Hz Power cord length (in) 50" Plug type Fixed Connection, No Plug	Telescopic rack	1
Oven Performance Bake / broil element wattages Convection element wattages Technical Details Watts (W) 6,325 W Circuit breaker (A) 30 A Volts (V) 240 / 208 V Frequency (Hz) 60 Hz Power cord length (in) 50" Plug type Fixed Connection, No Plug	Illumination type	Incandescent
Bake / broil element wattages Convection element 2,000 W Technical Details Watts (W) 6,325 W Circuit breaker (A) 30 A Volts (V) 240 / 208 V Frequency (Hz) 60 Hz Power cord length (in) 50" Plug type Fixed Connection, No Plug	Interior lights	2
wattages Convection element wattages Technical Details Watts (W) 6,325 W Circuit breaker (A) 30 A Volts (V) 240 / 208 V Frequency (Hz) 60 Hz Power cord length (in) 50" Plug type Fixed Connection, No Plug	Oven Performance	
wattages Technical Details Watts (W) 6,325 W Circuit breaker (A) 30 A Volts (V) 240 / 208 V Frequency (Hz) 60 Hz Power cord length (in) 50" Plug type Fixed Connection, No Plug	•	2,400 / 3,800 W
Watts (W) 6,325 W Circuit breaker (A) 30 A Volts (V) 240 / 208 V Frequency (Hz) 60 Hz Power cord length (in) 50" Plug type Fixed Connection, No Plug		2,000 W
Circuit breaker (A) 30 A Volts (V) 240 / 208 V Frequency (Hz) 60 Hz Power cord length (in) 50" Plug type Fixed Connection, No Plug	Technical Details	
Volts (V) 240 / 208 V Frequency (Hz) 60 Hz Power cord length (in) 50" Plug type Fixed Connection, No Plug	Watts (W)	6,325 W
Frequency (Hz) 60 Hz Power cord length (in) 50" Plug type Fixed Connection, No Plug	Circuit breaker (A)	30 A
Power cord length (in) 50" Plug type Fixed Connection, No Plug	Volts (V)	240 / 208 V
Plug type Fixed Connection, No Plug	Frequency (Hz)	60 Hz
No Plug	Power cord length (in)	50"
Energy source Electric	Plug type	,
	Energy source	Electric



Dimensions & Weight	
Overall appliance dimensions (HxWxD)(in)	29" x 26 3/4" x 24 1/2"
Required cutout size (HxWxD) (in)	27" - 28 5/8" x 25 1/2" x 23 1/2"
Oven cavity size (cu. ft.)	3.9
Overall oven interior dimensions (HxWxD) (in)	17 13/16" x 21 1/16" x 18"
Usable oven interior dimensions (HxWxD) (in)	12 5/16" x 20 1/4" x 15 1/4"
Net weight (lbs)	127 lbs
Accessories-Included	
Included	1 Telescopic and 2 Standard Oven Racks, Temperature Probe



For help and assistance with Bosch accessories please call 1-800-944-2904 Mon-Fri 8am to 6pm EST


Notes: All height, width and depth dimensions are shown in inches. BSH reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Consult the product's installation instructions for final dimensional data and other details prior to making cutout. Applicable product warranty can be found in accompanying product literature or you may contact your account manager for further details.


Warranties: Bosch warrants that the Product is free from defects in materials and workmanship for a period of three hundred and sixty-five (365) days from the date of purchase. The foregoing timeline begins to run upon the date of purchase, and shall not be stalled, tolled, extended, or suspended, for any reason whatsoever. This Product is also warranted to be free from cosmetic defects in material and workmanship (such as scratches of stainless steel, paint/porcelain blemishes, chip, dents, or other damage) to the finish of the Product, for a period of thirty (30) days from the date of purchase or closing date for new construction. This cosmetic warranty excludes slight color variations due to inherent differences in painted and porcelain parts, as well as differences caused by kitchen lighting, product location, or other similar factors. This cosmetic warranty specifically excludes any display, floor, "As Is", or "B" stock appliances.

800 Series - Stainless Steel HBN8451UC



Installation Details





For help and assistance with Bosch accessories please call 1-800-944-2904 Mon-Fri 8am to 6pm EST

Notes: All height, width and depth dimensions are shown in inches. BSH reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Consult the product's installation instructions for final dimensional data and other details prior to making cutout. Applicable product warranty can be found in accompanying product literature or you may contact your account manager for further details.

Warranties: Bosch warrants that the Product is free from defects in materials and workmanship for a period of three hundred and sixty-five (365) days from the date of purchase. The foregoing timeline begins to run upon the date of purchase, and shall not be stalled, tolled, extended, or suspended, for any reason whatsoever. This Product is also warranted to be free from cosmetic defects in material and workmanship (such as scratches of stainless steel, paint/porcelain blemishes, chip, dents, or other damage) to the finish of the Product, for a period of thirty (30) days from the date of purchase or closing date for new construction. This cosmetic warranty excludes slight color variations due to inherent differences in painted and porcelain parts, as well as differences caused by kitchen lighting, product location, or other similar factors. This cosmetic warranty specifically excludes any display, floor, "As Is", or "B" stock appliances.


For more information on our entire line of products, go to www.bosch-home.ca or call 1-800-944-2904

27" Single Wall Oven

800 Series - Stainless Steel HBN8451UC



Installation Details



For help and assistance with Bosch accessories please call 1-800-944-2904 Mon-Fri 8am to 6pm EST

Notes: All height, width and depth dimensions are shown in inches. BSH reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Consult the product's installation instructions for final dimensional data and other details prior to making cutout. Applicable product warranty can be found in accompanying product literature or you may contact your account manager for further details.

Warranties: Bosch warrants that the Product is free from defects in materials and workmanship for a period of three hundred and sixty-five (365) days from the date of purchase. The foregoing timeline begins to run upon the date of purchase, and shall not be stalled, tolled, extended, or suspended, for any reason whatsoever. This Product is also warranted to be free from cosmetic defects in material and workmanship (such as scratches of stainless steel, paint/porcelain blemishes, chip, dents, or other damage) to the finish of the Product, for a period of thirty (30) days from the date of purchase or closing date for new construction. This cosmetic warranty excludes slight color variations due to inherent differences in painted and porcelain parts, as well as differences caused by kitchen lighting, product location, or other similar factors. This cosmetic warranty specifically excludes any display, floor, "As Is", or "B" stock appliances.