




Broan Elite E661 Series

The clean, smooth design of this range hood fits snugly under cabinets and provides quiet and effective ventilation.

- Enclosed stainless steel bottom with dishwasher-safe stainless steel filters with easy release latches.
- Brilliant dual 50-watt halogen lighting (GU10 bulbs included).
- Three-level light settings with last setting memory and transitional theatre style lighting. Intensities change gradually.
- Large recessed bottom filter area increases capture of cooking impurities.
- Three-speed plus boost with last setting memory and 5-minute delay off function.
- Heat Sentry™ detects excessive heat and adjusts blower speed to high automatically.



SPECIFICATIONS

WIDTH	STAINLESS STEEL	WHITE	BLACK	VOLTS	AMPS	CFM	SONES Max/Min	DUCT
30"	E66130SSAGLS	E66130WHAGLS		120	2.4	280	8.5/1.1	3 1/4" x 10"
30"	E66130SSAG	E66130WHAG	E66130BLAG	120	2.4	550	8.5/<0.3	3 1/4" x 10"
36"	E66136SSAG	E66136WHAG		120	2.4	550	8.5/<0.3	3 1/4" x 10"

OPTIONS

SV06265	Replacement Aluminum Filter 30"
SV06266	Replacement Aluminum Filter 36"




874-368 11/02



SPECIFICATIONS

MODEL	E661	E661LS
VOLTS	120 VAC	120 VAC
HZ	60	60
AMPS	2.4	2.4
CFM (BOOST)	550	280
CFM (LOW SPEED)	120	110
SONES (BOOST)	8.5	8.5
SONES (LOW SPEED)	<0.3	1.10
DUCTING SIZE	3¼" x 10"	3¼" x 10"
2 SHIELDED HALOGEN BULBS	120 V, 50 W, WITH GU10 BASE	120 V, 50 W, WITH GU10 BASE
WARRANTY	1 YEAR	1 YEAR

DIMENSIONS



AIR FLOW PERFORMANCE




HVI-2100 CERTIFIED RATINGS comply with new testing technologies and procedures prescribed by the Home Ventilating Institute, for off-the-shelf products, as they are available to consumers. Product performance is rated at 0.1 in. static pressure, based on tests conducted in AMCA's state-of-the-art test laboratory. Sones are a measure of humanly-perceived loudness, based on laboratory measurements.




BROAN-NU-TONE CANADA INC., MISSISSAUGA, ONTARIO WWW.BROAN.CA 1-888-882-7626

PROJECT	REMARKS
LOCATION	
MODEL No.	
QTY.	
SUBMITTED BY	
DATE	


MODEL 634 OR 644
(ROOF CAP)



MODEL 647
(7" ROUND WALL CAP)



3 1/4" x 10"
RECTANGULAR
STANDARD DUCT



MODEL 415
7" ROUND
ADJUSTABLE ELBOW
(OPTIONAL)




MODEL 407
7" ROUND
STANDARD DUCT



MODEL 412
TRANSITION
(3 1/4" x 10" TO 7" ROUND)



MODEL T461
ADAPTER/DAMPER
3 1/4" x 14" TO 3 1/4" x 10"
(INCLUDED WITH HOOD)



HL0113

BROAN ELITE
RANGE HOOD
MODEL E661