FRIGIDAIRE

Freezer



Signature Features

ArcticLock[™] Thicker Walls

Keeps food frozen for over 2 days if there is a power outage.¹

Bright Lighting

Our bright lighting makes it easy to see what's inside.

Frost-Free Operation

Never defrost your freezer again so you can spend time on more important things.

Built with American Pride

Appliances that are high-performing, more accessible, and more innovative than ever—designed, built, and engineered in the U.S.A.

Frost-Free 16.6 Cu. Ft. Upright

Product Dimensions

| Height | 67-1/4″ |
|------------------------|---------|
| Width | 34″ |
| Depth (Including Door) | 28-1/2″ |

More Easy-To-Use Features

ENERGY STAR®-Qualified Save money on your utility bills with ENERGY STAR®-Qualified appliances.

Adjustable Temperature Control Select the correct temperature for your needs.

Removable Trivet

Pocket Handle Door



ENERGY STAR®

Available in:


White (W)

¹Average cabinet temperature as tested per AHAM standard HRF-1-2007 Section 7.9 at 70 degrees with door remaining closed.

FRIGIDAIRE

| Features | |
|---|---------------------------|
| Door Handle Design | Pocket |
| Reversible Door | |
| Automatic Door Closer | |
| Leveling Legs | Yes |
| Lock with Pop-Out Key | |
| Defrost | Frost-Free |
| Adjustable Temperature Control | Mechanical Dial |
| Front Digital Display | |
| Temp Display Mode | 1-7 |
| High-Temp Duration Readout | |
| High-Temp Alarm | |
| Door Ajar Alarm | |
| Airflow Ports | 1 |
| Interior Lighting | Bright |
| Full-Width Adjustable Shelves | 3 Wire |
| Full-Width Fixed Shelves | |
| Removable Trivet | 1 |
| SpaceWise* Shelf Bookend | |
| Mid-Level Baskets | |
| Lower Storage Basket | |
| Basket Dividers | |
| Retractable Pizza Shelf | |
| Soft Freeze™ Zone | |
| SpaceWise* Adjustable Door Bins | |
| Full-Width Door Bins | |
| Store-More™ Tilt-Out Wire Door Bins | |
| Fixed Door Racks | 5 |
| Defrost Drain | |
| Power-On Light | |
| Certifications | |
| ENERGY STAR* | Yes |
| CSA Rating | Household |
| Specifications | |
| Total Capacity (Cu. Ft.) | 16.63 |
| Shelf Area (Sq. Ft.) | 8.23 |
| Annual Energy (kWH) | 431 |
| Annual Energy Cost (.12/kWH) | \$52 |
| Power Supply Connection Location | Lower Right Rear |
| Voltage Rating | 115V, 60Hz |
| Connected Load (kW rating) @ 115 Volts1 | 0.6 |
| Amps @ 115 Volts | 5 |
| Minimum Circuit Required (Amps) | 15 |
| Shipping Weight (Approx.) | 190 Lbs. |
| An electrical supply with arounded three prop | recepted is required. The |

¹An electrical supply with grounded three-prong receptacle is required. The power supply circuit must be installed in accordance with current edition of National Electrical Code (NFPA 70) and local codes & ordinances.



NOTE: For planning purposes only. Always consult local and national electric codes. Refer to Product Installation Guide for detailed installation instructions on the web at frigidaire.com.




| Product Dimensions | |
|--------------------------|---------|
| A-Height | 67-1/4″ |
| B-Width | 34" |
| C-Depth (Including Door) | 28-1/2" |
| Depth with Door Open 90° | 60-3/8″ |

Accessories information available on the web at **frigidaire.com**

FRIGIDAIRE

USA • 10200 David Taylor Drive • Charlotte, NC 28262 • 1-800-FRIGIDAIRE • frigidaire.com CANADA • 5855 Terry Fox Way • Mississauga, ON L5V 3E4 • 1-800-265-8352 • frigidaire.ca



Upright Freezer Specifications

- Product Shipping Weight (approx.) 190 Lbs.
- An electrical supply with grounded three-prong receptacle is required. The power supply circuit must be installed in accordance with current edition of *National Electrical Code (NFPA 70)* and local codes & ordinances.
- Voltage Rating -115V, 60Hz
- Connected Load (kW Rating)@115 Volts = 0.6 kW
- Amps@115 Volts = 5 Amps
- Always consult local and national electric codes.
- For adequate air circulation, allow 3" minimum clearance on all sides and top with 1" at bottom.
- Locate where surrounding air temperature will not exceed 110°F, to ensure optimum performance. (Temperatures 32°F and below will NOT affect operation.)
- All bottom corners of unit MUST rest firmly on solid level surface of hard material, same height as flooring. Surface must be strong and stable enough to support unit when fully loaded.
- Equipped with adjustable leveling legs to ensure unit is level, which is required in order to function properly.
- Note: For planning purposes only. Refer to Product Installation Guide on the web at frigidaire.com for detailed instructions.



USA • 10200 David Taylor Drive • Charlotte, NC 28262 • 1-800-FRIGIDAIRE • frigidaire.com CANADA • 5855 Terry Fox Way • Mississauga, ON L5V 3E4 • 1-800-265-8352 • frigidaire.ca