LG HOME APPLIANCES 2011 COLLECTION





46

112

120

172

184

186

REFRIGERATORS

COOKING

DISHWASHERS

LAUNDRY

VACUUMS

GLOSSARY

WARRANTY



2011 LG HOME APPLIANCES COLLECTION

FRENCH DOOR REFRIGERATORS



Elevate your kitchen with style and innovation. Keep every day foods at eye level. Available in 3 and 4-Door models.

SUPER CAPACITY

With the largest capacity for standard 36" width refrigerator at 31 cubic feet, the LFX31925 can store more food than ever before.*

*Standard width French Door Refrigerator, excludes other LG manufactured products.



SLIM SPACEPLUS™ ICE SYSTEM

Ice makers are great, but not if it means you can't fit all of your food in the fridge. The Slim SpacePlus™ Ice System provides maximum shelf space and allows even more space for door bins.



10-YEAR WARRANTY ON LINEAR COMPRESSOR

The Linear Compressor motor uses fewer moving parts and operates more efficiently. LG confidently backs this exclusive technology with a 10-year warranty.



SMARTDIAGNOSIS™ TECHNOLOGY

It's unlikely you would experience any problems with your LG refrigerator, however, this may eliminate a service call, saving you both time and money.



SMART COOLING PLUS SYSTEM

Smart Cooling Plus technology maintains optimal humidity and temperature levels so your food stays fresher, longer. Digital sensors constantly monitor conditions within the refrigerator, while the Linear Compressor reacts quickly to help keep humidity and temperature at a level that's best to keep your food fresh. Meanwhile, a Fresh Air Filter, Dual Evaporator for freshness and Multi-Air Flow Technology design means strategically-placed vents in every section surround your food with cool, fresh air no matter where you put it. (select models)



ENERGY STAR RATED

When your refrigerator uses at least 20% less energy than required by federal standards, you're going to make an impact—on your energy bill, your energy consumption, and most importantly, the environment.

3 DOOR FRENCH DOOR LFC20770 30" Width

Smooth Black

Smooth White

Stainless Steel

FEATURES

- 19.7 Cu.Ft. Total Capacity
- Fits 30" Opening
- · French Door Refrigerator with Pull-Out Freezer Drawer
- Premium Finishes in Stainless Steel, Smooth White and Smooth Black
- · Contoured Doors with Matching Commercial Handles
- Hidden Hinges
- · LED Lighting
- 2 Full-Width Tempered Glass Shelves
- · 6 Door Baskets (Adjustable Gallon Size) and Dairy Corner
- 2 Freezer Drawers (1 DuraBase™ Full Width and 1 Full Width Wire)
- Multi-Air Flow Cooling
- Internal Upfront Temperature Controls
- 2 Humidity Crispers
- Full-Width Glide N' Serve™ Drawer
- IcePlus[™] Accelerated Freezing Function
- · Door Alarm
- LoDecibel[™] Quiet Operation

3 DOOR FRENCH DOOR

LFC25765

33" Width



Smooth White





FEATURES

- · 22.6 Cu.Ft. Total Capacity
- Fits 33" Opening
- · French Door Refrigerator with Bottom Freezer
- Premium Finishes in Stainless Steel, Smooth White and Smooth Black
- · Contoured Doors with Matching Commercial Handles
- · Hidden Hinges
- · LED Lighting
- 4 Split Spill Protector[™] Tempered Glass Shelves
- · 6 Door Baskets (Adjustable Gallon Size) and Dairy Corner
- Freezer Drawer with Full Width DuraBase™ inside
- Multi-Air Flow Cooling
- Internal Upfront Digital Temperature Controls
- 2 Humidity Crispers
- Full-Width Glide N' Serve™ Drawer
- IcePlus[™] Accelerated Freezing Function
- · Door Alarm
- LoDecibel[™] Quiet Operation





3 DOOR FRENCH DOOR

LFC25776 LFC21776

Cabinet Depth



FEATURES

Smooth White

Smooth Black

Stainless Steel

- LFC25776 25.0 Cu.Ft. Total Capacity
- LFC21776 20.7 Cu.Ft. Total Capacity (Cabinet Depth)
- · French Door Refrigerator with Bottom Freezer
- · Linear Compressor for Better Energy, Quiet Operation, and Durability
- Energy Star/CEE Tier 3, uses up to 30% Less Energy than Federal Standards
- Premium Finishes in Stainless Steel, Smooth White and Smooth Black (LFC21776 Stainless Steel Only)
- · Contoured Doors with Matching Commercial Handles
- · Hidden Hinges
- Premium LED Interior Light
- 4 Slide-Out, Spill Protector™ Tempered Glass Shelves
- Glide N' Serve™ Drawer
- 2 Humidity Crispers / 1 Bonus Drawer
- · 6 Door Baskets (5 Adjustable Gallon Size) and Dairy Corner
- · Utility Bin
- Freezer Drawer with Full Width DuraBase™ inside
- · Multi-Air Flow Cooling
- · Internal LED Touch Pad Digital Temperature Controls
- IcePlus[™] Accelerated Freezing Function
- Door Alarm
- LoDecibel™ Quiet Operation



3 DOOR FRENCH DOOR

LFX25976 LFX21976

Cabinet Depth



Smooth White





FEATURES

- LFX25976 24.7 Cu.Ft. Total Capacity
- LFX21976 20.5 Cu.Ft. Total Capacity (Cabinet Depth)
- French Door Refrigerator with Slim SpacePlus[™] Ice System and Bottom Freezer
- Tall Ice & Water Dispensing System
- · Linear Compressor for Better Energy, Quiet Operation, and Durability
- Energy Star/CEE Tier 3, uses up to 30% Less Energy than Federal Standards
- Premium Finishes in Stainless Steel, Smooth White and Smooth Black (LFC21976 Stainless Steel Only)
- · Contoured Doors with Matching Commercial Handles
- · Hidden Hinges
- · Premium LED Interior Light
- 3 Slide-Out, Spill Protector™ Tempered Glass Shelves
- Full Width, Temperature-Controlled Glide N' Serve™ Drawer
- · 2 Humidity Crispers / 1 Bonus Drawer
- 6 Door Baskets (2 Adjustable Gallon Size) and Dairy Corner
- Freezer Drawer with Full Width DuraBase™ inside
- · Premium Water Filtration System
- · Multi-Air Flow Cooling
- Electronic Temperature Controls
- IcePlus[™] Accelerated Freezing Function
- Door Alarm
- LoDecibel[™] Quiet Operation



3 DOOR FRENCH DOOR LFX25978

33" Width



FEATURES

- 24.9 Cu.Ft. Total Ultra Large Capacity
- Fits 33" Opening

Smooth White

Smooth Black

Stainless Steel

- French Door Refrigerator with Slim SpacePlus[™] Ice System and Bottom Freezer
- Tall Ice & Water Dispensing System
- · Linear Compressor for Better Energy, Quiet Operation, and Durability
- · Premium Finishes in Stainless Steel, Smooth White and Smooth Black
- · Contoured Doors with Matching Commercial Handles
- · Hidden Hinges
- · Premium LED Interior Light
- 3 Slide-Out, Spill Protector[™] Tempered Glass Shelves /1 Folding Shelf
- Full Width, Temperature-Controlled Glide N' Serve™ Drawer
- 2 Humidity Crispers / 1 Bonus Drawer
- · 6 Door Baskets (2 Adjustable Gallon Size) and Dairy Corner
- Freezer Drawer with 2 DuraBase™ Plastic Drawers inside
- Premium Water Filtration System
- Electronic Temperature Controls
- IcePlus[™] Accelerated Freezing Function
- Door Alarm
- LoDecibel[™] Quiet Operation



3 DOOR FRENCH DOOR

LFX28978

Ultra-Large Capacity



Smooth White

Smooth Black



FEATURES

- 27.6 Cu.Ft. Total Ultra Large Capacity
- French Door Refrigerator with Slim SpacePlus[™] Ice System and Bottom Freezer
- Tall Ice & Water Dispensing System
- · Linear Compressor for Better Energy, Quiet Operation, and Durability
- Energy Star/CEE Tier 2, uses up to 25% Less Energy than Federal Standards
- Premium Finishes in Stainless Steel, Smooth White and Smooth Black
- · Contoured Doors with Matching Commercial Handles
- · Hidden Hinges
- · Premium LED Interior Light
- 3 Slide-Out, Spill Protector™ Tempered Glass Shelves /1 Folding Shelf
- Full Width, Temperature-Controlled Glide N' Serve™ Drawer
- 2 Humidity Crispers / 1 Bonus Drawer
- 6 Door Baskets (2 Adjustable Gallon Size) and Dairy Corner
- Freezer Drawer with 2 DuraBase™ Plastic Drawers inside
- · Premium Water Filtration System
- · Multi-Air Flow Cooling
- Electronic Temperature Controls
- IcePlus[™] Accelerated Freezing Function
- · Door Alarm
- LoDecibel[™] Quiet Operation



3 DOOR FRENCH DOOR LFX31925

Super Capacity



Stainless Steel

Smooth White

Smooth Black

FEATURES

- 30.7 Cu.Ft. Total Super Large Capacity
- French Door Refrigerator with Slim SpacePlus[™] Ice System and Bottom Freezer
- Tall Ice & Water Dispensing System
- · Linear Compressor for Better Energy, Quiet Operation, and Durability
- · Premium Finishes in Stainless Steel, Smooth White and Smooth Black
- Contoured Doors with Matching Commercial Handles, Smart Pull™ Freezer Handle and Hidden Hinges
- · Premium LED Interior Light
- · 3 Spill Protector™ Tempered Glass Shelves/1 Folding Shelf
- Full Width, Temperature-Controlled Glide N' Serve™ Drawer
- 2 Humidity Crispers / 1 Bonus Drawer
- 6 Door Baskets (2 Adjustable Gallon Size)
- Freezer Drawer with Full Width DuraBase[™] inside
- · Smart Cooling Plus System
- · Fresh Air Filter
- · Dual Evaporators
- · Multi-Air Flow Cooling
- Electronic Temperature Controls
- Premium Water Filtration System
- SmartDiagnosis[™] System
- · Door Alarm
- LoDecibel[™] Quiet Operation





4 DOOR FRENCH DOOR

LMX25986



Smooth White



Smooth Black



Stainless Steel

FEATURES

- 24.7 Cu.Ft. Total Ultra Large Capacity
- French Door Refrigerator with Slim SpacePlus™ Ice System and Double Freezer Drawers
- Tall Ice & Water Dispensing System
- · Linear Compressor for Better Energy, Quiet Operation, and Durability
- · Premium Finishes in Stainless Steel, Smooth White and Smooth Black
- · Contoured Doors with Matching Commercial Handles
- · Pocket Freezer Handles
- Hidden Hinges
- · Premium LED Interior Light
- 3 Slide-Out, Spill Protector™ Tempered Glass Shelves /1 Folding Shelf
- Full Width, Temperature-Controlled Glide N' Serve™ Drawer
- 2 Humidity Crispers / 1 Bonus Drawer
- · 6 Door Baskets (2 Adjustable Gallon Size) and Dairy Corner
- Freezer Drawer with Full Width DuraBase™ inside
- · Smart Cooling System
- · Multi-Air Flow Cooling
- Electronic Temperature Controls
- Premium Water Filtration System
- SmartDiagnosis™ System
- Door Alarm
- LoDecibel[™] Quiet Operation





4 DOOR FRENCH DOOR LMX25988

33" Width



FEATURES

Smooth White

Smooth Black

Stainless Steel

- 24.7 Cu.Ft. Total Ultra Large Capacity
- Fits 33" Opening
- French Door Refrigerator with Slim SpacePlus[™] Ice System and Double Freezer Drawers
- Tall Ice & Water Dispensing System
- · Linear Compressor for Better Energy, Quiet Operation, and Durability
- · Premium Finishes in Stainless Steel, Smooth White and Smooth Black
- · Contoured Doors with Matching Commercial Handles
- · Hidden Hinges
- · Premium LED Interior Light
- 3 Slide-Out, Spill Protector[™] Tempered Glass Shelves /1 Folding Shelf
- Full Width, Temperature-Controlled Glide N' Serve™ Drawer
- 2 Humidity Crispers / 1 Bonus Drawer
- · 6 Door Baskets (2 Adjustable Gallon Size) and Dairy Corner
- Double Freezer Drawers with 2 DuraBase™ Plastic Drawers inside
- · Multi-Air Flow Cooling
- Electronic Temperature Controls
- IcePlus[™] Accelerated Freezing Function
- Door Alarm
- LoDecibel[™] Quiet Operation



4 DOOR FRENCH DOOR

LMX28988

Ultra-Large Capacity



Smooth White





FEATURES

- · 27.5 Cu.Ft. Total Ultra Large Capacity
- French Door Refrigerator with Slim SpacePlus™ Ice System and Double Freezer Drawers
- Tall Ice & Water Dispensing System
- · Linear Compressor for Better Energy, Quiet Operation, and Durability
- · Premium Finishes in Stainless Steel, Smooth White and Smooth Black
- · Contoured Doors with Matching Commercial Handles
- · Hidden Hinges
- · Premium LED Interior Light
- 3 Slide-Out, Spill Protector™ Tempered Glass Shelves /1 Folding Shelf
- Full Width, Temperature-Controlled Glide N' Serve™ Drawer
- · 2 Humidity Crispers / 1 Bonus Drawer
- · 6 Door Baskets (2 Adjustable Gallon Size) and Dairy Corner
- Double Freezer Drawers with 2 DuraBase™ Plastic Drawers inside
- · Multi-Air Flow Cooling
- Electronic Temperature Controls
- IcePlus[™] Accelerated Freezing Function
- Door Alarm
- LoDecibel[™] Quiet Operation







	LFC20770	
FEATURES		
Dispensing		
Freezer Door Type	Drawer	
Energy Rating	Energy Star	
Cooling	Multi-Air Flow	
Smart Cooling System		
Temperature Controls	Internal LED Touch Pad	
Digital Sensors	4	
LoDecibel™ Quiet Operation	·	
SmartDiagnosis™ System		
Door Alarm	•	
REFRIGERATOR		
No. of Shelves	4 Split/Fixed	
Shelf Construction	Spill Protector™ Tempered Glass	
Crisper Bins	2 Humidity Controlled	
Glide N' Serve™ Drawer		
Refrigerator Light	LED	
Door Bins	6 Adjustable Gallon Size	
Ice Dispensing System		
FREEZER		
Drawers	Wire Drawer (Upper)	
Durabase™ Solid Drawer Base w/Divider	•	
IcePlus™	•	
Ice Maker		
Freezer Light	40W	
CAPACITY/DIMENSIONS/COLORS		
Total Capacity	19.7 cu.ft.	
Dimensions (WxHxD) without Handles (in inches)	29-7/8 x 67-7/8 x 31-3/4	
Colors	SW / SB / ST	

1
LFC25765 - 33"
Drawer
Energy Star
Multi-Air Flow
•
Internal LED Touch Pad
4
•
•
4 Split/Fixed
Spill Protector™ Tempered Glass
2 Humidity Controlled
LED
6 Adjustable Gallon Size
1 Full Width Plastic
•
40W
22.6 cu.ft.
32-7/8 x 70-3/8 x 32-7/8
SW / SB / ST





	LFC25776 / LFC21776 (Cabinet Depth)	
FEATURES		
Dispensing		
Freezer Door Type	Drawer	
Energy Rating	Energy Star	/CEE Tier 3
Cooling	Multi-A	Air Flow
Smart Cooling System		•
Temperature Controls		al LED n Pad
Digital Sensors	5	5
LoDecibel™ Quiet Operation		•
SmartDiagnosis™ System		
Door Alarm	•	
REFRIGERATOR		
No. of Shelves	4 Split/4 Slide-Out	
Shelf Construction	Spill Protector™ Tempered Glass	
Crisper Bins	2 Humidity Controlled, 1 Bonus Drawer	
Glide N' Serve™ Drawer	·	
Refrigerator Light	Premium LED Light	
Door Bins	6 (5 Adjustable Gallon Size) and Dairy Corner	
Ice Dispensing System		
FREEZER		
Drawers	1 Full Width	Wire Basket
Durabase™ Solid Drawer Base w/Divider		
IcePlus™		•
Ice Maker	·	
Freezer Light	60W	
CAPACITY/DIMENSIONS/COLORS		
Total Capacity	25.0 cu.ft.	20.7 cu.ft.
Dimensions (WxHxD) without Handles (in inches)	35-3/4 x 69-3/4 x 32-7/8	35-3/4 x 69-3/4 x 27-1/2
Colors	SW / SB / ST	ST

LFX25978 – 33"
Tall Ice & Water
Drawer
Energy Star
Multi-Air Flow
•
LED
6
·
·
4 Split/3 Slide-Out, 1 Folding
Spill Protector™ Tempered Glass
2 Humidity Controlled, 1 Bonus Drawer
Premium LED Light
6 (2 Adjustable Gallon Size) and Dairy Corner
Slim SpacePlus™
2 Full Width Plastic
·
60W
24.9 cu.ft.
32-3/4 x 69-7/8 x 32-7/8
SW / SB / ST





	LFX25976 / LFX21	976 (Cabinet Depth)
FEATURES		
Dispensing	Tall Ice & Water	
Freezer Door Type	Dra	wer
Energy Rating	Energy Star	/CEE Tier 3
Cooling	Multi-A	Air Flow
Smart Cooling System		•
Temperature Controls	LE	ED
Digital Sensors	!	5
LoDecibel™ Quiet Operation		•
SmartDiagnosis™ System		
Door Alarm		
REFRIGERATOR		
No. of Shelves	4 Split/3 Slide-Out, 1 Folding	
Shelf Construction	Spill Protector™ Tempered Glass	
Crisper Bins	2 Humidity Controlled, 1 Bonus Drawer	
Glide N' Serve™ Drawer	•	
Refrigerator Light	Premium LED Light	
Door Bins	6 (2 Adjustable Gallon Size) and Dairy Corner	
Ice Dispensing System	Slim SpacePlus™	
FREEZER		
Drawers	1 Full Width Wire Basket	
Durabase™ Solid Drawer Base w/Divider	•	
IcePlus™		
Ice Maker	•	
Freezer Light	60W	
CAPACITY/DIMENSIONS/COLORS		
Total Capacity	24.7 cu.ft.	20.5 cu.ft.
Dimensions (WxHxD) without Handles (in inches)	35-3/4 x 69-3/4 x 32-7/8	35-3/4 x 69-3/4 x 27-1/2
Colors	SW / SB / ST	ST

LFX28978	LFX31925
Tall Ice & Water	Tall Ice & Water
Drawer	Pull Drawer
Energy Star	Energy Star
Multi-Air Flow	Multi-Air Flow
•	Smart Cooling Plus
LED	LED
6	10
	•
	•
•	•
4 Split/3 Slide-Out, 1 Folding	4 Split/3 Fixed, 1 Folding
Spill Protector™ Tempered Glass	Spill Protector™ Tempered Glass
2 Humidity Controlled, 1 Bonus Drawer	2 Humidity Controlled, 1 Bonus Drawer
	•
Premium LED Light	Premium LED Light
6 (2 Adjustable Gallon Size) and Dairy Corner	6 (2 Adjustable Gallon Size)
Slim SpacePlus™	Slim SpacePlus™
1 Full Width Plastic	3-Tier Organization™ Freezer
•	•
	•
•	•
60W	LED
27.6 cu.ft.	30.7 cu.ft.
35-3/4 x 69-3/4 x 32-7/8	35-3/4 x 70-1/4 x 33-3/4
SW / SB / ST	SW / SB / ST





	LMX25986	
FEATURES		
Dispensing	Tall Ice & Water	
Freezer Door Type	Double Drawers	
Energy Rating	Energy Star	
Cooling	Multi-Air Flow	
Smart Cooling System	•	
Temperature Controls	LED	
Digital Sensors	5	
LoDecibel™ Quiet Operation	·	
SmartDiagnosis™ System	•	
Door Alarm	•	
REFRIGERATOR		
No. of Shelves	4 Split/3 Slide-Out, 1 Folding	
Shelf Construction	Spill Protector™ Tempered Glass	
Crisper Bins	2 Humidity Controlled, 1 Bonus Drawer	
Glide N' Serve™ Drawer	•	
Refrigerator Light	Premium LED Light	
Door Bins	6 (2 Adjustable Gallon Size) and Dairy Corner	
Ice Dispensing System	Slim SpacePlus™	
FREEZER		
Drawers	2 Drawers	
Durabase™ Solid Drawer Base w/Divider	•	
IcePlus™	•	
Ice Maker	•	
Freezer Light	60W	
CAPACITY/DIMENSIONS/COLORS		
Total Capacity	24.7 cu.ft.	
Dimensions (WxHxD) without Handles (in inches)	35-3/4 x 69-3/4 x 31-3/4	
Colors	SW / SB / ST	

ı	
LMX25988 - 33"	LMX28988
Tall Ice & Water	Tall Ice & Water
Double Drawers	Double Drawers
Energy Star	Energy Star
Multi-Air Flow	Multi-Air Flow
•	•
LED	LED
6	6
•	
•	
4 Split/3 Slide-Out, 1 Folding	4 Split/3 Slide-Out, 1 Folding
Spill Protector™ Tempered Glass	Spill Protector™ Tempered Glass
2 Humidity Controlled, 1 Bonus Drawer	2 Humidity Controlled, 1 Bonus Drawer
•	•
Premium LED Light	Premium LED Light
6 (2 Adjustable Gallon Size) and Dairy Corner	6 (2 Adjustable Gallon Size) and Dairy Corner
Slim SpacePlus™	Slim SpacePlus™
2 Plastic Drawers	2 Plastic Drawers
•	•
•	•
•	•
LED	LED
24.7 cu.ft.	27.5 cu.ft.
32-3/4 x 69-7/8 x 32-7/8	35-3/4 x 69-3/4 x 32-7/8
SW / SB / ST	SW / SB / ST

2011 LG HOME APPLIANCES COLLECTION

SIDE-BY-SIDE REFRIGERATORS



Two separate full-length compartments sideby-side. Fresh foods go in the refrigerator on the right side, and a tall freezer is on the left.

SOPHISTICATED STYLE AND PERFORMANCE

Contoured doors, hidden hinges, and a host of great interior features give your refrigerator a look as sophisticated as it is functional.



TALL ICE & WATER **DISPENSING SYSTEM**

The dispenser is over 12" tall, with an easy access water tap and slide out pitcher rest making it easy to fill most pitchers and glasses.



Compressor

10-YEAR WARRANTY ON LINEAR COMPRESSOR

The Linear Compressor motor uses fewer moving parts and operates more efficiently. LG confidently backs this exclusive technology with a 10-year warranty.





SPACEPLUS™ ICE SYSTEM

LG's SpacePlus™ Ice System is located on the inside door freeing up valuable space in the fresh food shelf compartments. (on select models)



ENERGY STAR RATED

When your refrigerator uses at least 20% less energy than required by federal standards, you're going to make an impact—on your energy bill, your energy consumption, and most importantly, the environment.

SIDE-BY-SIDE LSC27925



FEATURES

• 26.5 Cu.Ft. Total Capacity

Smooth White

Smooth Black

Stainless Steel

- · Side-By-Side Refrigerator with Integrated Dispenser
- Integrated Flush-Mount Ice & Water Dispenser
- Premium Finishes in Stainless Steel, Smooth White and Smooth Black
- · Contoured Doors with Matching Handles
- · Hidden Hinges
- 2 Slide-Out Spill Protector™ Tempered Glass Shelves
- 4 Door Bins
- 2 Crispers
- · 4 Fixed Freezer Door Bins
- 1 Plastic Freezer Drawer
- Digital Temperature Controls & Sensors
- LED Display: Temperature Level, Water Filter Status Light, Child Lock, Ice Option Controls
- · Door Alarm
- LoDecibel[™] Quiet Operation

SIDE-BY-SIDE LSC23924

33" Width



Smooth White





FEATURES

- 22.9 Cu.Ft. Total Capacity
- Accommodating 66" Height for Specialized Kitchen Spaces
- · Large Capacity, Fits 33" Opening
- · Side-By-Side Refrigerator with Integrated Dispenser
- · Integrated Flush-Mount Ice & Water Dispenser
- Premium Finishes in Stainless Steel, Smooth White and Smooth Black
- · Contoured Doors with Matching Handles
- · Hidden Hinges
- Enhanced Lighting
- · 2 Slide-Out, 1 Fixed Spill Protector™ Tempered Glass Shelves
- 4 Door Baskets (3 Adjustable Gallon Size) and Dairy Corner
- · 2 Humidity-Controlled Crispers
- Utility Bin
- 4 Fixed Freezer Door Bins
- 1 Plastic Freezer Drawer
- Digital Temperature Controls & Sensors
- LED Display: Temperature Level, Water Filter Status Light, Child Lock, Ice Option Controls
- Door Alarm
- LoDecibel[™] Quiet Operation





Stainless Steel

FEATURES

- · 26.5 Cu.Ft. Total Capacity
- · Side-By-Side Refrigerator with Integrated Dispenser
- Tall Ice & Water Dispensing Center
- · Premium Stainless Steel Finish
- · Contoured Doors with Matching Commercial Handles
- · Hidden Hinges
- · 2 Slide-Out, 1 Fixed Spill Protector™ Tempered Glass Shelves
- · 4 Door Baskets (3 Gallon Size) and Dairy Corner
- · 2 Humidity Crispers
- · 4 Fixed Freezer Door Bins
- 1 Plastic Freezer Drawer
- LED Display: Temperature Level, Water Filter Status Light, Child Lock, Dispenser Light, Ice Option Controls
- LED Temperature Controls
- · Door Alarm
- LoDecibel[™] Quiet Operation

SIDE-BY-SIDE LSC24971

Cabinet Depth





Stainless Steel

FEATURES

- · 23.5 Cu.Ft. Total Capacity (Cabinet Depth)
- Side-By-Side Refrigerator with Integrated Dispenser and SpacePlus™ Ice System
- Tall Ice & Water Dispensing Center
- · Linear Compressor for Better Energy, Quiet Operation, and Durability
- Energy Star/CEE Tier 3, uses 30% Less Energy than Federal Standards
- · Premium Stainless Steel Finish
- · Contoured Doors with Matching Handles
- Hidden Hinges
- · Stainless Steel Clad Dispenser
- Premium LED Interior Panel Lighting
- 3 Slide-Out Spill Protector™ Tempered Glass Shelves
- · 4 Door Baskets (3 Adjustable Gallon Size) and Dairy Corner
- 3 Crispers (2 Humidity Crispers/1 Push N' Seal Crisper)
- · Utility Bin
- · 4 Tempered Glass Freezer Shelves
- 2 Slide-Out Plastic Freezer Drawers
- · Dual Evaporators
- · Smart Cooling System
- Electronic LED Temperature Controls
- · Door Alarm
- LoDecibel[™] Quiet Operation





	LSC23924 - 33"	
FEATURES	1	
Energy Rating	Energy Star	
Smart Cooling System		
Digital Display	LED (Temperature (R/F), Ice Options, Child Lock, Water Filter Status)	
Temperature Controls	Electronic LED	
Electronic Sensors	4	
Water Filter	LT500P	
Dispenser	Flush-Mount Ice & Water	
LoDecibel™ Quiet Operation	•	
REFRIGERATOR		
No. of Shelves	2 Slide-Out/2 Fixed Spill Protector	
Shelf Configuration	Spill Protector™ Tempered Glass	
Utility Bin	•	
Crisper Bin	2 Humidity Crispers	
Refrigerator Light	2 x 40W	
REFRIGERATOR DOOR		
Door Baskets	4 (3 Adjustable Gallon Size)	
Dairy Corner	•	
FREEZER		
No. of Shelves	3	
Shelf Construction	Wire	
Door Bins	4 Fixed	
Drawers	1 Plastic	
SpacePlus™ Ice System		
Ice and Water Dispenser	Cubed, Crushed Ice, Water	
Automatic Ice Maker	•	
IcePlus™	•	
Freezer Light	40W	
CAPACITY/DIMENSIONS/COLORS		
Total Capacity	22.9 cu.ft.	
Dimensions (WxHxD) without Handle (in inches)	32-3/4 x 66-3/4 x 32	
Colors	SW / SB / ST	

1	İ	I
LSC27925	LSC27935	LSC24971 (Counter Depth)
		Т
Energy Star	Energy Star	Energy Star
		•
LED (Temperature (R/F), Ice Options, Child Lock, Water Filter Status)	LED (Temperature (R/F), Ice Options, Child Lock, Water Filter Status)	LED (Temperature (R/F), Ice Options, Child Lock, Water Filter Status)
Electronic LED	Electronic LED	SmoothTouch™
6	7	8
LT500P	LT600P	LT600P
Flush-Mount Ice & Water	Tall Ice & Water	Tall Ice & Water
	•	•
2 Slide-Out/2 Fixed Spill Protector	2 Slide-Out/1 Fixed Spill Protector	3 Slide-Out Spill Protector
Spill Protector™ Tempered Glass	Spill Protector™ Tempered Glass	Spill Protector™ Tempered Glass
		•
2 Crispers	2 Humidity Crispers	3 Crispers (2 Humidity Crispers/1 Push N' Seal)
LED	LED	LED
4	4 (3 Adjustable Gallon Size)	4 (3 Adjustable Gallon Size)
•	•	•
3	3	4
Wire	Wire	Tempered Glass
3 Fixed	4 Fixed	3 Fixed
1	1 Plastic	2 Plastic
	•	•
Cubed, Crushed Ice, Water	Cubed, Crushed Ice, Water	Cubed, Crushed Ice, Water
•	•	•
•	•	•
LED	LED Panel	LED
26.5 cu.ft.	26.5 cu.ft.	23.5 cu.ft.
35-3/4 x 68-1/2 x 32-5/8	35-3/4 x 69-3/4 x 32-5/8	35-3/4 x 70-1/4 x 28-1/8
SW / SB / ST	ST	ST

2011 LG HOME APPLIANCES COLLECTION

BOTTOM FREEZER REFRIGERATORS



With full-swing doors, the refrigerator goes on top so the foods you use every day are easily accessible. Your frozen foods go below. Available with either a pull-drawer or a swing-door freezer section.

EASY ACCESS

By keeping the freezer on the bottom, LG refrigerators give you easy, eye-level access to all of your favorite fresh foods.



DESIGN-A-DOOR

Our unique flexible shelving system allows you to slide the door bins horizontally and vertically for flexible organization. The shelves are also dishwasher safe for easy cleaning.

ICEPLUS™

Provides accelerated freezing for up to 24 hours to produce 6 lbs. of ice (4.5 lbs. without IcePlusTM) and lock-in freshness of all your frozen foods.

ELECTRONIC TEMPERATURE CONTROLS

Provides precise temperature control in the refrigerator and freezer compartments. Located up front, the electronic temperature controls are easy to reach and adjust. There are two temperature adjusters controlling the refrigerator and freezer compartments separately.





ENERGY STAR RATED

When your refrigerator uses at least 20% less energy than required by federal standards, you're going to make an impact—on your energy bill, your energy consumption, and most importantly, the environment.

BOTTOM FREEZER LRBP1031

24" Width



) White

Titanium

FEATURES

- 10 Cu.Ft. Total Capacity
- Counter Depth
- 2 Tempered Glass Shelves
- 3 See-Thru Freezer Drawers with Ice Trays
- 2 Vegetable Crispers
- Digital Temperature Controls
- Multi-Air Flow Cooling
- · Quick Freezing Drawer
- Door Alarm
- Energy Saving Vacation Mode

BOTTOM FREEZER LBC20514

30" Width



Smooth White

FEATURES

- 19.7 Cu.Ft. Total Capacity
- · Swing Door Freezer
- Contoured Doors with Matching Commercial Handles
- Design-A-Door Gallon Size Bins
- · 4 Split Tempered Glass Shelves
- 1 Freezer Drawer (1 Full-Width Wire)
- 1 Wire Freezer Shelf
- 1 Snack Bin
- Electronic LED Temperature Controls
- 2 Humidity Crispers
- Multi-Air Flow Cooling
- IcePlus[™] Accelerated Freezing Function
- LoDecibel[™] Quiet Operation

BOTTOM FREEZER LBC22520

33" Width



FEATURES

• 22.4 Cu.Ft. Total Capacity

Smooth White Smooth Black

Stainless Steel

- · Swing Door Freezer
- · Contoured Doors with Matching Commercial Handles
- Design-A-Door Gallon Size Bins
- · 4 Split Tempered Glass Shelves
- 1 Freezer Drawer (1 Full-Width Wire)
- 1 Wire Freezer Shelf
- 1 Snack Bin
- Digital Temperature Controls
- 2 Humidity Crispers
- Multi-Air Flow Cooling
- IcePlus[™] Accelerated Freezing Function
- CustomCube™ Ice Maker
- LoDecibel[™] Quiet Operation

BOTTOM FREEZER LDC22720

33" Width



) Smooth White

Stainless Steel

FEATURES

- 22.4 Cu.Ft. Total Capacity
- · Pull-Out Freezer Drawer
- · Contoured Doors with Matching Commercial Handles
- Design-A-Door Gallon Size Bins
- · 4 Split Tempered Glass Shelves
- 2 Freezer Drawers (1 DuraBase™ Full-Width and 1 Wire)
- 1 Snack Bin
- Electronic LED Temperature Controls
- 2 Humidity Crispers
- Multi-Air Flow Cooling
- IcePlus[™] Accelerated Freezing Function
- LoDecibel[™] Quiet Operation





	<u> </u>	İ
	LRBP1031 - 24"	LBC20514 - 30"
FEATURES		
Freezer Door Type	Swing	Swing
Energy Rating	DOE	Energy Star
Cooling	Multi-Air Flow	Multi-Air Flow
Digital Temperature Controls	•	•
Digital Sensors	3	3
LoDecibel™ Quiet Operation		•
Door Alarm	•	•
REFRIGERATOR		
No. of Shelves	2 Full Width	4 Split
Shelf Construction	Tempered Glass	Tempered Glass
Crisper Bins	2 Crispers	2 Humidity Crispers
Snack Bin	•	•
Refrigerator Light	40W	2 x 60W
Door Bins	4 (3 Adjustable and Rotatable/1 Fixed)	5 Design-A-Door
Dairy Bin	•	
FREEZER		
Drawers	3 See-Thru Drawers/ 1 Quick Freezing Drawer	1 Full Width Wire
Shelves		1 Wire
Express Freeze/IcePlus™	Express Freeze	IcePlus™
Freezer Light		40W
CAPACITY/DIMENSIONS/COLORS		
Total Capacity	10 cu.ft.	19.7 cu.ft.
Dimensions (WxHxD) without Handle (in inches)	23-3/8 x 67-3/8 x 24-5/8	29-7/8 × 67-7/8 × 32-1/8
Colors	WW / TT	SW

I	I
LBC22520 - 33"	LDC22720 - 33"
Swing	Drawer
Energy Star	Energy Star
Multi-Air Flow	Multi-Air Flow
3	3
	•
	•
4 Split/Fixed	4 Split/Fixed
Spill Protector™ Tempered Glass	Spill Protector™ Tempered Glass
2 Humidity Crispers	2 Humidity Crispers
2 x 60W	2 x 60W
5 Design-A-Door	5 Design-A-Door
	•
1 Wire	2 (1 DuraBase™ Full Width and 1 Wire)
1 Wire	1 Wire
IcePlus™	IcePlus™
40W	40W
22.4 cu.ft.	22.4 cu.ft.
32-7/8 x 68-1/2 x 31-3/4	32-7/8 x 68-1/2 x 31-3/4
SW / SB / ST	SW / ST

2011 LG HOME APPLIANCES COLLECTION

TOP FREEZER REFRIGERATORS



The most traditional door style features the freezer section on top, full-width swing doors, and – of course – LG's refined approach to design.

SOPHISTICATED STYLE AND PERFORMANCE

Contoured doors, premium finishes, and a host of great interior features give your refrigerator a look as sophisticated as it is functional.

ELECTRONIC TEMPERATURE CONTROLS

Provides precise temperature control in the refrigerator and the freezer compartments. Located up front, the electronic temperature controls are easy to reach and adjust. There are two temperature adjusters controlling the refrigerator and freezer compartments separately.

HUMIDITY CRISPERS

LG's Top Freezer Refrigerator features two humidity controlled crispers that aid in maintaining the freshness of your fruits and vegetables. Consumers have the option to separate and store highly perishable produce in more optimal settings.





ENERGY STAR RATED

When your refrigerator uses at least 20% less energy than required by federal standards, you're going to make an impact—on your energy bill, your energy consumption, and most importantly, the environment.

TOP FREEZER LTC19340



FEATURES

• 19 Cu.Ft. Total Capacity

Smooth White Smooth Black

Stainless Steel

- Top Mount Refrigerator with Factory-Installed Icemaker
- Premium Finishes in Stainless Steel, Smooth White and Smooth Black
- · Contoured Doors
- · 2 Full Width Tempered Glass Shelves
- 2 Humidity Controlled Crispers
- 3 Half and 1 Full Door Baskets (Gallon Size)
- · Dairy Bin
- Digital Temperature Controls & Sensors
- · Factory-Installed Ice Maker
- Ice Bin
- LoDecibel™ Quiet Operation

TOP FREEZER LTC22350



- Smooth White
- Stainless Steel

FEATURES

- 22.1 Cu.Ft. Total Capacity
- Top Mount Refrigerator with Factory-Installed Icemaker
- · Premium Finishes in Stainless Steel and Smooth White
- Contoured Doors
- 1 Full, 2 Split Tempered Glass Shelves
- 2 Humidity Controlled Crispers
- 3 Half and 1 Full Door Baskets (Gallon Size)
- · Dairy Bir
- Digital Temperature Controls & Sensors
- · Factory-Installed Ice Maker
- Ice Bin
- LoDecibel[™] Quiet Operation





FEATURES
Freezer Door Type
Energy Rating
Temperature Controls
Digital Sensors
LoDecibel™ Quiet Operation
REFRIGERATOR
No. of Shelves
Shelf Construction
Crisper Bins
Snack Bin
Door Bins
Dairy Bin
Refrigerator Light
FREEZER
Door Bins
Ice Maker
IcePlus™
CAPACITY/DIMENSIONS/COLORS
Total Capacity
Dimensions (WxHxD) without Handle (in inches)
Colors

I	
LTC19340	LTC22350
Swing	Swing
Energy Star	Energy Star
Digital	Digital
•	•
•	•
2 Full Width	1 Full Width, 2 Split
Tempered Glass	Tempered Glass
2 Humidity Controlled	2 Humidity Controlled
•	•
1 Full, 3 Half	1 Full, 3 Half
•	•
60W	60W
2 Full	2 Full
	•
19 cu.ft.	22.1 cu.ft.
29-7/8 x 64-3/4 x 32-1/8	32-7/8 × 67-1/2 × 31-3/4
SW / SB / ST	WH / SS
<u> </u>	

2011 LG HOME APPLIANCES COLLECTION

ELECTRIC RANGES



LG has taken cooking to the next level by perfecting the way you cook. From an array of enhanced features to the look and style, our ranges are a great addition to any kitchen.

LARGE OVEN CAPACITY

With one of the largest oven capacities available, LG's ranges provide more space for cooking large meals.



INFRAGRILL™ SYSTEM

LG's first infrared heating element gets your oven to broil temperature more quickly and cuts over 20% off your cooking time on common

items like hamburgers and chicken breasts. Infrared cooking – which uses the same technology as premium outdoor grills – also allows your food to be juicier than traditional thermal cooking. (LDE3017)



DUAL TRUE CONVECTION

Two fans combined with two built-in heating elements provides a 30% faster preheat time* with the added benefits of even heat distribution for overall

uniform baking and roasting. (select models)

*Based on testing results comparing a standard LG convection range to the dual convection range (325°F) mode.





INTUITOUCH™ CONTROL SYSTEM

Easy to use and easy to clean, the IntuiTouch™ Control System makes operating your range a snap. The left side of the panel mirrors the cooktop elements, while the right side controls the oven functions.

WIDEVIEW™ WINDOW

Allows you to easily check the progress of a meal in the oven without having to open the door.

ELECTRIC RANGE LRE3012

LRE30453



() White

Black

Stainless Steel

FEATURES

- 5.6 Cu.Ft. Capacity
- PreciseTemp™ Bake System
- 5 Radiant Cooktop Elements
- · 2 Full-Width Racks with 7 Rack Positions
- · Brilliant Blue Interior
- WideView™ Window
- Hidden Bake Element
- IntuiTouch™ Control System
- · Automatic Shut-Off
- · Self-Cleaning
- 1.0 Cu.Ft. Capacity Storage Drawer



) White

Black

Stainless Steel

FEATURES

- 5.6 Cu.Ft. Capacity
- EvenJet™ Convection System
- 5 Cooktop Elements with Warming Zone
- · 2 Full-Width Racks with 7 Rack Positions
- · Brilliant Blue Interior
- WideView[™] Window
- Hidden Bake Element
- IntuiTouch™ Control System
- Auto Convection Conversion
- · Self-Cleaning
- GoCook™ Smart Oven Light
- 1.2 Cu.Ft. Capacity Storage Drawer

ELECTRIC RANGE LRE30757

LDE3015







Black



FEATURES

- 5.6 Cu.Ft. Capacity
- Dual True Convection System
- Convection Bake
- Convection Roast
- 5 Cooktop Elements with Warming Zone
- 2 Full-Width / 1 Split Racks with 7 Rack Positions
- · Brilliant Blue Interior
- WideView[™] Window
- · Warming Drawer
- · Hidden Bake Element
- IntuiTouch™ Control System
- · Auto Convection Conversion
- · Self-Cleaning
- GoCook™ Smart Oven Light
- 1.2 Cu.Ft. Capacity Warming Drawer



reddot design award









FEATURES

- 6.7 Cu.Ft. Total Oven Capacity (2.3 Cu.Ft. Upper / 4.4 Cu.Ft. Lower)
- Freestanding Electric Double Oven Range
- Tallest Upper Oven (6")
- 5 Radiant Cooktop Elements with Warming Zone
- 2 Full-Width / 1 Offset Rack with 7 Rack Positions
- · Brilliant Blue Interior
- WideView[™] Window
- IntuiTouch™ Keypad
- 12 Hr. Automatic Shut-Off
- · Self-Cleaning (Upper and Lower Ovens)
- GoCook™ Smart Oven Light
- Recessed Broiler Safe for your hands
- Star-K Sabbath Certified



LSE3092



reddot design award

White

Blac





FEATURES

- 6.7 Cu.Ft. Total Oven Capacity (2.32 Cu.Ft. Upper / 4.38 Cu.Ft. Lower)
- · Freestanding Electric Double Oven Range
- Tallest Upper Oven (6")
- InfraGrill™ Broiler (Upper Oven)
- · True Convection System (Lower Oven)
- Convection Bake
- Convection Roast
- 5 Radiant Cooktop Elements with Warming Zone
- 2 Full-Width / 1 Offset Rack with 7 Rack Positions
- · Brilliant Blue Interior
- WideView[™] Window
- Hidden Bake Element
- IntuiTouch™ Keypad
- 12 Hr. Automatic Shut-Off
- Self-Cleaning (Upper and Lower Ovens)
- GoCook™ Smart Oven Light
- Recessed Broiler Safe for your hands
- · Star-K Sabbath Certified









FEATURES

- 5.4 Cu.Ft. Capacity
- 1.0 Cu.Ft. Baking Drawer Capacity
- Slide-In Design
- Dual True Convection System
- Convection Bake
- · Convection Roast
- Healthier Roast
- 5 Radiant Cooktop Elements with Warming Zone
- Heavy-Duty, Gliding Rack, Split Rack, Baking Rack, and Full Racks with 7 Positions
- · Matching High End Knobs
- SmoothTouch™ Glass Controls
- · Brilliant Blue Interior
- WideView[™] Window
- Hidden Bake Element
- · Baking Drawer
- · Stainless Steel Cooktop Trim
- · Self-Cleaning
- GoCook™ Smart Oven Light





	LRE3012
TYPE/CAPACITY/CONTROLS	21,230,12
Type / Capacity	Freestanding Electric / 5.6 cu.ft.
Oven / Cooktop Controls	IntuiTouch™ / Knobs
Display	LED
Electronic Clock & Timer	•
Control Lock Function	•
Audible Preheat Signal	•
Special Functions	Temperature Unit of Measure (F/C), Beeper Volume (High, Low, Mute), Language: English or Spanish, Preheating Alarm Light On/Off
CERAMIC COOKTOP	
No. of Radiant Elements	5
Warming Zone (Center Rear)	
ELEMENT SIZE AND WATTAGE	
Left Rear and Right Rear	6" / 1200W
Center Rear (Warming Zone)	7" / 100W
Left Front	9" / 2500W
Right Front	6"/9" / 1400W/3000W
SELF-CLEANING OVEN WITH WIDEV	IEW™ WINDOW
Variable Cleaning Time (2 hr, 3 hr & 4 hr)	•
Delay Clean	•
Broil Element	6 Pass / 4000W
Bake Element	6 Pass / 3400W
Convection Conversion	
Convection System	
Convection Bake/Roast	
Convection Element	
Delay Bake	12 Hours
Proofing/Cook & Warm	
Automatic Shut-Off	After 12 Hours
Favorites	
GoCook™ Smart Oven Light	
Interior Oven Light Adjustment	1, Auto/Manual
No. of Racks/Positions	2 Full/7
Accessories	
DRAWER	
Type / Capacity	Storage / 1.0 cu.ft.
Temperature Settings	
SAFETY FEATURES	
Door Lock	•
POWER SOURCE	
Electrical Requirements	120/240 VAC, 120/208 VAC, 9.2kW
DIMENSIONS/COLORS	
Dimensions (WxHxD) to door (in inches)	30 x 47-5/8 x 25-11/16
Oven Interior	Brilliant Blue
	SW / SB / ST

LRE30453	LRE30757
	1
Freestanding Electric / 5.6 cu.ft.	Freestanding Electric / 5.6 cu.ft.
IntuiTouch™	SmoothTouch™
LED, IntuiScroll™ Scrolling Display	VFD, IntuiScroll™ Scrolling Display
•	•
•	•
•	•
Temperature Unit of Measure (F/C), Beeper Volume (High, Low, Mute), Language: English or Spanish, Preheating Alarm Light On/Off	Temperature Unit of Measure (F/C), Beeper Volume (High, Low, Mute), Language: English or Spanish, Preheating Alarm Light On/Off
	5
5	<u> </u>
·	·
CII / 400 011/	T
6" / 1200W	6" / 1200W
6" / 100W	6" / 100W
6"/9" / 1200W/2500W	9" / 2500W
12" / 2700W	9"/12" / 1700W/2700W
•	•
·	•
6 Pass / 4000W	6 Pass / 4000W
6 Pass / 3400W	6 Pass / 3400W
• EvenJet™ Advanced	•
Single Fan	Dual (Double Fans)
•	•
	2 (700W each)
12 Hours	12 Hours
•	•
After 12 Hours	After 12 Hours
·	•
•	•
1, Auto/Manual	1, Auto/Manual
2 Full/7	2 Full, 1 Split/7
	Broiling Pan
Storage / 1.2 cu.ft.	Warming / 1.2 cu.ft.
	5 Levels
·	•
120/2401/40	120/2/03/40
120/240 VAC, 120/208 VAC, 11.2kW	120/240 VAC, 120/208 VAC, 12.7kW
29-7/8 x 47-5/8 x 25-11/16	29-7/8 x 47-5/8 x 25-11/16
Brilliant Blue	Brilliant Blue
SW / SB / ST	SW / SB / ST





	LDE3015
TYPE/CAPACITY/CONTROLS	
Type / Capacity	Freestanding Electric Double Oven / 6.7 cu.ft. (2.3 cu.ft. Upper/4.4 cu.ft. Lower
Oven / Cooktop Controls	IntuiTouch™
Display	LED
Electronic Clock & Timer	•
Control Lock Function	•
Audible Preheat Signal	•
Special Functions	Temperature Unit of Measure (F/C), Beeper Volume (High, Low, Mute), Language: English or Spanish, Preheating Alarm Light On/Off
CERAMIC COOKTOP	
No. of Radiant Elements	5
Warming Zone (Center Rear)	•
ELEMENT SIZE AND WATTAGE	
Left Rear and Right Rear	6" / 1200W
Center Rear (Warming Zone)	7" / 100W
Left Front	9" / 2500W
Right Front	6"/9" / 1400W/3000W
SELF-CLEANING OVEN WITH WIDE	/IEW™ WINDOW
Variable Cleaning Time (2 hr, 3 hr & 4 hr)	•
Delay Clean	•
Broil Element	6 Pass / 3200W (Upper) 6 Pass / 3800W (Lower)
Bake Element	6 Pass / 2100W (Upper) 6 Pass / 2500W (Lower)
Convection Conversion	
Convection System	
Convection Bake/Roast	
Convection Element	
Delay Bake	12 Hours
Proofing/Cook & Warm	
Automatic Shut-Off	After 12 Hours
Favorites	
GoCook™ Smart Oven Light	•
Interior Oven Light Adjustment	1, Auto/Manual
No. of Racks/Positions	2 Full, 1 Offset/7
Accessories	
DRAWER	
Type / Capacity	
Temperature Settings	
SAFETY FEATURES	
Door Lock	•
POWER SOURCE	
Electrical Requirements	120/240 VAC, 120/208 VAC, 10.7kW
DIMENSIONS/COLORS	
Dimensions (WxHxD) to door (in inches)	30 x 47-7/16 x 25-13/16
Oven Interior	Brilliant Blue
Colors	SW / SB / ST

1	
LDE3017	LSE3092
Freestanding Electric Double Oven / 6.7 cu.ft. (2.32 cu.ft. Upper/4.38 cu.ft. Lower)	Electric Slide-In / 5.4 cu.ft.
IntuiTouch™	SmoothTouch™ / Knobs
VFD Scrolling	VFD, IntuiScroll™ Scrolling Display
•	•
•	•
•	•
Temperature Unit of Measure (F/C), Beeper Volume (High, Low, Mute), Language: English or Spanish, Preheating Alarm Light On/Off	Temperature Unit of Measure (F/C), Beeper Volume (High, Low, Mute), Language: English or Spanish, Preheating Alarm Light On/Off
5	5
•	•
6" / 1200W	6" / 1200W
7" / 100W	6" / 700W
6"/9" / 1400W/3000W	6"/9" / 1400W/3000W
9"/12" / 1700W/2700W	6"/9"/12" / 1100W/2200W/3000W
•	•
•	•
3200W (1600W x 2) InfraGrill™ (Upper) 6 Pass / 3800W (Lower)	6 Pass / 4000W
6 Pass / 2100W (Upper) 8 Pass / 2500W (Lower)	6 Pass / 3400W
•	•
True Convection	Dual (Double Fans)
•	•
1 (2000W/210)	2 (700W each)
12 Hours	12 Hours
•	•
After 12 Hours	After 12 Hours
	•
•	•
1, Auto/Manual	1, Auto/Manual
2 Full, 1 Offset/7	2 Full, 1 Gliding, 1 Split/7
	Broiling Pan
	Bake Drawer / 1.0 cu.ft.
	Max. 450°
•	•
120/240 VAC, 120/208 VAC, 11.4kW	120/240 VAC, 120/208 VAC, 12.7kW
30 x 47-7/16 x 25-13/16	29-7/8 x 36 x 25-11/16
Brilliant Blue	Brilliant Blue
SW / SB / ST	ST

2011 LG HOME APPLIANCES COLLECTION

GAS RANGES



LG's beautifully designed Gas Ranges feature superior cooking performance and the ultimate in design and technology. LG Gas Ranges are a great addition to any kitchen.

LARGE OVEN CAPACITY

The size of your oven shouldn't dictate what you can cook or for how many people. LG's Large Capacity Ovens give you more space so you have the flexibility to cook more dishes at the same time.



SUPERBOIL™ BURNER

Spend less time waiting and more time cooking. The powerful Superboil™ 17,000 BTU Burner brings water and other liquids to a boil quickly.

CONVECTION COOKING

LG's high-end gas ranges feature the EvenJet™ Convection fan for more even cooking and heating. (select models)



INFRAGRILL™ SYSTEM

LG's first infrared heating element gets your oven to broil temperature more quickly. Over 20% faster cooking time on common items like

hamburgers and chicken breasts. Infrared cooking – which uses the same technology as premium outdoor grills – also allows your food to be juicier than traditional thermal cooking. (LDG3017)



INTUITOUCH™ CONTROLS

IntuiTouch $^{\text{TM}}$ display, makes operating your gas range a snap. The left side of the panel mirrors the cook top elements, while the right side controls the oven functions.

EASYCLEAN™

LG brings you the next generation of oven cleaning. With the new EasyClean™ Enamel coating, you can have quick and high performance cleaning inside and out without the smell or high temperatures of chemicals or self clean.

WIDEVIEW™ WINDOW

Allows you to easily check the progress of a meal in the oven without having to open the door.

WARMING DRAWER

While preparing the rest of your meal, the warming drawer with 3 heat settings can be used to keep cooked foods at serving temperature. (select models)

GAS RANGE LRG3091

GAS RANGE LRG3093



White

Black

Stainless Steel

FEATURES

- 5.4 Cu.Ft. Capacity
- 1.0 Cu.Ft. Storage Drawer Capacity
- PreciseTemp™ Bake System
- 17,000 BTU SuperBoil™ Burner
- 5 Sealed Gas Cooktop Burners
- Black Knobs
- IntuiTouch™ Controls
- WideView™ Window
- · Brilliant Blue Interior
- · Porcelain Coated Cooktop Surface
- 2 Standard Racks with 7 Positions
- GoCook™ Oven Light
- 12 Hour Automatic Shut-off
- · Self-Cleaning



) White

Black

Stainless Steel

FEATURES

- 5.4 Cu.Ft. Capacity
- · Flat Broil Heater
- 1.0 Cu.Ft. Storage Drawer Capacity
- PreciseTemp™ Bake System
- 17,000 BTU SuperBoil™ Burner
- 5 Sealed Gas Cooktop Burners
- · Matching High End Knobs
- IntuiTouch™ Controls
- WideView[™] Window
- · Brilliant Blue Interior
- Porcelain Coated Cooktop Surface
- 2 Heavy Duty Racks with 7 Positions
- GoCook™ Oven Light
- 12 Hour Automatic Shut-off
- · Self-Cleaning

GAS RANGE LRG3095











FEATURES

- 5.4 Cu.Ft. Capacity
- · Flat Broil Heater
- 1.0 Cu.Ft. Storage Drawer Capacity
- Powerful EvenJet[™] Convection System
- Convection Bake
- · Convection Roast
- 17,000 BTU SuperBoil™ Burner
- 5 Sealed Gas Cooktop Burners
- · Matching High End Knobs
- SmoothTouch™ Controls
- WideView[™] Window
- · Brilliant Blue Interior
- · Porcelain Coated Cooktop Surface
- · 2 Heavy Duty Racks with 7 Positions
- GoCook™ Oven Light
- 12 Hour Automatic Shut-off
- · Self-Cleaning





FEATURES

- 5.4 Cu.Ft. Capacity
- · Flat Broil Heater
- 1.0 Cu.Ft. Warming Drawer Capacity
- Premium EvenJet[™] Convection System
- Convection Bake
- · Convection Roast
- 19.000 BTU UltraHeat™ Burner
- 5 Sealed Gas Cooktop Burners
- · Matching High End Knobs
- SmoothTouch™ Controls
- WideView[™] Window
- · Brilliant Blue Interior
- · Stainless Steel Cooktop Surface
- · 2 Heavy Duty Racks, 1 Split Rack with 7 Positions
- GoCook™ Oven Light
- 12 Hour Automatic Shut-off
- · Self-Cleaning

GAS RANGE LDG3015

GAS RANGE LDG3016



White





FEATURES

- 6.1 Cu.Ft. Total Oven Capacity (2.2 Cu.Ft. Upper / 3.9 Cu.Ft. Lower)
- 30" Freestanding Gas Double Oven Range
- 17,000 BTU SuperBoil™ Burner
- 5 Sealed Gas Cooktop Burners
- · Matching High End Knobs
- IntuiTouch[™] Controls
- WideView[™] Window
- · Brilliant Blue Interior
- · Porcelain Coated Cooktop Surface
- 2 Standard Racks with 7 Positions
- · Smart Oven Light
- · 12 Hour Automatic Shut-off
- Self-Cleaning (Upper and Lower Ovens)
- · Star-K Sabbath Certified





FEATURES

- 6.1 Cu.Ft. Total Oven Capacity (2.2 Cu.Ft. Upper / 3.9 Cu.Ft. Lower)
- 30" Freestanding Gas Double Oven Range
- EvenJet[™] Convection System (Lower)
 - Convection Bake
- Convection Roast
- 17.000 BTU SuperBoil™ Burner
- 5 Sealed Gas Cooktop Burners
- · Matching High End Knobs
- IntuiTouch[™] Controls
- WideView[™] Window
- · Brilliant Blue Interior
- Porcelain Coated Cooktop Surface
- · 2 Standard Racks with 7 Positions
- · Smart Oven Light
- 12 Hour Automatic Shut-off
- · Self-Cleaning (Upper and Lower Ovens)
- · Star-K Sabbath Certified





GAS RANGE COMPARISON







FEATURES

- 6.1 Cu.Ft. Total Oven Capacity (2.2 Cu.Ft. Upper / 3.9 Cu.Ft. Lower)
- 30" Freestanding Gas Double Oven Range
- InfraGrill™ Broiler (Upper Oven)
- EvenJet[™] Convection System (Lower)
- Convection Bake
- Convection Roast
- 17,000 BTU SuperBoil™ Burner
- 5 Sealed Gas Cooktop Burners
- Matching High End Knobs
- IntuiTouch™ Controls
- WideView[™] Window
- · Brilliant Blue Interior
- Porcelain Coated Cooktop Surface
- EasyClean™ Interior/Cooktop
- 2 Standard Racks with 7 Positions
- · Smart Oven Light
- 12 Hour Automatic Shut-off
- Self-Cleaning (Upper and Lower Ovens)
- · Star-K Sabbath Certified





	LRG3091
TYPE/CAPACITY/CONTROLS	
Type / Capacity	Freestanding Natural Gas / 5.4 cu.ft
Oven / Cooktop	IntuiTouch™ / Knobs
Display	LED
Electronic Clock & Timer	•
Control Lock Function	•
Audible Preheat Signal	•
Special Functions	Clock (12 hr, 24 hr), Temperature Unit of Measure (F/C)
СООКТОР	
Туре	Coated Porcelain
No. of Burners	5 Sealed
Dishwasher Safe Grates	•
Ignition System	Electronic
BURNER POWER	
Left Front	12K
Left Rear	9.1K
Center	9.1K
Right Front	17K SuperBoil™
Right Rear	5K
SELF-CLEANING OVEN WITH WIDE	EVIEW™ WINDOW
Variable Cleaning Time	2 hr, 3 hr, 4 hr
Delay Clean	•
Variable Broil	High, Low
Broil Burner	14,500 BTU
Bake Burner	18,000 BTU
Convection Conversion	
Convection System	
Convection Bake	
Convection Roast	
Delay Bake	12 Hours
Cook & Warm	•
Automatic Shut-Off	After 12 Hours
Interior Oven Light	1 Incandescent
No. of Racks/Positions	2 Full-Width/7
Accessories	LP Conversion Kit
DRAWER	•
Type / Capacity	Storage / 1.0 cu.ft.
SAFETY FEATURES	•
Door Lock	•
POWER SOURCE	•
Electrical Requirements	0.54kW/4.5A, 120 VAC
DIMENSIONS/COLORS	· ·
Dimensions (WxHxD) to door (in inches)) 29-15/16 x 47-5/8 x 26 1/2
Oven Interior	Brilliant Blue
	1





	LRG3093
TYPE/CAPACITY/CONTROLS	
Type / Capacity	Freestanding Natural Gas / 5.4 cu.ft.
Oven / Cooktop	IntuiTouch™ / Knobs
Display	VFD, IntuiScroll™ Scrolling Display
Electronic Clock & Timer	•
Control Lock Function	•
Audible Preheat Signal	•
Special Functions	Clock (12 hr, 24 hr), Temperature Unit of Measure (F/C)
СООКТОР	
Туре	Coated Porcelain
No. of Burners	5 Sealed
Dishwasher Safe Grates	•
Ignition System	Electronic
BURNER POWER	
Left Front	12K
Left Rear	9.1K
Center	8K
Right Front	17K SuperBoil™
Right Rear	5K
SELF-CLEANING OVEN WITH WIDEV	IEW™ WINDOW
Variable Cleaning Time	2 hr, 3 hr, 4 hr
Delay Clean	•
Variable Broil	High, Low
Broil Burner	14,500 BTU
Bake Burner	18,000 BTU
Convection Conversion	
Convection System	
Convection Bake	
Convection Roast	
Delay Bake	12 Hours
Cook & Warm	•
Automatic Shut-Off	After 12 Hours
Interior Oven Light	1 Incandescent
No. of Racks/Positions	2 Full-Width/7
Accessories	LP Conversion Kit
DRAWER	
Type / Capacity	Storage / 1.0 cu.ft.
SAFETY FEATURES	
Door Lock	•
POWER SOURCE	
Electrical Requirements	0.54kW/4.5A, 120 VAC
DIMENSIONS/COLORS	
Dimensions (WxHxD) to door (in inches)	29-15/16 x 47-5/8 x 27 29/32
Oven Interior	Brilliant Blue
Colors	SW / SB / ST

LRG3095	LRG3097
	1
Freestanding Natural Gas / 5.4 cu.ft.	Freestanding Natural Gas / 5.4 cu.ft.
SmoothTouch™ / Knobs	SmoothTouch™ / Knobs
VFD, IntuiScroll™ Scrolling Display	VFD, IntuiScroll™ Scrolling Display
•	•
•	
Clock (12 hr, 24 hr), Temperature Unit of Measure (F/C)	Clock (12 hr, 24 hr), Temperature Unit of Measure (F/C)
(, ,	
Coated Porcelain	Stainless
5 Sealed	5 Sealed
•	
Electronic	Electronic
12K	12K
9.1K	9.1K
8K	8K
17K SuperBoil™	19K UltraHeat™
5K	5K
31(311
2 hr, 3 hr, 4 hr	2 hr, 3 hr, 4 hr
•	•
High, Low	High, Low
15,500 BTU	15,500 BTU
18,000 BTU	18,000 BTU
•	
•	
•	
•	
12 Hours	12 Hours
iz riouis	·
After 12 Hours	After 12 Hours
1 Incandescent	1 Incandescent
2 Full-Width/7	2 Full-Width, 1 Split/7
Griddle Pan,	
LP Conversion Kit	LP Conversion Kit
Storage / 1.0 cu.ft.	Warming / 1.0 cu.ft.
Siorage / 1.0 cu.ii.	yvanning / 1.0 cu.n.
0.54138//4.54, 1303//40	114134/05 4 1203/40
0.54kW/4.5A, 120 VAC	1.14kW/9.5A, 120 VAC
20.15/14 47.5/0 27.22/22	20.15/1/ 47.5/0 27.25/22
29-15/16 x 47-5/8 x 27 29/32	29-15/16 x 47-5/8 x 27 31/32
Brilliant Blue	Brilliant Blue
SW / SB / ST	ST





	LDG3015
TYPE/CAPACITY/CONTROLS	
Type / Capacity	Freestanding Natural Gas Double Oven / 6.1 cu.ft. (2.2 cu.ft. Upper/3.9 cu.ft. Lower
Oven / Cooktop	IntuiTouch™ / Knobs
Display	LED
Electronic Clock & Timer	•
Control Lock Function	•
Audible Preheat Signal	•
Special Functions	Clock (12 hr, 24 hr), Temperature Unit of Measure (F/C)
СООКТОР	
Type	Coated Porcelain
No. of Burners	5 Sealed
Dishwasher Safe Grates	•
Ignition System	Electronic
BURNER POWER	
Left Front	12K
Left Rear	9.1K
Center	9.1K
Right Front	17K SuperBoil™
Right Rear	5K
SELF-CLEANING OVEN WITH WIDE	/IEW™ WINDOW
Variable Cleaning Time	2 hr, 3 hr, 4 hr
Delay Clean	•
Variable Broil	High, Low
Broil Burner	14,500 BTU (Upper)
Bake Burner	14,500 BTU (Upper) 16,000 BTU (Lower)
Convection Conversion	
Convection System	
Convection Bake	
Convection Roast	
Delay Bake	12 Hours
Cook & Warm	•
Automatic Shut-Off	After 12 Hours
Interior Oven Light	1 Incandescent
No. of Racks/Positions	2 Full-Width/7
Accessories	LP Conversion Kit
DRAWER	
Type / Capacity	
SAFETY FEATURES	
Door Lock	·
POWER SOURCE	
Electrical Requirements	1.65kW/13.75A, 120 VAC
DIMENSIONS/COLORS	
Dimensions (WxHxD) to door (in inches)	30 x 47-7/16 x 26 2/5
Oven Interior	Brilliant Blue
Colors	SW / SB / ST

LDG3016	LDG3017
Freestanding Natural Gas Double Oven / 6.1 cu.ft. (2.2 cu.ft. Upper/3.9 cu.ft. Lower)	Freestanding Natural Gas Double Oven / 6.1 cu.ft. (2.2 cu.ft. Upper/3.9 cu.ft. Lower)
IntuiTouch™ / Knobs	IntuiTouch™ / Knobs
LED	VFD / IntuiScroll™ Display
•	•
·	·
·	•
Clock (12 hr, 24 hr), Temperature Unit of Measure (F/C)	Clock (12 hr, 24 hr), Temperature Unit of Measure (F/C)
Coated Porcelain	Coated Porcelain
5 Sealed	5 Sealed
•	•
Electronic	Electronic
12K	12K
9.1K	9.1K
8K (Oval)	8K (Oval)
17K SuperBoil™	17K SuperBoil™
5K	5K
2 hr, 3 hr, 4 hr	2 hr, 3 hr, 4 hr
•	•
High, Low	High, Low
14,500 BTU (Upper)	16,000 BTU (Upper) InfraGill™
14,500 BTU (Upper) 16,000 BTU (Lower)	14,500 BTU (Upper) 16,000 BTU (Lower)
•	•
•	•
•	•
•	•
12 Hours	12 Hours
•	•
After 12 Hours	After 12 Hours
1 Incandescent	1 Incandescent
2 Full-Width/7	2 Full-Width, 1 Offset/7
LP Conversion Kit, Griddle	LP Conversion Kit, Griddle
•	•
1.65kW/13.75A, 120 VAC	1.65kW/13.75A, 120 VAC
30 x 47-1/2 x 26 2/5	30 x 47-1/2 x 26 2/5
Brilliant Blue	Brilliant Blue
ST	ST

2011 LG HOME APPLIANCES COLLECTION BUILT-IN WALL OVENS



LG's premium built-in wall ovens offers the perfect harmony between style and performance. These are beautifully designed combined with features benefiting the chef in you.

STYLE AND DESIGN

Available in a premium Stainless Steel Finish, LG's built-in wall ovens are sleek, modern, and high quality. The distinct door handle and brilliant blue interior bring forth the look of sophistication LG users expect.

LARGE OVEN CAPACITY

The large 4.7 cu.ft. oven capacity is smartly accentuated with a vivid convection glow. The recessed broiler element provides more usable space and a more visually pleasing oven interior.

CRISP CONVECTION

Continually distributes heat precisely so cooked foods such as biscuits, scones or pizza can remain delicious on the inside and crisp on the outside.

4 Mode Convection System

- Crisp Convection
- Convection Bake
- Convection Roast
- Healthier Roast

SELF-CLEANING

Ovens come with a self-cleaning mode that virtually eliminates the need to scrub.



SMOOTHTOUCH™ CONTROLS

Using your oven has never been easier. Intuitive, digital controls allow heat and function adjustments to be made with the touch of a finger.

WIDEVIEW™ WINDOW

Allows you to easily check the progress of a meal in the oven without having to open the door.

6.3" LCD TOUCH SCREEN CONTROL SYSTEM

The intelligent touch screen is highly intuitive and easy to use. Just a touch of a finger controls all cycles and cooking options. (select models)

BUILT-IN WALL OVEN LWD3010ST





Stainless Steel



FEATURES

- 4.7 Cu.Ft. Capacity
- True Convection System

Stainless Steel

- Convection Bake
- Convection Roast
- Crisp Convection
- SmoothTouch™ Glass Controls
- Automatic Convection Conversion
- 5 Heavy Duty Racks with 5 Positions
- WideView[™] Window
- · Brilliant Blue Interior
- 3 Halogen Interior Lights
- Broil Pan
- · Self-Cleaning
- · 8-Pass Recessed Broiler Element
- Delay Clean and Delay Bake

FEATURES

- 4.7 Cu.Ft. Capacity each oven
- True Convection System
- Convection Bake
- Convection Roast
- Crisp Convection
- SmoothTouch™ Glass Controls
- Automatic Convection Conversion
- 5 Heavy Duty Racks with 5 Positions
- WideView[™] Windows
- · Brilliant Blue Interior
- 3 Halogen Interior Lights (each oven)
- Broil Pan
- · Self-Cleaning
- · 8-Pass Recessed Broiler Element
- · Delay Clean and Delay Bake

BUILT-IN WALL OVEN LWD3081ST





Stainless Steel



FEATURES

• 4.7 Cu.Ft. Capacity

Stainless Steel

- Exclusive 4-Mode True Convection System
- Crisp Convection
- · Healthier Roast
- Convection Roast
- Convection Bake
- 6.3" LCD Touch Screen Control System
- · Gourmet Recipe Bank
- · Automatic Convection Conversion
- 3 Heavy Duty Racks (Includes 1 Glide Rack)
- · Brilliant Blue Interior
- · 3 Halogen Interior Lights
- Broil Pan/Meat Probe
- · Self-Cleaning
- 8-Pass Recessed Broiler Element
- · Delay Clean and Delay Bake

FEATURES

- 4.7 Cu.Ft. Capacity each oven
- Exclusive 4-Mode True Convection System
- Crisp Convection
- Healthier Roast
- Convection Roast
- Convection Bake
- 6.3" LCD Touch Screen Control System
- · Gourmet Recipe Bank
- · Automatic Convection Conversion
- 3 Heavy Duty Racks (Includes 1 Glide Rack)
- · 2 Heavy Duty Racks on Lower Oven Only
- · Brilliant Blue Interior
- 3 Halogen Interior Lights (each oven)
- Broil Pan/Meat Probe (upper oven only)
- · Self-Cleaning
- 8-Pass Recessed Broiler Element
- · Delay Clean and Delay Bake





TYPE/CAPACITY
Туре
Capacity
CONTROLS
Display
Access Control
OVEN
Variable Cleaning Time (2 hr, 3 hr & 4 hr)
Variable Broil
Broil Element
Broil Element Pass
Bake Element
Bake Element Type
Convection Conversion
Convection System Crisp Healthier Roast Bake Roast Convection Element
Proofing
Variable Warm
12 hrs. Shut-Off
WideView™ Window
No. of Lights
No. of Racks
No. of Rack Positions
Accessories
POWER SOURCE
Electrical Requirements
DIMENSIONS/COLORS
Product Dimensions (WxHxD) in inches
Cut-Out Dimensions (WxHxD) in inches
Oven Interior
Colors

LWS3010ST	LWD3010ST
Single Wall Oven/Self-Cleaning	Double Wall Oven/Self-Cleaning
4.7 cu.ft.	4.7 cu.ft./4.7 cu.ft.
	ı
White VFD	White VFD
Control Lockout	Control Lockout
	•
Full, Center/High, Med, Low	Full, Center/High, Med, Low
2500W Inner/1500W Outer	2500W Inner/1500W Outer
8	8
2500W	2500W
Hidden, 8 Pass	Hidden, 8 Pass
	•
	_
2500W Carbon Heater	2500W Carbon Heater
I line Mand I no	I link Mad Law
High, Med, Low	High, Med, Low
3 (Halogen Lamp – 3 Dimension Lighting)	3 (Halogen Lamp – 3 Dimension Lighting)
3 Heavy Duty (Includes 1 Glide Rack)	3 Heavy Duty (Includes 1 Glide Rack) 2 Heavy Duty on Lower Oven Only
5	5
Broiler Pan	Broiler Pan
120/240 VAC, 120/208 VAC, 4.1kW	120/240 VAC, 120/208 VAC, 7.8kW
29-3/4 x 29-5/16 x 24-3/8	29-3/4 x 52-1/16 x 24-3/8
28-1/2 x 29 x 23-1/2	28-1/2 x 51-15/16 x 23-1/2
Brilliant Blue	Brilliant Blue
ST	ST





TYPE/CAPACITY
Туре
Capacity
CONTROLS
Display
Access Control
No. of My Menu Selections
Gourmet Recipe Bank
OVEN
Variable Cleaning Time (2 hr, 3 hr & 4 hr)
Variable Broil
Broil Element
Broil Element Pass
Bake Element
Bake Element Type
Convection Conversion
Convection System Crisp Healthier Roast Bake Roast Convection Element
Proofing
Variable Warm
12 hrs. Shut-Off
WideView™ Window
No. of Lights
No. of Racks
No. of Rack Positions
Accessories
POWER SOURCE
Electrical Requirements
DIMENSIONS/COLORS
Product Dimensions (WxHxD) in inches
Cut-Out Dimensions (WxHxD) in inches
Oven Interior
Colors

ı	I	
LWS3081ST	LWD3081ST	
	T .	
Single Wall Oven/Self-Cleaning	Double Wall Oven/Self-Cleaning	
4.7 cu.ft.	4.7 cu.ft./4.7 cu.ft.	
	T	
6.3" SmoothTouch™ LCD	6.3" SmoothTouch™ LCD	
Control Lockout	Control Lockout	
10	10	
100 Recipes/42 Auto Cook Menu	100 Recipes/42 Auto Cook Menu	
•	•	
Full, Center/High, Med, Low	Full, Center/High, Med, Low	
2500W Inner/1500W Outer	2500W Inner/1500W Outer	
8	8	
2500W	2500W	
Hidden, 8 Pass	Hidden, 8 Pass	
•	•	
:	:	
:	:	
2500W Carbon Heater	2500W Carbon Heater	
•	•	
High, Med, Low	High, Med, Low	
•	•	
•	•	
3 (Halogen Lamp – 3 Dimension Lighting)	3 (Halogen Lamp – 3 Dimension Lighting)	
3 Heavy Duty (Includes 1 Glide Rack)	3 Heavy Duty (Includes 1 Glide Rack) 2 Heavy Duty on Lower Oven Only	
5	5	
Broiler Pan / Meat Probe	Broiler Pan / Meat Probe (Available Only Upper Oven)	
120/240 VAC, 120/208 VAC, 4.1kW	120/240 VAC, 120/208 VAC, 7.8kW	
29-3/4 x 29-5/16 x 24-3/8	29-3/4 x 52-1/16 x 24-3/8	
28-1/2 x 29 x 23-1/2	28-1/2 x 51-15/16 x 23-1/2	
Brilliant Blue	Brilliant Blue	
ST	ST	
	I	

2011 LG HOME APPLIANCES COLLECTION

ELECTRIC BUILT-IN COOKTOPS



LG's premium cooktops offer the perfect harmony between style and performance. These sleek, state-of-the-art cooktops have premium looks combined with great features benefiting the chef in you.

RADIANT COOKTOPS

STEADY HEAT ELEMENTS

Steady Heat cooking elements deliver constant heat at any temperature for more precise heat control, and respond quickly to every power setting adjustment.

DUAL & TRIPLE ELEMENTS

LG's premium cooktops offer versatile elements that fit different sized cookware for convenience and even heating.



SMOOTHTOUCH™ CONTROLS

Easy to use with just a touch. At a quick glance of the centralized electronic

controls users can see which heating element is activated and the smooth surface easily wipes clean.



30" INDUCTION COOKTOPS

INDUCTION TECHNOLOGY


Induction technology delivers more efficient cooking times and fast speed-to-boil performance, thus it's more energy efficient. Only the pan is heated, and not the ceramic cooktop surface for a safer cooking environment.



The innovative Induction Bridge Element links the left front and left rear elements together to evenly heat longer pans and griddles. LG is among the few manufacturers with a 100%

Induction Bridge Element on their induction cooktops.

RADIANT COOKTOP LCE3010SB



FEATURES

- 30" Cooktop
- 5 Radiant Elements
- Dual Elements RF 9"/6"
- SmoothTouch™ Controls
- · Smooth Cooktop Surface
- Warming Zone (100W)

RADIANT COOKTOP LCE3610SB



FEATURES

- 36" Cooktop
- 5 Radiant Elements
- Triple Element 12"/9"/6" and 2 Dual Elements 9"/6" & 8"/5"
- SmoothTouch™ Controls
- · Smooth Cooktop Surface
- Warming Zone (100W)

RADIANT COOKTOP LCE3081ST





FEATURES

- 30" Cooktop
- 5 Steady Heat Elements
- 2 Dual Elements 9"/6" & 8"/5"

- SmoothTouch™ Controls
- · Premium Stainless Steel Trim
- Warming Zone (100W)

RADIANT COOKTOP LCE3681ST





FEATURES

- 36" Cooktop
- 5 Steady Heat Elements
- Triple Element 12"/9"/6" and Dual Element 9"/6"
- SmoothTouch™ Controls
- 7" Bridge Element
- · Premium Stainless Steel Trim
- Warming Zone (100W)





	LCE3010SB
TYPE	
Туре	Electric
Size	30"
Cooking Surface	Radiant Glass Surface
Number of Elements	5
FEATURES	'
Controls Type / Location	SmoothTouch™ / Front Center
Hot Surface Indicator	•
Child Lock	•
Auto Shut-Off	•
Under Bench Oven Capable	
Warm Function	
Power Control	
Elements	Radiant
Surface / Frame Trim	Black / None
CONFIGURATION	
Element Configuration Left Front Left Rear Center Right Front Right Rear Bridge	6" / 1200W 8" / 1900W 7" / 1500W 9", 6" / 3000, 1400 (Dual) 6" / 100W (Warm)
DIMENSIONS	
Product (WxHxD) in inches	30-27/32 x 4 x 21-1/2
Cut-Out (WxD) in inches	29-3/8 x 20-1/4
POWER SOURCE	
Electrical Requirements	240V/208V, 60Hz AC
Max. Amp Load	40 Amp
Power Cable Location	Right Rear
Total Connected Load	7.7kW @ 240V, 5.8kW @ 208V

1	ı	ı
LCE3610SB	LCE3081ST	LCE3681ST
Electric	Electric	Electric
36"	30"	36"
Radiant Glass Surface	Radiant Glass Surface	Radiant Glass Surface
5	5	5 (plus bridge element)
SmoothTouch™ / Front Center	SmoothTouch™ / Front Center	SmoothTouch™ / Front Center
	•	•
•	•	•
	•	•
	•	•
•	•	•
	Steady Heat	Steady Heat (plus bridge element)
Radiant	Radiant	Radiant
Black / None	Black / Stainless Steel	Black / Stainless Steel
6" / 1200W 8", 5" / 1.9, 1.0kW (Dual) 12", 9", 6" / 3.0, 2.2, 1.1kW (Triple) 9", 6" / 3.0, 1.4kW (Dual) 6" / 100W (Warm)	7" / 1.5kW 8", 5" / 1.9, 0.95kW (Dual) 6" / 1.2kW 9", 6" / 3.0, 1.4kW (Dual) 6" / 0.1kW (Warm)	7" / 1.8kW 7" / 1.8kW 12", 9", 6" / 3.0, 2.2, 1.1kW (Triple) 9", 6" / 3.0, 1.4kW (Dual) 6" / 0.1kW (Warm) 7" / 0.8kW (Bridge)
36-11/16 x 4 x 22	30-27/32 x 4 x 21-1/2	36-11/16 x 4 x 22
34-9/16 x 20-3/8	29-3/8 x 20-1/4	34-9/16 x 20-3/8
240V/208V, 60Hz AC	240V/208V, 60Hz AC	240V/208V, 60Hz AC
50 Amp	40 Amp	50 Amp
Right Rear	Right Rear	Right Rear
10.5kW @ 240V, 7.9kW @ 208V	7.7kW @ 240V, 5.8kW @ 208V	10.5kW @ 240V, 7.9kW @ 208V

INDUCTION COOKTOP COMPARISON







Stainless Steel Trim

FEATURES

- 30" Cooktop
- 4 Induction Elements with Bridge
- LG's Exclusive 100% Induction Bridge Element
- Premium Stainless Steel Trim
- SmoothTouch™ Controls
- Premium Grade Griddle Included

	LCE30845
TYPE	
Туре	Electric Induction
Size	30"
Cooking Surface	Ceramic Glass
Number of Elements	4 (plus 100% Induction bridge eleme
FEATURES	
Controls Type / Location	SmoothTouch™ / Front Center
Kitchen Timer	1 – 99 min.
Hot Surface Indicator	•
Child Lock	•
Auto Shut-Off	
Under Bench Oven Capable	
Warm Function	
Power Control	Induction
Elements	Ceramic Glass
Surface / Frame Trim	Black / Stainless Steel
Accessories	Griddle Pan
CONFIGURATION	
Cooking Zone Configuration Left Front Left Rear Center Right Front Right Rear Bridge	7" Induction / 1.8kW 7" Induction / 1.8kW 6" Induction / 1.4kW 10" Induction / 2.4kW 7" Induction / 1.8kW
DIMENSIONS	
Product (WxHxD) in inches	30-13/16 x 2-3/16 x 21-1/2
Cut-Out (WxD) in inches	29-3/8 x 20-1/4
POWER SOURCE	
Electrical Requirements	240V/208V, 60Hz AC
Max. Amp Load	32 Amp
Power Cable Location	Left Rear
Total Connected Load	7.4kW @ 240V, 6.7kW @ 208V

2011 LG HOME APPLIANCES COLLECTION

GAS BUILT-IN COOKTOPS



LG's premium cooktops offer the perfect harmony between style and performance. These cooktops offer premium looks combined with features benefiting the chef in you.



STYLE AND DESIGN

Adding to an already premium line, LG's Gas Cooktops continue in the

tradition of premium style and design with intuitive controls and heavy-duty aesthetic nuances. The LG gas cooktop knobs feature blue LED backlighting to keep the user informed of burners that are on or hot. (select models – LCG3091, LCG3691)

VERSATILITY

With 5 sealed burners and 3 continuous heavy-duty cast iron grates, you have endless cooking options. It is easy to cook with large skillets, woks, soup pots, and even griddles.



HIGH HEAT GOURMET COOKING

LG's premium 30" and 36" Gas Cooktops offer an array of features that any cook would love. Cooks and chefs alike have the opportunity to cook gourmet meals on heat settings that range from 5,000 BTUs for a slight constant simmer to a 19,000 BTU UltraHeat™ center burner.



The UltraHeat[™] double-stacked burner is premium in form and function. The unique styling gives the user a visual indication of the high heat cooking.

GAS COOKTOP

LCG3011ST





Stainless Steel Trim

FEATURES

- 30" Gas Cooktop
- SuperBoil™ 17K Center Burner
- Other Gas Power Spans 5,000, 9,100, & 12,000 BTUs
- · Versatile 5 Sealed Burners
- · 3 Continuous Grates
- · Dishwasher-safe Grates
- · Stainless Steel Surface

FEATURES

• 30" Gas Cooktop

GAS COOKTOP LCG3091ST

• UltraHeat™ 19K Dual Burner

Stainless Steel Trim

- Other Gas Power Spans 5,000, 9,100, & 12,000 BTUs
- Versatile 5 Sealed Burners
- · 3 Continuous Grates
- · Commercial-grade LED Backlit Knobs
- · Dishwasher-safe Grates
- · Stainless Steel Surface
- Griddle

GAS COOKTOP

LCG3611ST





Stainless Steel Trim

FEATURES

- 36" Gas Cooktop
- SuperBoil™ 17K Center Burner
- · Other Gas Power Spans 5,000, 9,100, & 12,000 BTUs
- Versatile 5 Sealed Burners
- · 3 Continuous Grates
- · Dishwasher-safe Grates
- · Stainless Steel Surface

GAS COOKTOP

LCG3691ST





Stainless Steel Trim

FEATURES

- 36" Gas Cooktop
- UltraHeat™ 19K Dual Burner
- Other Gas Power Spans 5,000, 9,100, & 12,000 BTUs
- · Versatile 5 Sealed Burners
- 3 Continuous Grates
- · Commercial-grade LED Backlit Knobs
- · Dishwasher-safe Grates
- Stainless Steel Surface
- Griddle





	LCG3011ST	LCG3611ST
TYPE		
Туре	Built-In Natural Gas	Built-In Natural Gas
Size	30"	36"
Burner Type	Sealed	Sealed
Number of Burners	5	5
FEATURES		
Controls Type / Valves	Knobs / Push & Turn	Knobs / Push & Turn
Controls Location	Front Center	Front Center
Lighting		
Surface / Trim	Stainless Steel	Stainless Steel
Grates	Heavy Duty Cast Iron	Heavy Duty Cast Iron
Accessories		
CONFIGURATION		
Burner Zone Configuration Left Front Left Rear Center Right Front Right Rear	9100 BTU 9100 BTU 17000 BTU - SuperBoil™ 12000 BTU 5000 BTU	9100 BTU 9100 BTU 17000 BTU - SuperBoil™ 12000 BTU 5000 BTU
DIMENSIONS		
Product Dimensions (WxHxD) in inches	30 x 3-3/4 x 21-11/16	36 x 3-3/4 x 21-11/16
Cut-Out Dimensions (WxD) in inches	28-1/2 x 19-11/16	33-15/16 x 19-11/16
POWER SOURCE		
Electrical Requirements	120 VAC 60Hz/0.3 Amps	120 VAC 60Hz/0.3 Amps

LCG3091ST	LCG3691ST
Built-In Natural Gas	Built-In Natural Gas
30"	36"
Sealed	Sealed
5	5
Knobs / Push & Turn	Knobs / Push & Turn
Front Center	Front Center
Blue LED Backlighting	Blue LED Backlighting
Stainless Steel	Stainless Steel
Heavy Duty Cast Iron	Heavy Duty Cast Iron
Griddle Plate	Griddle Plate
9100 BTU 9100 BTU 19000 BTU – UltraHeat™ 12000 BTU 5000 BTU	9100 BTU 9100 BTU 19000 BTU – UltraHeat™ 12000 BTU 5000 BTU
30 x 3-3/4 x 21-11/16	36 x 3-3/4 x 21-11/16
28-1/2 x 19-11/16	33-15/16 x 19-11/16
120 VAC 60Hz/0.3 Amps	120 VAC 60Hz/0.3 Amps

2011 LG HOME APPLIANCES COLLECTION

COUNTER-TOP MICROWAVES



Always versatile and stylish, LG microwave ovens give you more reasons to use your microwave, with innovative features like Sensor Cook technology, and a low-wattage Melt/Soften setting.

SENSOR COOK

Sensor cooking technology senses humidity levels within the oven and automatically adjusts cooking time and performance to provide optimal heating performance. (select models)

TRUECOOKPLUS™

TrueCookPlus™ is patented technology that does all the calculations for you, ensuring the food cooks safely and to perfection every time. True Cook numbers can be found on leading food distributor's packaging. (select models)

EASYCLEAN™ INTERIOR

With the new EasyClean™ interior, you can have quick and high performance cleaning inside and out without using chemicals. (select models)



1400 WATT BAKING OVEN WITH AUTO PIZZA FEATURE

Allows you to both microwave and bake in one appliance. Cook small items like frozen foods, biscuits and cookies without heating a large oven. Automatically adjusts cooking times for fresh or frozen pizzas. (LCSP1110ST)

CHILD LOCKOUT

Enables you to lock the keypad to prevent the oven from being accidentally started.



Stainless Steel

LMA1180ST

- 1.1 Cu.Ft. Capacity
- · LED Display
- 1100 Watts
- 12" Turntable Diameter
- 11 Power Levels



White

LCS1410SW

- 1.4 Cu.Ft. Capacity
- 1200 Watts
- · Sensor Cook
- 11 Power Levels
- 6 Auto Cook Options
- 12 Digit Scroll VFD
- One Touch Settings
- 12.8" Turntable Diameter



Silver

LCRT1510SV

- 1.5 Cu.Ft. Capacity
- 1200 Watts
- · Sensor Cook
- 11 Power Levels
- 6 Auto Cook Options
- 12 Digit Scroll VFD
- EasyClean™ Interior
- Round Cavity
- 14.2" Turntable Diameter
- TrueCookPlus™





Shown with Trim Kit



Stainless Steel

LCRT2010ST

- 2.0 Cu.Ft. Capacity
- 1200 Watts
- Sensor Cook
- 11 Power Levels
- 6 Auto Cook Options
- 12 Digit Scroll VFD
- EasyClean[™] Interior
- · Round Cavity
- 16" Turntable Diameter
- · Optional "Built-in" Trim Kit (LX2010ST)
- TrueCookPlus™



Stainless Steel

LCSP1110ST

- 1.1 Cu.Ft. Capacity
- Microwave: 1000 Watts Pizza Oven: 1400 Watts
- 11 Power Levels
- 4 Auto Cook Options
- · LED Display
- 12" Turntable Diameter



	LMA1180ST	LCS1410SW
CAPACITY		
Oven Capacity	1.1 cu.ft.	1.4 cu.ft.
FEATURES	I	I
Watts	1100	1200
Exterior Design	Stainless Steel + Gray	White
Interior Cavity	White	White
Humidity Sensor		
COOKING FEATURES		
TrueCookPlus™		
Sensor Cook Options		6
Power Levels	11	11
Auto Defrost	•	•
Quick Defrost	•	•
Custom Settings		•
Auto Cook Options		6
Melt/Soften		•
EZ On	•	•
More/Less		•
Reheat		
CONVENIENCE FEATUR	ES	
Control Type	LED Display	12 Digit Scroll VFD
Turntable Diameter	12"	12.8"
EasyClean™ Coating		
Clock/Timer	•	•
Completion Beeper	•	•
SAFETY FEATURES		
Child Lock	•	•
DIMENSIONS/COLORS		
Cavity (WxHxD) in inches	14-1/16 x 8-7/8 x 14-5/16	15-11/16 x 10-3/32 x 15-5/8
Exterior (WxHxD) in inches	20-1/16 x 11-7/16 x 15-15/16	21-7/8 x 12-1/2 x 16-5/16
ACCESSORIES		
Trim Kit		

LCRT1510SV	LCRT2010ST	LCSP1110ST
1.5 cu.ft.	2.0 cu.ft.	1.1 cu.ft.
1200	1200	Microwave: 1000 Pizza Oven: 1400
Silver Spray + Electroplate Decor	Stainless Steel	Stainless Steel + Silver Spray
EasyClean™	EasyClean™	White
•	•	
	•	
7	7	
11	11	11
•	•	•
•	•	
•	•	
6	6	4
•	•	
•	•	
	•	•
		•
12 Digit Scroll VFD	12 Digit Scroll VFD	LED Display
14.2"	16"	12"
•	•	
•	•	•
	•	•
•	•	•
15-21/32 x 10-7/16 x 15-27/32	16-11/16 x 11-1/4 x 18-1/16	14-1/16 x 8-7/8 x 13-1/4
21-7/8 x 12-1/2 x 17-7/32	23-7/8 x 13-9/16 x 19-13/16	19-15/16 x 15-1/2 x 17-1/4
	LX2010ST	

2011 LG HOME APPLIANCES COLLECTION

OVER-THE-RANGE MICROWAVES



LG is revolutionizing microwave cooking with the introduction of the first ever Warming Lamp. This innovation allows you to keep entrees warm and ready to serve.

STYLE AND DESIGN

With LG's OTRs, expect the ultimate in premium styling. By adding stylish controls and a hidden venting system, we've elevated our OTRs to a new level of sophistication.



WARMING LAMP

Keep your food warm and ready to serve for up to 90 minutes. The warming lamp uses a radiant heating lamp to keep food warm.

SENSOR COOKING

Eliminate the guesswork in cooking. Humidity-sensing technology determines when food is cooked and automatically turns off the microwave to prevent the over- or under-cooking of meals.





EXTENDA™ VENT

Most over-the-range microwaves only capture smoke from the back burners of a cooktop or range. The Extenda™ Vent from LG covers the entire

cooking surface, including the front burners, for better, more complete ventilation in your kitchen. (select models)

ONE TOUCH SETTINGS

Makes it easy to cook and warm a variety of foods – from a cup of coffee to chicken nuggets.



MV1611 Non-brand OTR

FEATURES

- 1.6 Cu.Ft. Capacity
- 1000 Watts
- 220 CFM
- 12.7" Turntable Diameter
- Keypad Controls



LMV1680

FEATURES

- 1.6 Cu.Ft. Capacity
- 1000 Watts
- Turntable On/Off with Dual Distribution Technology
- 300 CFM
- Soften and Melt
- · Elegant Hidden Vent
- 12.7" Turntable Diameter
- · Keypad Controls



LMV1813

FEATURES

- 1.8 Cu.Ft. Capacity
- 1100 Watts
- 400 CFM
- Sensor Cook

- · Contoured Design
- QuietPower™
 Ventilation System
- 14.2" Turntable Diameter
- · Keypad Controls



LMV2015

FEATURES

- · 2.0 Cu.Ft. Capacity
- 1100 Watts
- 400 CFM
- Sensor Cook
- QuietPower™ Ventilation System
- Warming Lamp
- 14.2" Turntable Diameter
- Keypad Controls



- White
- Black
- Stainless Steel

LMH2016

FEATURES

- 2.0 Cu.Ft. Capacity
- Extenda™ Vent
- 1100 Watts
- 400 CFM
- · Sensor Cook
- QuietPower[™]
 Ventilation System
- 14.2" Turntable Diameter
- · Keypad Controls







Black



LMHM2017

FEATURES

- 2.0 Cu.Ft. Capacity
- Extenda™ Vent
- 1100 Watts
- IIOO vvai
- 400 CFM
- · Sensor Cook
- Horizontal Digital Control Panel

- · Contoured Design
- QuietPower[™]
 Ventilation System
- · Warming Lamp
- 14.2" Turntable Diameter
- Keypad Controls





LMVH1750

FEATURES

- 1.7 Cu.Ft. Capacity
- Microwave: 950 Watts Convection: 1500 Watts
- 300 CFM
- Sensor Cook
- Convection Bake
 Convection Roast
- Combination Speed Cook
- Full Stainless Steel Interior
- Halogen Cooktop Lighting
- · Elegant Top Vent
- 13.5" Turntable Diameter





LMVH1711

FEATURES

- 1.7 Cu.Ft. Capacity
- Microwave: 950 Watts Convection: 1500 Watts
- 300 CFM
- Sensor Cook
- Convection Bake Convection Roast
- 13.5" Turntable Diameter
- Full Stainless Steel Interior
- Combination Speed Cook
- Halogen Cooktop Lighting
- Hidden Vent

COMPARISON



	MV1611	LMV1680
CAPACITY	IVIVIOTI	LIVIVIOOO
Oven Capacity	1.6 cu.ft.	1.6 cu.ft.
FEATURES	1.0 cu.n.	1.0 Cd.11.
Watts	1000	1000
Exterior Design	Traditional	Traditional
Control Type	Keypad	Keypad
Display	LED	LED
COOKING FEATURES	LED	LED
Convection Bake		
Convection Roast		
Combination Speed Cook		
Sensor Cook Options		
Power Levels	10	10
Auto and Rapid Defrost	Auto Defrost	Auto Defrost
Reheat	Auto Reheat	Auto Reheat
Warming Lamp		
Popcorn Key	•	•
Add 30 Seconds (EZ On)	•	•
More/Less	•	•
Hold/Warm	•	•
Melt/Soften	•	•
Custom Set		
CONVENIENCE FEATUR	ES	
Bi-Level Cooking Rack		•
Turntable Type	Round	Round
Turntable Dimensions	12.7" diameter	12" diameter
Turntable On/Off		•
Clock/Timer	•	•
Cooking Complete Reminder	•	•
LIGHTING		
Cook Top Light	Incandescent	Incandescent
Hi/Low/Off	•	•
SAFETY FEATURES		
Child Lock	•	•
VENTING SYSTEM		
Filtration	Carbon Coated Charcoal Filter	Carbon Coated Charcoal Filter
Slide-Out Ventilation		
Speed (Step)	2	2
Vent Grille Type	Hidden Vent	Hidden Vent
Vent Air Flow (CFM)	220	300
DIMENSIONS/COLORS		
Cavity (WxHxD) in inches	21-9/16 x 8-7/8 x 14-1/8	21-9/16 x 8-3/4 x 14-1/8
Exterior (WxHxD) in inches	29-15/16 x 16-7/16 x 15-3/8	29-15/16 x 16-7/16 x 15-3/8
Colors	SW / SB / ST	SW / SB / ST
Weight	49 lbs.	49 lbs.

LMV1813	LMV2015
1.8 cu.ft.	2.0 cu.ft.
	I
1100	1100
WideView™ Traditional	WideView™ Traditional
Digital	Digital
2-Line VFD Scrolling	2-Line VFD Scrolling
E Ellie VI B Scioling	2 Ellie VI D Sciolling
7	7
7 10	7 10
Auto, Time and Rapid Defrost	Auto, Time and Rapid Defrost
Sensor Reheat	Sensor Reheat
DDS	DDS
14.2" diameter	14.2" diameter
•	• •
•	
•	•
Incandescent (2)	Incandescent (2)
•	•
•	•
Corrugated	Corrugated
Charcoal Filter	Charcoal Filter
3	3
Hidden Vent	Hidden Vent
400	400
21-3/4 x 9-7/8 x 14-5/8	21-3/4 x 10-5/8 x 14-5/8
29-7/8 x 16-7/16 x 15-3/8	29-7/8 x 16-7/16 x 15-7/8
SW / SB / ST	SW / SB / ST
63 lbs.	63 lbs.



	LMH2016
CAPACITY	EMILEGIE
Oven Capacity	2.0 cu.ft.
FEATURES	
Watts	1100
Exterior Design	WideView™ Traditional
Control Type	Digital
Display	2-Line VFD Scrolling
COOKING FEATURES	
Convection Bake	
Convection Roast	
Combination Speed Cook	
Sensor Cook Options	7
Power Levels	10
Auto and Rapid Defrost	•
Reheat	Sensor Reheat
Warming Lamp	
Popcorn Key	•
Add 30 Seconds (EZ On)	•
More/Less	•
Hold/Warm	
Melt/Soften	•
Custom Set	•
CONVENIENCE FEATURES	-
Bi-Level Cooking Rack	•
Turntable Type	DDS
Turntable Dimensions	14.2" diameter
Turntable On/Off	•
Clock/Timer	•
Cooking Complete Reminder	•
LIGHTING	
Cook Top Light	•
Hi/Low/Off	
SAFETY FEATURES	·
Child Lock	
VENTING SYSTEM	
Filtration	Corrugated Charcoal Filter
Slide-Out Ventilation	Extenda™ Vent
Speed (Step)	3
Vent Grille Type	Extenda™ Vent
Vent Air Flow (CFM)	400
DIMENSIONS/COLORS	
Cavity (WxHxD) in inches	21-3/4 x 9-7/8 x 14-5/8
Exterior (WxHxD) in inches	29-7/8 x 17-3/4 x 15-7/8
Colors	SW / SB / ST
Weight	78 lbs.

LMHM2017	LMVH1750	LMVH1711
	1	
2.0 cu.ft.	1.7 cu.ft.	1.7 cu.ft.
	1	
1100	Microwave: 950 Convection: 1500	Microwave: 950 Convection: 1500
WideView™ Traditional	Traditional	WideView™ Traditional
Digital	Keypad	Digital
2-Line VFD Scrolling	2-Line VFD	2-Line VFD Scrolling
	•	•
	•	•
	•	•
7	6	7
10	10	10
•	•	•
Sensor Reheat	Sensor Reheat	Sensor Reheat
•		
•	•	•
•	•	•
•	•	•
•		
•	•	•
•	•	•
•		•
DDS	Round	DDS
14.2" diameter	13.6" diameter	13.5" diameter
•	•	•
•	•	•
•	•	•
Incandescent (2)	Halogen	Halogen
•	•	•
•	•	•
Corrugated Charcoal Filter	Corrugated Carbon Filter	Corrugated Charcoal Filter
Extenda™ Vent	Carbon inler	Charcoarriner
3	5	5
Extenda™ Vent	Top Vent Grille	Hidden Vent
400	300	300
700	300	300
21-3/4 x 10-5/8 x 14-5/8	21-5/9 x 9-6/15 x 14-1/4	21-1/4 x 9-7/16 x 14-3/16
29-7/8 x 17-3/4 x 15-7/8	29-15/16 x 16-7/16 x 15-5/8	29-15/16 x 16-7/16 x 15-3/8
SW / SB / ST	ST	ST
	اد ا	ادا
74 lbs.	80 lbs.	69 lbs.

2011 LG HOME APPLIANCES COLLECTION DISHWASHERS



LG's line of dishwashers offer industry leading large capacity with quiet operation, along with remarkably intelligent cleaning performance and outstanding design.



TRUESTEAM™ TECHNOLOGY

LG's SteamDishwashers™ thoroughly clean baked on foods while using less energy than other power scrub methods. TrueSteam™

enhances performance when cleaning fine china and stemware in the SteamDelicate™ cycle. LG uses a TrueSteam™ Generator to produce its steam and then injects it directly into the tub. The gentle power of Steam!

CAPACITY

Every LG dishwasher has a usable capacity of up to 16 place settings* and can fit a variety of large pots, pans, and bowls. The upper racks can accommodate up to 12" dishes and the lower racks can fit up to 14" dishes.

*On the LDF9932, 16 place settings is achieved by removing the Adjustable 3rd Rack.

LODECIBEL™ QUIET OPERATION

With quiet levels ranging from 45dB to 52dB, LG's line of premium dishwashers are some of the quietest on the market. The multiple layers of sound dampening materials and tall stainless steel tub provide for superior insulation.

ADJUSTABLE 3RD RACK

The convenient 3rd rack is perfect for large kitchen utensils and smaller delicate items resulting in more practical capacity. The two maneuverable baskets within the 3rd rack can be clasped together or used separately for customizing the dishwasher's interior space.





SIGNALIGHT™ CYCLE INDICATOR LIGHTS

Featured on select models, the exterior LED lights provide a subtle and simple way to check the cycle status. Blue lights indicate the

wash cycle process, and the final green light glows to show the cycle is complete.

DESIGN-A-RACK™

Provides flexible storage features such as 3-in-1 cutlery baskets and stemware holders. On select models, there are fold down and removable tines for added storage benefits. By allowing you to customize the interior space, you achieve optimum capacity which means fewer loads and less water and energy usage.

LDF6920



FEATURES

- Cleans up to 16 Place Settings
- · Adjustable Upper Rack
- · 3-in-1 Cutlery Baskets
- · Versatile Stemware Holder
- Premium Finishes in Stainless Steel, Smooth White and Smooth Black
- · Semi-Integrated Control Panel
- . SignaLight™ LED Cycle Indicator Lights
- Visible Digital Status Display
- · Stainless Steel Tall Tub
- Nylon Coated Racks and Tines
- LoDecibel[™] Quiet Operation
- SenseClean™ Wash System
- 4 Wash Cycles with 3 Spray Arms
- · Sanitary Rinse
- · Multi-Level Water Direction
- · Detergent and Rinse-Aid Dispenser
- · Hybrid Condensing Drying System
- Slim Direct Motor™
- · Built-In Food Disposer
- · Self-Cleaning Filter





Stainless Steel

anotic .

FEATURES

- Cleans up to 16 Place Settings
- · Adjustable Upper Rack
- · 3-in-1 Cutlery Baskets
- · Versatile Stemware Holder
- Premium Finishes in Stainless Steel, Smooth White and Smooth Black with Matching Commercial Handle
- Fully-Integrated Control Panel with Hidden Controls
- · Stainless Steel Tall Tub
- Nylon Coated Racks and Tines
- LoDecibel[™] Quiet Operation
- SenseClean™ Wash System
- 5 Wash Cycles with 3 Spray Arms
- Half-Load Wash Capabilities on the Upper Rack
- · Sanitary Rinse
- · Multi-Level Water Direction
- · Detergent and Rinse-Aid Dispenser
- · Hybrid Condensing Drying System
- Slim Direct Motor™
- · Built-In Food Disposer
- · Self-Cleaning Filter
- Delay Start up to 12 Hours

DISHWASHER LDF9932ST





White

- Cleans up to 16 Place Settings
- Design-A-Rack™ System

Stainless Steel

- · 3-in-1 Cutlery Baskets
- · Versatile Stemware Holder
- Premium Finishes in Stainless Steel, Smooth White and Smooth Black with Matching Commercial Handle
- Fully-Integrated Control Panel with Hidden Controls
- . SignaLight™ LED Cycle Indicator Lights
- · Stainless Steel Tall Tub
- · Nylon Coated Racks and Tines
- SteamDelicate[™] Cycle
- SteamFresh™ Cycle
- Dual Intensity[™] Wash Cycle
- LoDecibel[™] Quiet Operation
- SenseClean™ Wash System
- 7 Wash Cycles (Including Steam) and 3 Spray Arms
- · Sanitary Rinse
- · Multi-Level Water Direction
- · Detergent and Rinse-Aid Dispenser
- Hybrid Condensing Drying System
- Slim Direct Motor™
- · Built-In Food Disposer / Self-Cleaning Filter
- · Delay Start up to 12 Hours



Stainless Steel

FEATURES

- · Cleans up to 16 Place Settings
- · Adjustable 3rd Rack
- Design-A-Rack™ System and DuraGlide™ Upper Rack
- 3-in-1 Cutlery Baskets
- · Versatile Stemware Holder
- Premium Stainless Steel Finish with Matching Commercial Handle
- Fully-Integrated Control Panel with SmoothTouch™ Controls
- SignaLight™ LED Cycle Indicator Lights
- IllumiTub™ Lighting
- · Nylon Coated Racks and Tines
- SteamDelicate[™] and SteamFresh[™] Cycles
- Dual Intensity[™] Wash Cycle
- LoDecibel™ Quiet Operation
- SenseClean™ Wash System
- 7 Wash Cycles (Including Steam) and 3 Spray Arms
- · Half-Load Wash
- · Sanitary Rinse
- · Multi-Level Water Direction
- · Detergent and Rinse-Aid Dispenser
- Hybrid Condensing Drying System
- Slim Direct Motor™
- · Built-In Food Disposer / Self-Cleaning Filter
- · Delay Start up to 24 Hours





	LDS4821	
CAPACITY	·	
Total Place Settings	16	
Upper Rack Capacity	12"	
Lower Rack Capacity	14"	
RACKS AND BASKETS		
3-in-1 Cutlery Baskets	Detachable with Covers	
Stemware Holders	•	
Racks and Tines	Nylon Coated with Rounded Tips	
Manually Adjustable Upper Rack	•	
DuraGlide™ Upper Rail Rack		
Design-A-Rack™ System		
One-Touch Adjustable Upper Rack		
Folding Tines		
Removable Tines		
Adjustable Third Rack		
STYLE AND DESIGN		
Electronic Controls	Semi-Integrated Front Panel	
Time Remaining Indicator	•	
Rinse-Aid Indicator	•	
SignaLight™ Cycle Indicator Lights	•	
IllumiTub™ Lighting		
Tub Material	Stainless Steel	
Handle	Pocket Handle	
Available Colors	White (WW), Black (BB), Stainless Steel (ST)	
FEATURES		
Tub & Door Insulation	Damping Sheet	
LoDecibel™ Quiet Operation	52dB	
Slim Direct Motor™	•	
Overflow Detector	•	
120°F Inlet Water Capability	•	
Built-In Food Disposer	•	
Self-Cleaning Filter	•	
Delay Start		
Child Lock	•	
PERFORMANCE		
Wash Cycles	4	
SenseClean™ Wash System	•	
Half Load Wash Cycle		
Dual Intensity™		
Steam Cycles		
Sanitary Rinse Cycle	•	
Extra Rinse Cycle	•	
Variable Spray Intensities		
Multi-Level Water Direction	•	
Hybrid Condensing Drying System POWER SOURCE/RATING	•	
Ratings / Requirements / Type	UL Listed / 120 V/60 Hz / 15 Amps	
Energy Rating / Energy Factor	Energy Star / 0.76	
POWER SOURCE	120.1// 0.11	
Ratings/Requirements/Type	120 V/60 Hz	
Circuit Breaker Size*	15 Amps	
DIMENSIONS	22.2/4.22.1/2	
Dimensions (WxHxD) in inches	23-3/4 x 33-1/2 x 24-5/8	

LDF6920	STEAMDISHWASHER™ LDF7932	STEAMDISHWASHER™ LDF9932
16	16	14
12"	12"	12"
14"	14"	14"
Detachable with Covers	Detachable with Covers	Detachable with Covers
•	•	•
Nylon Coated	Nylon Coated	Nylon Coated
with Rounded Tips	with Rounded Tips	with Rounded Tips
•		
		•
		•
	•	•
		•
		•
		SmoothTouch™ Controls
Hidden on Top of Door	Hidden on Top of Door	Hidden on Top of Door
•		•
		•
-		•
	-	•
Children Child	Cutata Cuat	
Stainless Steel	Stainless Steel	Stainless Steel
Matching Commercial Handle	Matching Commercial Handle	Matching Commercial Handle
White (WW), Black (BB), Stainless Steel (ST)	White (WW), Black (BB), Stainless Steel (ST)	Stainless Steel (ST)
Damping Sheet	Damping Sheet	Damping Sheet
52dB	50dB	45dB
•	•	•
•	•	•
•	•	•
	•	•
	•	•
Up to 12 Hours	Up to 12 Hours	Up to 24 Hours
•	•	•
5	7 (Including Steam)	7 (Including Steam)
•	(including Steam)	/ (including Sleam)
Upper Rack	•	
Opper Rack		Upper And Lower Rack
	• SteamDelicate™,	• SteamDelicate™,
	SteamPelicate:", SteamFresh™, Steam Option	SteamPelicate ····, SteamFresh™, Steam Option
•	•	•
•	•	•
	Strong/Medium/Soft	Strong/Medium/Soft
•	•	•
•	•	•
UL Listed / 120 V/60 Hz / 15 Amps	UL Listed / 120 V/60 Hz / 15 Amps	UL Listed / 120 V/60 Hz / 15 Amps
Energy Star / 0.76	Energy Star / 0.76	Energy Star / 0.76
5, 4,44, 7, 4,44	. 3,,	
120 V/60 Hz	120 V/60 Hz	120 V/60 Hz
15 Amps	15 Amps	15 Amps
10 / 111103	I io , ampa	io , ilipa
23-3/4 x 33-1/2	23-3/4 x 33-1/2	23-3/4 x 33-1/2
23-3/4 x 33-1/2 x 24-5/8	x 24-5/8	x 24-5/8

2011 LG HOME APPLIANCES COLLECTION VASHERS



LG develops remarkable innovations that deliver the ultimate in High Performance, Energy Efficiency, and Advanced Steam features for superior cleaning performance.

COLDWASH™ COLDWASH™ OPTION

Now using the cold temperature on your washer doesn't mean compromising how clean your clothes are. ColdWash™ uses cold water and enhanced washing motions to penetrate deep into fabrics, giving you cold water savings with warm water performance.



6MOTION™ TECHNOLOGY

Get your clothes clean and experience a smarter way to

wash with our innovative 6Motion™ Technology. Each wash cycle combines up to 6 different wash motions to provide a revolutionary cleaning experience.



DIRECT DRIVE MOTOR

When you buy a washer, you want something reliable that you can count on. Because the Direct Drive Motor uses fewer moving parts and operates more efficiently, LG confidently

backs the motor with a 10-year warranty.



LG's TrueSteam™ Technology gently but powerfully penetrates fabrics. In fact, LG uses a real steam generator to drive hotter, smaller particles of steam, for our most advanced cleaning ever.



Steam is simulated



ALLERGIENE™ CYCLE

The Allergiene[™] cycle uses the power of steam to gently remove over 95% of common household allergens, like dust mites and pet dander, from even the most delicate fabrics.



ANTI-VIBRATION TECHNOLOGY

You shouldn't know your washer is on from the next room. The LG TrueBalance™ anti-vibration system is designed to reduce washer noise and vibration for smooth, quiet performance in any room of the house - even on the second floor.



SMARTDIAGNOSIS™ TECHNOLOGY

It's unlikely that you'll experience any problems with your LG washer, however, if you do, this may eliminate a service call, saving you both time and money.

FRONT LOAD WASHER WM2240CW



() White

FEATURES

- 3.5 cu.ft. (D.O.E.) Large Capacity
- 7 Washing Cycles / 5 Temperature Levels
- 6Motion™ Technology
- Direct Drive Motor (10 Year Warranty)
- TrueBalance™ Anti-Vibration System
- Smart Diagnosis™
- SpeedWash™ Cycle
- Magnet Ventilation
- SenseClean™
- · Delay Wash (up to 19 Hours)
- NeveRust™ Stainless Steel Drum
- 10° TilTub™
- · White Rimmed Glass Door
- LED Display Control Panel and Dial-A-Cycle™



White

FEATURES

- 3.7 cu.ft. (D.O.E.) Large Capacity
- 7 Washing Cycles / 5 Temperature Levels
- 6Motion™ Technology
- Direct Drive Motor (10 Year Warranty)
- TrueBalance™ Anti-Vibration System
- Smart Diagnosis™
- SpeedWash™ Cycle
- Magnet Ventilation
- SenseClean™
- · Delay Wash (up to 19 Hours)
- NeveRust[™] Stainless Steel Drum
- 10° TilTub™
- · Silver Rimmed Glass Door
- LED Display Control Panel and Dial-A-Cycle™





WM2350HRC/HWC

FRONT LOAD WASHER WM2550/HRCA/HWCA



() White


Wild Cherry Red

FEATURES

- 3.7 cu.ft. (D.O.E.) Large Capacity
- 9 Washing Cycles / 5 Temperature Levels
- ColdWash™ Option
- 6Motion™ Technology
- · Direct Drive Motor (10 Year Warranty)
- TrueBalance™ Anti-Vibration System
- Smart Diagnosis™
- · Sanitary Cycle
- SpeedWash™ Cycle
- · Magnet Ventilation
- SenseClean™
- Delay Wash (up to 19 Hours)
- NeveRust™ Stainless Steel Drum
- 10° TilTub™
- · Chrome Rimmed Glass Door
- Dual LED Display Control Panel and Dial-A-Cycle™









FEATURES

- 3.7 cu.ft. (D.O.E.) Large Capacity
- 9 Washing Cycles / 5 Temperature Levels
- TrueSteam™ Technology
- ColdWash™ Option
- 6Motion™ Technology
- Direct Drive Motor (10 Year Warranty)
- TrueBalance[™] Anti-Vibration System
- Smart Diagnosis™
- Allergiene™ Cycle
- SteamFresh™ Cycle
- · Sanitary Cycle
- SpeedWash™ Cycle
- · Magnet Ventilation
- SenseClean™
- Delay Wash (up to 19 Hours)
- NeveRust[™] Stainless Steel Drum
- 10° TilTub™
- · Large Chrome Rimmed Glass Door
- Dual LED Display Control Panel and Dial-A-Cycle™




FRONT LOAD WASHER

WM3360HVCA/HRCA/HWCA











FEATURES

- · 4.3 cu.ft. (D.O.E.) Large Capacity
- 12 Washing Cycles / 5 Temperature Levels
- ColdWash™ Option
- 6Motion™ Technology
- · Direct Drive Motor (10 Year Warranty)
- TrueBalance™ Anti-Vibration System
- Smart Diagnosis™
- · Sanitary Cycle
- SpeedWash™ Cycle
- · Magnet Ventilation
- SenseClean™
- · Delay Wash (up to 19 Hours)
- NeveRust™ Stainless Steel Drum
- 10° TilTub™
- · Large Chrome Rimmed Glass Door with Dark Blue Tinted Cover
- Dual LED Display Control Panel and Dial-A-Cycle™





White



Wild Cherry Red

FEATURES

- · 3.9 cu.ft. (D.O.E.) XL Capacity
- 12 Washing Cycles / 5 Temperature Levels
- TrueSteam™ Technology
- ColdWash™ Option
- 6Motion™ Technology
- · Direct Drive Motor (10 Year Warranty)
- TrueBalance[™] Anti-Vibration System
- Smart Diagnosis™
- Allergiene™ Cycle
- SteamFresh™ Cycle
- · Sanitary Cycle
- SpeedWash™ Cycle
- · Magnet Ventilation
- SenseClean™
- Delay Wash (up to 19 Hours)
- NeveRust™ Stainless Steel Drum
- 10° TilTub™
- · Large Brushed Chrome Rimmed Glass Door
- Dual LED Display Control Panel and Dial-A-Cycle™



WM3550HVCA/HWCA

FRONT LOAD WASHER WM3875HVCA/HWCA



() White

Graphite Steel

FEATURES

- 4.3 cu.ft. (D.O.E.) Ultra Large Capacity
- 12 Washing Cycles / 5 Temperature Levels
- TrueSteam™ Technology
- ColdWash™ Option
- 6Motion™ Technology
- · Direct Drive Motor (10 Year Warranty)
- TrueBalance[™] Anti-Vibration System
- Smart Diagnosis™
- Allergiene™ Cycle
- SteamFresh™ Cycle
- · Sanitary Cycle
- SpeedWash™ Cycle
- Magnet Ventilation
- SenseClean™
- · Delay Wash (up to 19 Hours)
- NeveRust™ Stainless Steel Drum
- 10° TilTub™
- · Large Chrome Rimmed Glass Door with Dark Blue Tinted Cover
- Dual LED Display Control Panel and Dial-A-Cycle™





) White

Graphite Steel

FEATURES

- 4.2 cu.ft. (D.O.E.) Ultra Large Capacity
- 14 Washing Cycles / 5 Temperature Levels
- TrueSteam™ Technology
- ColdWash™ Option
- 6Motion™ Technology
- Direct Drive Motor (10 Year Warranty)
- TrueBalance™ Anti-Vibration System
- Smart Diagnosis™
- Allergiene[™] Cycle / SteamFresh[™] Cycle / Sanitary Cycle
- SpeedWash™ Cycle
- Wash/Rinse Optimizer[™] Option
- StainCare[™] Option
- TubFresh™ System
- · Magnet Ventilation
- SenseClean™
- · Delay Wash (up to 19 Hours)
- NeveRust[™] Stainless Steel Drum
- 10° TilTub™
- RollerJets[™] and Forced Water Circulation
- Large Square Chrome Rimmed Glass Door with Tinted Cover
- · White LED Tub Light
- LCD Display Control Panel and Dial-A-Cycle™



WM3885HCCA/HWCA

COMPACT FRONT LOAD WASHER WM1355HW/HR



() White

Chardonnay

FEATURES

- 4.2 cu.ft. (D.O.E.) Ultra Large Capacity
- 14 Washing Cycles / 5 Temperature Levels
- TrueSteam™ Technology
- ColdWash™ Option
- 6Motion™ Technology
- Direct Drive Motor (10 Year Warranty)
- TrueBalance[™] Anti-Vibration System
- Smart Diagnosis™
- Allergiene™ Cycle / SteamFresh™ Cycle / Sanitary Cycle
- SpeedWash™ Cycle
- Wash/Rinse Optimizer[™] Option
- StainCare[™] Option
- TubFresh™ System
- Magnet Ventilation
- SenseClean™
- Delay Wash (up to 19 Hours)
- NeveRust[™] Stainless Steel Drum
- 10° TilTub™
- RollerJets[™] and Forced Water Circulation
- Large Square Chrome Rimmed Glass Door with Tinted Cover
- · White LED Tub Light
- Color LCD Display Control Panel with Touch Buttons and Dial-A-Cycle™





() White

Wild Cherry Red

FEATURES

- · 2.3 cu.ft. (D.O.E.) Capacity
- 24" Compact Washing Machine
- 9 Washing Cycles / 5 Temperature Levels
- Direct Drive Motor (10 Year Warranty)
- · Sanitary Cycle
- SenseClean™
- Delay Wash (up to 19 Hours)
- NeveRust™ Stainless Steel Drum
- · Chrome Rimmed Glass Door
- LED Display Control Panel and Dial-A-Cycle™

FRONT LOAD WASHER/DRYER COMBO

WM3987HW







FEATURES

- · 2.3 cu.ft. (D.O.E.) Capacity
- 24" Compact Washer/Dryer Combo
- 9 Washing Cycles / 5 Temperature Levels / 6 Drying Cycles
- Direct Drive Motor (10 Year Warranty)
- · Sanitary Cycle
- SenseClean™
- Delay Wash (up to 19 Hours)
- NeveRust™ Stainless Steel Drum
- Chrome Rimmed Glass Door
- LED Display Control Panel and Dial-A-Cycle™
- Ventless Condensing Drying System



White

FEATURES

- 3.6 cu.ft. (D.O.E.) Large Capacity
- 27" Washer/Dryer Combo
- 9 Washing Cycles / 5 Temperature Levels / 6 Drying Cycles
- Direct Drive Motor (10 Year Warranty)
- TrueBalance™ Anti-Vibration System
- Sanitary Cycle
- SenseClean™
- Delay Wash (up to 19 Hours)
- NeveRust[™] Stainless Steel Drum
- 10° TilTub™
- RollerJets[™] and Forced Water Circulation
- · Chrome Rimmed Glass Door
- Dual LED Display Control Panel and Dial-A-Cycle™
- White LED Tub Light
- · Ventless Condensing Drying System

TOP LOAD WASHER WT5001CW

TOP LOAD WASHER WT5101HV/HW





White

- 4.5 cu.ft. (D.O.E.) Ultra Large Capacity
- 12 Washing Cycles / 5 Temperature Levels
- ColdWash™ Option
- WaveForce[™] Technology
- SmartRinse[™] Jet Spray System
- SlamProof™ Lid
- Direct Drive Motor (10 Year Warranty)
- TrueBalance[™] Anti-Vibration System
- Smart Diagnosis™
- SenseClean™
- Delay Wash (up to 18 Hours)
- NeveRust™ Stainless Steel Drum
- LED Display Control Panel and Dial-A-Cycle™



FEATURES

- 4.5 cu.ft. (D.O.E.) Ultra Large Capacity
- 14 Washing Cycles / 5 Temperature Levels
- ColdWash™ Option
- WaveForce[™] Technology
- SmartRinse[™] Jet Spray System
- SlamProof™ Lid
- Direct Drive Motor (10 Year Warranty)
- TrueBalance[™] Anti-Vibration System
- Smart Diagnosis™
- Sanitary Cycle
- SenseClean™
- Delay Wash (up to 18 Hours)
- NeveRust™ Stainless Steel Drum
- LED Display Control Panel and Dial-A-Cycle™









	1
	WM2140CW
CAPACITY	
Capacity	3.5 cu.ft. (D.O.E.)
APPEARANCE	1
Design Look	Front Control
Controls	Electronic with LED Display & Dial-A-Cycle™
WASH PROGRAMS	
Wash Cycles	7
Wash/Rinse Temperature Levels	5
Spin Speed	1100 RPM
No. of Water Levels	Automatically adjusts to size of load
No. of Soil Levels	5
Options	10
Custom Program	
FABRIC CARE FEATURES	
ColdWash™ Option	
6Motion™ Technology	•
Allergiene™	
SteamFresh™	
TrueSteam™ Technology	
Wash/Rinse™ Optimizer	
Sanitary Cycle	
SenseClean™	•
RollerJets™	
Forced Water Circulation	
CONVENIENCE FEATURES	
TrueBalance™ Anti-Vibration System	•
SmartDiagnosis™	•
Status Indicator(s)	•
Tub Light	
Water Heater	
LoadSense™	•
LoDecibel™ Quiet Operation	•
MOTOR AND AGITATOR	
Motor Type / Motor Speed / Axis	Direct Drive / Variable / Horizontal
MATERIALS AND FINISHES	
NeveRust™ Stainless Steel Drum	•
Door Rim	White
Cabinet Top	Painted
Cabinet	Painted Steel
Available Colors	White (W)
OPTIONS	
Pedestals	White: WDP4W
Stacking Kit	White: WSTK1
POWER SOURCE	
Electrical Requirements / Type	120V, 10 Amps / Electric
DIMENSIONS	
Product (WxHxD) in inches	27 x 38-11/16 x 29-3/4 (51" D w/door open)

WM2240CW	WM2350HWC/HRC
WWEEGOW	WMESSSTWC/TIKC
3.7 cu.ft. (D.O.E.)	3.7 cu.ft. (D.O.E.)
	,
Front Control	Front Control
Electronic with LED Display & Dial-A-Cycle™	Electronic with Dual LED Display & Dial-A-Cycle™
7	9
5	5
1200 RPM	1200 RPM
Automatically adjusts to size of load	Automatically adjusts to size of load
5	5
10	11
10	
	I .
	•
•	•
•	·
·	•
•	•
•	
•	•
Direct Drive / Variable / Horizontal	Direct Drive / Variable / Horizontal
Direct Drive / Variable / Horizonial	Direct Drive / Variable / Florizonial
Silver	Chrome
Painted	Painted
Painted Steel	Painted Steel
White (W)	White (W), Wild Cherry Red (R)
White: WDP4W	White: WDP4W, Wild Cherry Red: WDP4R
White: WSTK1	White: WSTK1, Wild Cherry Red: RSTK1
120V, 10 Amps / Electric	120V, 10 Amps / Electric
27 x 38-11/16 x 29-3/4	27 x 38-11/16 x 29-3/4
(51" D w/door open)	(51" D w/door open)





	WM2550HRCA/HWCA
CAPACITY	
Capacity	3.7 cu.ft. (D.O.E.)
APPEARANCE	
Design Look	Front Control
Controls	Electronic with Dual LED Display & Dial-A-Cycle™
WASH PROGRAMS	
Wash Cycles	9
Wash/Rinse Temperature Levels	5
Spin Speed	1200 RPM
No. of Water Levels	Automatically adjusts to size of load
No. of Soil Levels	5
Options	11
Custom Program	
FABRIC CARE FEATURES	
ColdWash™ Option	•
6Motion™ Technology	•
Allergiene™	•
SteamFresh™	•
TrueSteam™ Technology	•
Wash/Rinse™ Optimizer	
Sanitary Cycle	•
SenseClean™	•
RollerJets™	
Forced Water Circulation	
CONVENIENCE FEATURES	
TrueBalance™ Anti-Vibration System	•
SmartDiagnosis™	•
Status Indicator(s)	•
Tub Light	
Water Heater	•
LoadSense™	•
LoDecibel™ Quiet Operation	•
MOTOR AND AGITATOR	
Motor Type / Motor Speed / Axis	Direct Drive / Variable / Horizontal
MATERIALS AND FINISHES	
NeveRust™ Stainless Steel Drum	•
Door Rim	Chrome
Cabinet Top	Painted
Cabinet	Painted Steel
Available Colors	White (W), Wild Cherry Red (R)
OPTIONS	
Pedestals	White: WDP4W, Wild Cherry Red: WDP4R
Stacking Kit	White: WSTK1, Wild Cherry Red: RSTK1
POWER SOURCE	, , , , , , , , , , , , , , , , , , , ,
Electrical Requirements / Type	120V, 10 Amps / Electric
DIMENSIONS	1
	27 x 38-11/16 x 29-3/4
Product (WxHxD) in inches	(51" D w/door open)

WM3150HVC/HWC	WM3360HWCA/HVCA/HRCA
4.3 cu.ft. (D.O.E.)	3.9 cu.ft. (D.O.E.)
	T 5 10 11
Front Control	Front Control
Electronic with Dual LED Display & Dial-A-Cycle	M Electronic with Dual LED Display & Dial-A-Cycle
12	12
5	5
1300 RPM	1200 RPM
Automatically adjusts	Automatically adjusts
to size of load	to size of load
5 11	10
11	10
•	
•	
	•
	•
	•
•	•
•	•
	· ·
·	
· ·	<u> </u>
•	+ :
	+
•	
•	
•	•
	_
Direct Drive / Variable / Horizontal	Direct Drive / Variable / Horizontal
•	Brushed Chrome
Chrome Painted	Painted
Painted Steel	Painted Steel
	1
White (W), Graphite Steel (V)	White (W), Graphite Steel (V), Wild Cherry Red (R)
W WDDAW V WDDAY	W WDDAW V WDDAV D WDDAD
W: WDP4W, V: WDP4V	W: WDP4W, V: WDP4V, R: WDP4R
W: WSTK1, V: SSTK1,	W: WSTK1, V: SSTK1, R: RSTK1
120V, 10 Amps / Electric	120V, 10 Amps / Electric
	1
27 x 38-11/16 x 29-3/4 (51" D w/door open)	27 x 38-11/16 x 29-3/4 (51" D w/door open)
(51" D w/door open)	(51" D w/door open)





	WM3550HVCA/HWCA
CAPACITY	
Capacity	4.3 cu.ft. (D.O.E.)
APPEARANCE	
Design Look	Front Control
Controls	Electronic with Dual LED Display & Dial-A-Cycle™
WASH PROGRAMS	
Wash Cycles	12
Wash/Rinse Temperature Levels	5
Spin Speed	1300 RPM
No. of Water Levels	Automatically adjusts to size of load
No. of Soil Levels	5
Options	11
Custom Program	
FABRIC CARE FEATURES	•
ColdWash™ Option	•
6Motion™ Technology	•
Allergiene™	•
SteamFresh™	•
TrueSteam™ Technology	•
Wash/Rinse™ Optimizer	
Sanitary Cycle	•
SenseClean™	•
RollerJets™	
Forced Water Circulation	
CONVENIENCE FEATURES	
TrueBalance™ Anti-Vibration System	•
SmartDiagnosis™	•
Status Indicator(s)	•
Tub Light	
Water Heater	•
LoadSense™	•
LoDecibel™ Quiet Operation	•
MOTOR AND AGITATOR	
Motor Type / Motor Speed / Axis	Direct Drive / Variable / Horizontal
MATERIALS AND FINISHES	
NeveRust™ Stainless Steel Drum	•
Door Rim	Chrome
Cabinet Top	Painted
Cabinet	Painted Steel
Available Colors	White (W), Graphite Steel (V)
OPTIONS	
Pedestals	White: WDP4W, Graphite Steel: WDP4V
Stacking Kit	White: WSTK1 Graphite Steel: SSTK1
POWER SOURCE	
Electrical Requirements / Type	120V, 10 Amps / Electric
DIMENSIONS	
Product (WxHxD) in inches	27 x 38-11/16 x 29-3/4 (51" D w/door open)
	· · · · · · · · · · · · · · · · · · ·

WM3875HWCA/HVCA	WM3885HWCA/HCCA
4.2 cu.ft. (D.O.E.)	4.2 cu.ft. (D.O.E.)
Front Control	Front Control
Electronic with LCD Display & Dial-A-Cycle™	Electronic with Color LCD Display and Touch Buttons with Dial-A-Cycle™
14	14
5	5
1400 RPM	1400 RPM
Automatically adjusts to size of load	Automatically adjusts to size of load
5	5
14	14
•	•
•	•
•	•
•	•
•	•
•	•
•	•
•	•
•	•
•	•
•	•
·	•
•	•
·	•
White LED	White LED
•	•
•	•
·	•
Divid Divid Weights / Heister	Divid Divid Metable Albertand
Direct Drive / Variable / Horizontal	Direct Drive / Variable / Horizontal
Chrome	Chrome
Porcelain (W, V)	Porcelain (W, C)
Porcelain (w, v) Painted Steel	Painted Steel
White (W), Graphite Steel (V)	White (W), Chardonnay (C)
writing (wy), Oraphine Steel (v)	I vvinie (vv), Chardonnay (C)
White: WDP4W, Graphite Steel: WDP4V	White: WDP4W, Chardonnay: WDP4C
White: WSTK1 Graphite Steel: SSTK1	White: WSTK1 Chardonnay: CSTK1
	1
120V, 10 Amps / Electric	120V, 10 Amps / Electric
.20 () 10 / 11.195 / 2.001.10	1 .201, 10 / 11.150 / 2.001.10
27 x 38-11/16 x 29-3/4	27 x 38-11/16 x 29-3/4
(51" D w/door open)	(51" D w/door open)



CAPACITY
Capacity
APPEARANCE
Design Look
Controls
WASH PROGRAMS
Wash Cycles
Wash/Rinse Temperature Levels
Spin Speed
No. of Water Levels
No. of Soil Levels
Options
Custom Program
FABRIC CARE FEATURES
ColdWash™ Option
6Motion™ Technology
Allergiene™
SteamFresh™
TrueSteam™ Technology
Wash/Rinse™ Optimizer
Sanitary Cycle
SenseClean™
RollerJets™
Forced Water Circulation
CONVENIENCE FEATURES
TrueBalance™ Anti-Vibration System
SmartDiagnosis™
Status Indicator(s)
Tub Light
Water Heater
LoadSense™
LoDecibel™ Quiet Operation
MOTOR AND AGITATOR
Motor Type / Motor Speed / Axis
MATERIALS AND FINISHES
NeveRust™ Stainless Steel Drum
Door Rim
Cabinet Top
Cabinet
Available Colors
OPTIONS
Pedestals
Stacking Kit
POWER SOURCE
Electrical Requirements / Type
DIMENSIONS
Product (WxHxD) in inches

WM1355HW/HR
2.3 cu.ft. (D.O.E.)
Front Control
Electronic with LED Display & Dial-A-Cycle™
a sidi in Gyold
9
5
1300 RPM
Automatically adjusts to size of load
5
10
•
·
•
Direct Drive / Variable / Horizontal
•
Chrome
LPM Board
Painted Steel
White (W), Wild Cherry Red (R)
Matching Stacking Kit Packaged with Unit (Dryer)
120V, 10 Amps / Electric
24 x 33-1/2 x 25-1/4 (45" D w/door open)
(45 D w/door open)



CARACITY
CAPACITY
Capacity
APPEARANCE
Design Look
Controls
WASH/DRY PROGRAMS
Wash Cycles
Dry Cycles
Wash/Rinse Temperature Levels
Spin Speed
No. of Water Levels
No. of Soil Levels
Options
Custom Program
FABRIC CARE FEATURES
Ventless Condensing Drying System
Sanitary Cycle
SenseClean™
Sensor Dry
RollerJets™
Forced Water Circulation
CONVENIENCE FEATURES
TrueBalance™ Anti-Vibration System
Status Indicator(s)
Tub Light
Water Heater
LoDecibel™ Quiet Operation
MOTOR AND AGITATOR
Motor Type / Motor Speed / Axis
MATERIALS AND FINISHES
NeveRust™ Stainless Steel Drum
Door Rim
Cabinet Top
Cabinet
Available Colors
OPTIONS
Pedestals
Stacking Kit
POWER SOURCE
Electrical Requirements / Type
DIMENSIONS
Product (WxHxD) in inches

WM3455HW/HS	WM3987HW
WM3433HW/H3	WWWJ901HW
2.3 cu.ft. (D.O.E.)	3.6 cu.ft. (D.O.E.)
2.0 22 (2.2.2.)	
Front Control	Front Control
Electronic with LED Display & Dial-A-Cycle™	Electronic with Dual LED Display & Dial-A-Cycle™
& Blai-A-Cycle	& Dial-A-Cycle
9	9
6	6
5	5
1300 RPM	1200 RPM
Automatically adjusts to size of load	Automatically adjusts to size of load
5	5
9	9
•	
•	•
•	•
•	•
•	•
	•
	•
	•
•	•
	White LED
•	•
•	•
8	T
Direct Drive / Variable / Horizontal	Direct Drive / Variable / Horizontal
•	•
Chrome	Chrome with Silver Edge
LPM Board	Porcelain (W)
Painted Steel	Painted Steel
White (W), Silver (S)	White (W)
	White: WDP4W
	White: WSTK1
120V, 12 Amps / Electric	120V, 12 Amps / Electric
04 00417 77	07.00 4111
24 x 33-1/2 x 25-1/4 (45" D w/door open)	27 x 38-11/16 x 29-3/4 (51" D w/door open)





CAPACITY
Capacity
APPEARANCE
Design Look
Controls
WASH PROGRAMS
Wash Cycles
Wash/Rinse Temperature Levels
Spin Speed
- <u> </u>
No. of Water Levels
No. of Soil Levels
Options
Custom Program
FABRIC CARE FEATURES
ColdWash™ Option
WaveForce™ Technology
SmartRinse™ Jet Spray System
Sanitary Cycle
SenseClean™
CONVENIENCE FEATURES
TrueBalance™ Anti-Vibration System
SmartDiagnosis™
SlamProof™ Lid
Status Indicator(s)
Water Heater
LoDecibel™ Quiet Operation
MOTOR AND AGITATOR
Motor Type / Motor Speed / Axis
MATERIALS AND FINISHES
NeveRust™ Stainless Steel Drum
Cabinet
Top Cover
Transparent Lid Glass
Available Colors
POWER SOURCE
Electrical Requirements / Type
DIMENSIONS
Product (WxHxD) in inches

WT5001CW	WT5101HV/HW
4.5 cu.ft. (DOE)	4.5 cu.ft. (DOE)
Rear Control	Rear Control
Electronic with LED Display & Dial-A-Cycle™	Electronic with LED Display & Dial-A-Cycle™
12	14
5	5
1100 RPM	1100 RPM
Automatically adjusts to size of load	Automatically adjusts to size of load
3	3
12	12
•	•
•	•
•	•
•	•
	•
•	•
•	•
•	•
•	•
•	•
	•
•	•
Direct Drive / Variable / Vertical	Direct Drive / Variable / Vertical
•	•
Painted Steel	Painted Steel
Painted Steel	Painted Steel
•	•
White (W)	White (W), Graphite Steel (V)
120V, 5 Amps / Electric	120V, 10 Amps / Electric
27 x 45-3/8 x 28-3/8 (55-3/4" H w/lid open)	27 x 45-3/8 x 28-3/8 (55-3/4" H w/lid open)

2011 LG HOME APPLIANCES COLLECTION **DRYERS**



LG develops remarkable innovations that deliver the Performance, Energy Efficiency, and Advanced Steam features for revolutionary drying performance.



TRUESTEAM™ TECHNOLOGY

A lot of those drying headaches can be a thing of the past. TrueSteam™ Technology generates real steam to reduce wrinkles and odors, and practically eliminates the need for ironing.

STEAMFRESH™ CYCLE

Late for the party and no time to iron your favorite outfit? The SteamFresh™ Cycle refreshes and reduces wrinkles in up to five garments at a time with one 20-minute dryer cycle.

STEAMSANITARY™ CYCLE

SteamSanitary[™] cycle refreshes and sanitizes dry items in the SteamDryer™. The SteamSanitary™ cycle kills bacteria on your clothes and is great for decorative pillows and other non-washable items.

REDUCESTATIC™

Injects steam late in the drying cycle to virtually eliminate the static electricity caused by dry fabrics rubbing together.



Steam is simulated

ULTRA-LARGE CAPACITY

Do laundry a little less often. With 7.1 to 7.4 cubic feet of capacity, this dryer handles really large loads, saving you time and energy.

SENSOR DRY SYSTEM

What's worse than pulling clothes out of the dryer and finding they're still damp? Our Sensor Dry system measures the moisture levels during the cycle and automatically adjusts the drying time, assuring you get dry laundry every time.



SMARTDIAGNOSIS™ TECHNOLOGY

It's unlikely that you'll experience any problems with your LG dryer, however, if you do, this may eliminate a service call, saving you both time and money.

FRONT LOAD DRYER DLE2140W DLG2141W

FRONT LOAD DRYER DLE2240W DLG2241W



() White

FEATURES

- 7.1 cu.ft. Large Capacity
- 7 Drying Cycles / 7 Options
- · Sensor Dry System
- LoDecibel[™] Quiet Operation
- SmartDiagnosis™
- Wrinkle Care Option
- Custom Program
- White Rimmed Glass Door
- LED Display Control Panel and Dial-A-Cycle™



White

FEATURES

- 7.3 cu.ft. Large Capacity
- 7 Drying Cycles / 7 Options
- · Sensor Dry System
- LoDecibel[™] Quiet Operation
- SmartDiagnosis™
- Wrinkle Care Option
- Custom Program
- Silver Rimmed Glass Door
- LED Display Control Panel and Dial-A-Cycle™





PRONT LOAD DRYER DLE2350R/W DLG2351R/W



FEATURES

White

• 7.3 cu.ft. Large Capacity

Wild Cherry Red

- 9 Drying Cycles / 8 Options
- · Sensor Dry System
- LoDecibel[™] Quiet Operation
- SmartDiagnosis™
- FlowSense[™] Duct Clogging Indicator
- · Anti-Bacterial Option
- Wrinkle Care Option
- · Custom Program
- · Chrome Rimmed Glass Door
- Dual LED Display Control Panel and Dial-A-Cycle™

FRONT LOAD DRYER DLEX2550R/W DLGX2551R/W



() White

Wild Cherry Red

FEATURES

- 7.3 cu.ft. Large Capacity
- 9 Drying Cycles / 10 Options
- TrueSteam™ Technology
- · Sensor Dry System
- LoDecibel[™] Quiet Operation
- SmartDiagnosis™
- FlowSense[™] Duct Clogging Indicator
- SteamFresh™ Cycle
- SteamSanitary[™] Cycle
- ReduceStatic[™] Option
- Easylron[™] Option
- · Wrinkle Care Option
- Custom Program
- Drying Rack
- Chrome Rimmed Glass Door
- Dual LED Display Control Panel and Dial-A-Cycle™





FRONT LOAD DRYER

DLEX3360V/R/W DLGX3361V/R/W



White

Graphite Steel

Wild Cherry Red

FEATURES

- 7.4 cu.ft. Ultra Large Capacity
- 12 Drying Cycles / 9 Options
- TrueSteam™ Technology
- · Sensor Dry System
- LoDecibel[™] Quiet Operation
- SmartDiagnosis™
- FlowSense[™] Duct Clogging Indicator
- SteamFresh™ Cycle
- SteamSanitary[™] Cycle
- ReduceStatic[™] Option
- Easylron[™] Option
- Wrinkle Care Option
- · Custom Program
- · Drying Rack
- NeveRust™ Stainless Steel Drum
- Large Brushed Chrome Rimmed Glass Door
- Dual LED Display Control Panel and Dial-A-Cycle™



FRONT LOAD DRYER

DLEX3550V/W DLGX3551V/W



) White

Graphite Steel

FEATURES

- 7.4 cu.ft. Ultra Large Capacity
- 12 Drying Cycles / 10 Options
- TrueSteam™ Technology
- · Sensor Dry System
- LoDecibel[™] Quiet Operation
- SmartDiagnosis™
- FlowSense[™] Duct Clogging Indicator
- SteamFresh™ Cycle
- SteamSanitary[™] Cycle
- ReduceStatic[™] Option
- Easylron[™] Option
- · Wrinkle Care Option
- · Custom Program
- · Drying Rack
- NeveRust[™] Stainless Steel Drum
- Large Chrome Rimmed Glass Door with Dark Blue Tinted Cover
- Dual LED Display Control Panel and Dial-A-Cycle™





FRONT LOAD DRYER

DLEX3875V/W DLGX3876V/W



White

Graphite Steel

FEATURES

- 7.4 cu.ft. Ultra Large Capacity
- 14 Drying Cycles / 12 Options
- TrueSteam™ Technology
- · Sensor Dry System
- LoDecibel[™] Quiet Operation
- SmartDiagnosis™
- FlowSense[™] Duct Clogging Indicator
- SteamFresh™ Cycle
- SteamSanitary[™] Cycle
- ReduceStatic[™] Option
- Easylron[™] Option
- Wrinkle Care Option
- · Custom Program
- · Drying Rack
- NeveRust[™] Stainless Steel Drum
- · Large Square Chrome Rimmed Glass Door with Tinted Cover
- LCD Display Control Panel and Dial-A-Cycle™



FRONT LOAD DRYER

DLEX3885C/W **DLGX3886C/W**



White

Chardonnay

FEATURES

- 7.4 cu.ft. Ultra Large Capacity
- 14 Drying Cycles / 12 Options
- TrueSteam™ Technology
- · Sensor Dry System
- LoDecibel[™] Quiet Operation
- SmartDiagnosis™
- FlowSense[™] Duct Clogging Indicator
- SteamFresh™ Cycle
- SteamSanitary[™] Cycle
- ReduceStatic[™] Option
- Easylron[™] Option
- · Wrinkle Care Option
- · Custom Program
- · Drying Rack
- NeveRust[™] Stainless Steel Drum
- · Large Square Chrome Rimmed Glass Door with Tinted Cover
- Color LCD Display Control Panel with Touch Buttons and Dial-A-Cycle™



COMPACT FRONT LOAD DRYER





White

Wild Cherry Red

FEATURES

- 4.2 cu.ft. Large Capacity
- 24" Compact Electric Ventless Condensing Dryer
- 9 Drying Cycles / 10 Options
- · Sensor Dry System
- LoDecibel[™] Quiet Operation
- Sports Wear Cycle
- Wrinkle Care Option
- · Chrome Rimmed Glass Door
- LED Display Control Panel and Dial-A-Cycle™

PRONT LOAD DRYER DLE5001W DLG5002W



() White

FEATURES

- 7.3 cu.ft. Large Capacity
- 12 Drying Cycles / 7 Options
- · Sensor Dry System
- LoDecibel[™] Quiet Operation
- FlowSense[™] Duct Clogging Indicator
- Anti-Bacterial Cycle
- Wrinkle Care Option
- · Custom Program
- · Drying Rack
- NeveRust™ Stainless Steel Drum
- · Large Chrome Rimmed Glass Door
- LED Display Control Panel and Dial-A-Cycle™

DLEX5101V/W DLGX5102V/W







FEATURES

- 7.3 cu.ft. Large Capacity
- 14 Drying Cycles / 8 Options
- TrueSteam™ Technology
- Sensor Dry System
- LoDecibel[™] Quiet Operation
- FlowSense™ Duct Clogging Indicator
- SteamFresh™ Cycle
- SteamSanitary[™] Cycle
- · Anti-Bacterial Cycle
- ReduceStatic[™] Option
- Easylron™ Option
- Wrinkle Care Option
- Custom Program
- · Drying Rack
- NeveRust[™] Stainless Steel Drum
- Large Chrome Rimmed Glass Door
- LED Display Control Panel and Dial-A-Cycle $^{\text{\tiny TM}}$

FRONT LOAD DRYER COMPARISON



	DLE2140W / DLG2141W
CAPACITY	
Capacity	7.1 cu.ft.
APPEARANCE	
Design Look	Front Control
Controls	Electronic with LED Display & Dial-A-Cycle™
DRY PROGRAMS	
Drying Cycles	7
Options	7
Temperature Levels	5
Dry Levels	5
Dry Times	60 min., 50 min., 40 min., 30 min., 20 min., More Time/Less Time
Custom Program	•
FABRIC CARE FEATURES	
Sensor Dry	•
TrueSteam™ Technology	
SteamFresh™	
SteamSanitary™	
ReduceStatic™	
Easylron™	
CONVENIENCE FEATURES	
SmartDiagnosis™	•
Drum Light	•
Reversible Door	•
FlowSense™	
Status Indicator(s)	•
Drying Rack	
LoDecibel™ Quiet Operation	•
MATERIALS AND FINISHES	
NeveRust™ Stainless Steel Drum	Aluminized Alloy Steel
Door Rim	White
Cabinet Top	Painted
Cabinet	Painted Steel
Control Panel	Plastic
Available Colors	White (W)
OPTIONS	
Pedestals	White: WDP4W
Stacking Kit	White: WSTK1
LP Conversion Kit	383EEL3002A
POWER SOURCE	
Ratings	CSA Listed
Electrical Requirements	120V, 15 Amps (Gas) / 240V, 30 Amps (Electric)
Туре	Gas/Electric
DIMENSIONS	
Product (WxHxD) in inches	27 x 38-11/16 x 30 (51" D w/door open)





	DLE2240W / DLG2241W
CAPACITY	
Capacity	7.3 cu.ft.
APPEARANCE	
Design Look	Front Control
Controls	Electronic with LED Display & Dial-A-Cycle™
DRY PROGRAMS	·
Drying Cycles	7
Options	7
Temperature Levels	5
Dry Levels	5
Dry Times	60 min., 50 min., 40 min., 30 min., 20 min., More Time/Less Time
Custom Program	•
FABRIC CARE FEATURES	
Sensor Dry	•
TrueSteam™ Technology	
SteamFresh™	
SteamSanitary™	
ReduceStatic™	
Easylron™	
CONVENIENCE FEATURES	
SmartDiagnosis™	•
Drum Light	
Reversible Door	
FlowSense™	
Status Indicator(s)	
Drying Rack	
LoDecibel™ Quiet Operation	
MATERIALS AND FINISHES	
NeveRust™ Stainless Steel Drum	Aluminized Alloy Steel
Door Rim	Silver
Cabinet Top	Painted
Cabinet	Painted Steel
Control Panel	Plastic
Available Colors	White (W)
OPTIONS OPTIONS	Willie (W)
Pedestals	White: WDP4W
Stacking Kit	White: WSTK1
LP Conversion Kit	383EL3002A
POWER SOURCE	JOSEELSOUZA
	CSA Listed
Ratings	120V, 15 Amps (Gas) /
Electrical Requirements	240V, 30 Amps (Electric)
Туре	Gas/Electric
DIMENSIONS	07.05.71
Product (WxHxD) in inches	27 x 38-3/4 x 30 (51" D w/door open)

DLE2350R/W / DLG2351R/W	DLEX2550R/W / DLGX2551R/W
7.3 cu.ft.	7.3 cu.ft.
Front Control	Front Control
Electronic with Dual LED Display & Dial-A-Cycle™	Electronic with Dual LED Display & Dial-A-Cycle™
9	9
8	10
5	5
5	5
60 min., 50 min., 40 min., 30 min., 20 min., More Time/Less Time	60 min., 50 min., 40 min., 30 min., 20 min., More Time/Less Time
•	•
•	•
	•
	•
	•
	•
	•
	I
	•
•	•
•	•
•	•
	•
	•
	•
	L
Aluminized Alloy Steel	Aluminized Alloy Steel
Chrome	Chrome
Painted	Painted
Painted Steel	Painted Steel
Plastic	Plastic
White (W), Wild Cherry Red (R)	White (W), Wild Cherry Red (R)
writte (w), wild cherry fied (it)	write (w), wild cherry fed (it)
White: WDP4W, Wild Cherry Red: WDP4R	White: WDP4W, Wild Cherry Red: WDP4R
White: WSTK1, Wild Cherry Red: RSTK1	White: WSTK1, Wild Cherry Red: RSTK1
383EEL3002A	383EEL3002D
111111111111111111111111111111111111111	1
CSA Listed	CSA Listed
120V, 15 Amps (Gas) / 240V, 30 Amps (Electric)	120V, 15 Amps (Gas) / 240V, 30 Amps (Electric)
Gas/Electric	Gas/Electric
Gas/ Electric	J Gas/ Electric
27 x 38-11/16 x 30	27 x 38-11/16 x 30
(51" D w/door open)	(51" D with door open)





CAPACITY
Capacity
APPEARANCE
Design Look
Controls
DRY PROGRAMS
Drying Cycles
Options
Temperature Levels
Dry Levels
Dry Times
Custom Program
FABRIC CARE FEATURES
Sensor Dry
TrueSteam™ Technology
SteamFresh™
SteamSanitary™
ReduceStatic™
Easylron™
CONVENIENCE FEATURES
SmartDiagnosis™
Drum Light
Reversible Door
FlowSense™
Status Indicator(s)
Drying Rack
LoDecibel™ Quiet Operation
MATERIALS AND FINISHES
NeveRust™ Stainless Steel Drum
Door Rim
Cabinet Top
Cabinet
Control Panel
Available Colors
OPTIONS
Pedestals
Stacking Kit
LP Conversion Kit
POWER SOURCE Patings
Ratings Electrical Requirements
Type
DIMENSIONS
Product (WxHxD) in inches

DLEX3360V/R/W / DLGX3361V/R/W	DLEX3550V/W / DLGX3551V/W
7.4 cu.ft.	7.4 cu.ft.
Front Control	Front Control
Electronic with Dual LED Display & Dial-A-Cycle™	Electronic with Dual LED Display & Dial-A-Cycle™
12	12
10	10
5	5
5	5
60 min., 50 min., 40 min., 30 min., 20 min., More Time/Less Time	60 min., 50 min., 40 min., 30 min., 20 min., More Time/Less Time
•	·
<u> </u>	
•	•
•	•
•	•
•	•
•	•
•	•
•	•
•	•
•	•
•	•
•	<u> </u>
•	•
•	·
•	•
Brushed Chrome	Chrome
Painted	Painted
Painted Steel	Painted Steel
Plastic	Plastic
White (W), Graphite Steel (V), Wild Cherry Red (R)	White (W), Graphite Steel (V)
W. WDBAW V. WDBAV D WDDAD	MANDRAM V MDDAV
W: WDP4W, V: WDP4V, R: WDP4R W: WSTK1, V: SSTK1, R: RSTK1	W: WDP4W, V: WDP4V W: WSTK1, V: SSTK1
383EEL3002A	383EEL3002D
JOJELEJUUZA	JOJELEJUUZD
CSA Listed	CSA Listed
120V, 15 Amps (Gas) / 240V, 30 Amps (Electric)	120V, 15 Amps (Gas) / 240V, 30 Amps (Electric)
Gas/Electric	Gas/Electric
Oas/ LieCitic	Oas/ LieCitic
27 x 38-11/16 x 30	27 x 38-11/16 x 30
(51" D w/door open)	(51" D with door open)





Capacity APPEARANCE Design Look Controls DRY PROGRAMS Drying Cycles Options Temperature Levels Dry Levels Dry Times Custom Program FABRIC CARE FEATURES Sensor Dry TrueSteam™ Technology SteamFresh™ SteamSanitary™ ReduceStatic™ Easylron™ CONVENIENCE FEATURES SmartDiagnosis™ Drum Light Reversible Door FlowSense™ Status Indicator(s) Drying Rack LoDecibel™ Quiet Operation MATERIALS AND FINISHES NeveRust™ Stainless Steel Drum Door Rim Cabinet Top Cabinet Control Panel Available Colors OPTIONS Pedestails Stacking Kit LP Conversion Kit POWER SOURCE Ratings Electrical Requirements Type DIMENSIONS Electrical Requirements Type DIMENSIONS	CAPACITY	
APPEARANCE Design Look Controls DRY PROGRAMS Drying Cycles Options Temperature Levels Dry Levels Dry Levels Dry Times Custom Program FABRIC CARE FEATURES Sensor Dry TrueSteam™ Technology SteamFresh™ SteamSanitary™ ReduceStatic™ Easylron™ CONVENIENCE FEATURES SmartDiagnosis™ Drum Light Reversible Door FlowSense™ Status Indicator(s) Drying Rack LoDecibel™ Quiet Operation MATERIALS AND FINISHES NeveRus™ Stainless Steel Drum Door Rim Cabinet Top Cabinet Control Panel Available Colors OPTIONS Pedestains Stacking Kit LP Conversion Kit POWER SOURCE Ratings Electrical Requirements Type		
Design Look Controls DRY PROGRAMS Drying Cycles Options Temperature Levels Dry Levels Dry Times Custom Program FABRIC CARE FEATURES Sensor Dry TrueSteam™ Technology SteamFash™ SteamSanitary™ ReduceStatic™ Easylron™ CONVENIENCE FEATURES SmartDiagnosis™ Drum Light Reversible Door FlowSense™ Stoyling Rack LoDecibel™ Quiet Operation MATERIALS AND FINISHES NeveRust™ Stainless Steel Drum Door Rim Cabinet Top Cabinet Top Cabinet Top Cabinet Top Cabical Services Stacking Kit LP Conversion Kit POWER SOURCE Ratings Electrical Requirements Type		
DRY PROGRAMS Drying Cycles Options Temperature Levels Dry Levels Dry Levels Dry Times Custom Program FABRIC CARE FEATURES Sensor Dry TrueSteam™ Technology SteamFresh™ SteamSanitary™ ReduceStatic™ Easylron™ CONVENIENCE FEATURES SmartDiagnosis™ Drum Light Reversible Door FlowSense™ Status Indicator(s) Drying Rack LoDecibel™ Quiet Operation MATERIALS AND FINISHES NeveRust™ Stainless Steel Drum Door Rim Cabinet Top Cabinet Control Panel Available Colors OPTIONS Pedestals Stacking Kit LP Conversion Kit POWER SOURCE Ratings Electrical Requirements Type		
DRY PROGRAMS Drying Cycles Options Temperature Levels Dry Levels Dry Levels Dry Times Custom Program FABRIC CARE FEATURES Sensor Dry TrueSteam™ Technology SteamFresh™ SteamSanitary™ ReduceStatic™ Easylron™ CONVENIENCE FEATURES SmartDiagnosis™ Drum Light Reversible Door FlowSense™ Status Indicator(s) Drying Rack Lo⊅ecibel™ Quiet Operation MATERIALS AND FINISHES NeveRust™ Stainless Steel Drum Door Rim Cabinet Top Cabinet Control Panel Available Colors OPTIONS Pedestals Stacking Kit LP Conversion Kit POWER SOURCE Ratings Electrical Requirements Type	g	
Drying Cycles Options Temperature Levels Dry Levels Dry Times Custom Program FABRIC CARE FEATURES Sensor Dry TrueSteam™ Technology SteamFresh™ SteamSanitary™ ReduceStatic™ Easylron™ CONVENIENCE FEATURES SmartDiagnosis™ Drum Light Reversible Door FlowSense™ Status Indicator(s) Drying Rack LoDecibel™ Quiet Operation MATERIALS AND FINISHES NeveRust™ Stainless Steel Drum Door Rim Cabinet Top Cabinet Control Panel Available Colors OPTIONS Pedestals Stacking Kit LP Conversion Kit POWER SOURCE Ratings Electrical Requirements Type	Controls	
Options Temperature Levels Dry Levels Dry Times Custom Program FABRIC CARE FEATURES Sensor Dry TrueSteam™ Technology SteamFarian Technology SteamSanitary™ ReduceStatic™ Easylron™ CONVENIENCE FEATURES SmartDiagnosis™ Drum Light Reversible Door FlowSense™ Status Indicator(s) Drying Rack LoDecibel™ Quiet Operation MATERIALS AND FINISHES NeveRust™ Stainless Steel Drum Door Rim Cabinet Top Cabinet Top Cabinet Control Panel Available Colors OPTIONS Pedestals Stacking Kit LP Conversion Kit POWER SOURCE Ratings Electrical Requirements Type	DRY PROGRAMS	
Temperature Levels Dry Levels Dry Levels Dry Times Custom Program FABRIC CARE FEATURES Sensor Dry TrusSteam™ Technology SteamFresh™ SteamSanitary™ ReduceStatic™ Easylron™ CONVENIENCE FEATURES SmartDiagnosis™ Drum Light Reversible Door FlowSense™ Status Indicator(s) Drying Rack LoDecibel™ Quiet Operation MATERIALS AND FINISHES NeveRust™ Stainless Steel Drum Door Rim Cabinet Top Cabinet Control Panel Available Colors OPTIONS Pedestals Stacking Kit LP Conversion Kit POWER SOURCE Ratings Electrical Requirements Type	Drying Cycles	
Dry Levels Dry Times Custom Program FABRIC CARE FEATURES Sensor Dry TrueSteam™ Technology SteamFresh™ SteamSanitary™ ReduceStatic™ Easylron™ CONVENIENCE FEATURES SmartDiagnosis™ Drum Light Reversible Door FlowSense™ Status Indicator(s) Drying Rack LoDecibel™ Quiet Operation MATERIALS AND FINISHES NeveRust™ Stainless Steel Drum Door Rim Cabinet Top Cabinet Control Panel Available Colors OPTIONS Pedestals Stacking Kit LP Conversion Kit POWER SOURCE Ratings Electrical Requirements Type	Options	
Dry Times Custom Program FABRIC CARE FEATURES Sensor Dry TrueSteam™ Technology SteamFresh™ SteamSanitary™ ReduceStatic™ Easylron™ CONVENIENCE FEATURES SmartDiagnosis™ Drum Light Reversible Door FlowSense™ Status Indicator(s) Drying Rack LoDecibel™ Quiet Operation MATERIALS AND FINISHES NeveRust™ Stainless Steel Drum Door Rim Cabinet Top Cabinet Control Panel Available Colors OPTIONS Pedestals Stacking Kit LP Conversion Kit POWER SOURCE Ratings Electrical Requirements Type	Temperature Levels	
Custom Program FABRIC CARE FEATURES Sensor Dry TrueSteam™ Technology SteamFresh™ SteamSanitary™ ReduceStatic™ Easylron™ CONVENIENCE FEATURES SmartDiagnosis™ Drum Light Reversible Door FlowSense™ Status Indicator(s) Drying Rack LoDecibel™ Quiet Operation MATERIALS AND FINISHES NeveRust™ Stainless Steel Drum Door Rim Cabinet Top Cabinet Control Panel Available Colors OPTIONS Pedestals Stacking Kit LP Conversion Kit POWER SOURCE Ratings Electrical Requirements Type	Dry Levels	
FABRIC CARE FEATURES Sensor Dry TrueSteam™ Technology SteamFresh™ SteamSanitary™ ReduceStatic™ Easylron™ CONVENIENCE FEATURES SmartDiagnosis™ Drum Light Reversible Door FlowSense™ Status Indicator(s) Drying Rack LoDecibel™ Quiet Operation MATERIALS AND FINISHES NeveRust™ Stainless Steel Drum Door Rim Cabinet Top Cabinet Control Panel Available Colors OPTIONS Pedestals Stacking Kit LP Conversion Kit POWER SOURCE Ratings Electrical Requirements Type	Dry Times	
FABRIC CARE FEATURES Sensor Dry TrueSteam™ Technology SteamFresh™ SteamSanitary™ ReduceStatic™ Easylron™ CONVENIENCE FEATURES SmartDiagnosis™ Drum Light Reversible Door FlowSense™ Status Indicator(s) Drying Rack LoDecibel™ Quiet Operation MATERIALS AND FINISHES NeveRust™ Stainless Steel Drum Door Rim Cabinet Top Cabinet Control Panel Available Colors OPTIONS Pedestals Stacking Kit LP Conversion Kit POWER SOURCE Ratings Electrical Requirements Type	Custom Program	
TrueSteam™ Technology SteamFresh™ SteamSanitary™ ReduceStatic™ Easylron™ CONVENIENCE FEATURES SmartDiagnosis™ Drum Light Reversible Door FlowSense™ Status Indicator(s) Drying Rack LoDecibel™ Quiet Operation MATERIALS AND FINISHES NeveRust™ Stainless Steel Drum Door Rim Cabinet Top Cabinet Control Panel Available Colors OPTIONS Pedestals Stacking Kit LP Conversion Kit POWER SOURCE Ratings Electrical Requirements Type		S
SteamFresh™ SteamSanitary™ ReduceStatic™ Easylron™ CONVENIENCE FEATURES SmartDiagnosis™ Drum Light Reversible Door FlowSense™ Status Indicator(s) Drying Rack LoDecibel™ Quiet Operation MATERIALS AND FINISHES NeveRust™ Stainless Steel Drum Door Rim Cabinet Top Cabinet Control Panel Available Colors OPTIONS Pedestals Stacking Kit LP Conversion Kit POWER SOURCE Ratings Electrical Requirements Type	Sensor Dry	
SteamSanitary™ ReduceStatic™ Easylron™ CONVENIENCE FEATURES SmartDiagnosis™ Drum Light Reversible Door FlowSense™ Status Indicator(s) Drying Rack LoDecibel™ Quiet Operation MATERIALS AND FINISHES NeveRust™ Stainless Steel Drum Door Rim Cabinet Top Cabinet Control Panel Available Colors OPTIONS Pedestals Stacking Kit LP Conversion Kit POWER SOURCE Ratings Electrical Requirements Type	TrueSteam™ Technology	
ReduceStatic™ Easylron™ CONVENIENCE FEATURES SmartDiagnosis™ Drum Light Reversible Door FlowSense™ Status Indicator(s) Drying Rack LoDecibel™ Quiet Operation MATERIALS AND FINISHES NeveRust™ Stainless Steel Drum Door Rim Cabinet Top Cabinet Control Panel Available Colors OPTIONS Pedestals Stacking Kit LP Conversion Kit POWER SOURCE Ratings Electrical Requirements Type	SteamFresh™	
Easylron™ CONVENIENCE FEATURES SmartDiagnosis™ Drum Light Reversible Door FlowSense™ Status Indicator(s) Drying Rack LoDecibel™ Quiet Operation MATERIALS AND FINISHES NeveRust™ Stainless Steel Drum Door Rim Cabinet Top Cabinet Control Panel Available Colors OPTIONS Pedestals Stacking Kit LP Conversion Kit POWER SOURCE Ratings Electrical Requirements Type	SteamSanitary™	
CONVENIENCE FEATURES SmartDiagnosis™ Drum Light Reversible Door FlowSense™ Status Indicator(s) Drying Rack LoDecibel™ Quiet Operation MATERIALS AND FINISHES NeveRust™ Stainless Steel Drum Door Rim Cabinet Top Cabinet Control Panel Available Colors OPTIONS Pedestals Stacking Kit LP Conversion Kit POWER SOURCE Ratings Electrical Requirements Type	ReduceStatic™	
SmartDiagnosis™ Drum Light Reversible Door FlowSense™ Status Indicator(s) Drying Rack LoDecibel™ Quiet Operation MATERIALS AND FINISHES NeveRust™ Stainless Steel Drum Door Rim Cabinet Top Cabinet Control Panel Available Colors OPTIONS Pedestals Stacking Kit LP Conversion Kit POWER SOURCE Ratings Electrical Requirements Type	Easylron™	
Drum Light Reversible Door FlowSense™ Status Indicator(s) Drying Rack LoDecibel™ Quiet Operation MATERIALS AND FINISHES NeveRust™ Stainless Steel Drum Door Rim Cabinet Top Cabinet Control Panel Available Colors OPTIONS Pedestals Stacking Kit LP Conversion Kit POWER SOURCE Ratings Electrical Requirements Type	CONVENIENCE FEATUR	ES
Reversible Door FlowSense™ Status Indicator(s) Drying Rack LoDecibel™ Quiet Operation MATERIALS AND FINISHES NeveRust™ Stainless Steel Drum Door Rim Cabinet Top Cabinet Top Cabinet Control Panel Available Colors OPTIONS Pedestals Stacking Kit LP Conversion Kit POWER SOURCE Ratings Electrical Requirements Type	SmartDiagnosis™	
FlowSense™ Status Indicator(s) Drying Rack LoDecibel™ Quiet Operation MATERIALS AND FINISHES NeveRust™ Stainless Steel Drum Door Rim Cabinet Top Cabinet Control Panel Available Colors OPTIONS Pedestals Stacking Kit LP Conversion Kit POWER SOURCE Ratings Electrical Requirements Type	Drum Light	
Status Indicator(s) Drying Rack LoDecibel™ Quiet Operation MATERIALS AND FINISHES NeveRust™ Stainless Steel Drum Door Rim Cabinet Top Cabinet Control Panel Available Colors OPTIONS Pedestals Stacking Kit LP Conversion Kit POWER SOURCE Ratings Electrical Requirements Type	Reversible Door	
Drying Rack LoDecibel™ Quiet Operation MATERIALS AND FINISHES NeveRust™ Stainless Steel Drum Door Rim Cabinet Top Cabinet Control Panel Available Colors OPTIONS Pedestals Stacking Kit LP Conversion Kit POWER SOURCE Ratings Electrical Requirements Type	FlowSense™	
LoDecibel™ Quiet Operation MATERIALS AND FINISHES NeveRust™ Stainless Steel Drum Door Rim Cabinet Top Cabinet Control Panel Available Colors OPTIONS Pedestals Stacking Kit LP Conversion Kit POWER SOURCE Ratings Electrical Requirements Type	Status Indicator(s)	
MATERIALS AND FINISHES NeveRust™ Stainless Steel Drum Door Rim Cabinet Top Cabinet Control Panel Available Colors OPTIONS Pedestals Stacking Kit LP Conversion Kit POWER SOURCE Ratings Electrical Requirements Type	Drying Rack	
NeveRust™ Stainless Steel Drum Door Rim Cabinet Top Cabinet Control Panel Available Colors OPTIONS Pedestals Stacking Kit LP Conversion Kit POWER SOURCE Ratings Electrical Requirements Type	LoDecibel™ Quiet Operation	1
Door Rim Cabinet Top Cabinet Control Panel Available Colors OPTIONS Pedestals Stacking Kit LP Conversion Kit POWER SOURCE Ratings Electrical Requirements Type	MATERIALS AND FINISH	IES
Cabinet Top Cabinet Control Panel Available Colors OPTIONS Pedestals Stacking Kit LP Conversion Kit POWER SOURCE Ratings Electrical Requirements Type	NeveRust™ Stainless Steel [Drum
Cabinet Control Panel Available Colors OPTIONS Pedestals Stacking Kit LP Conversion Kit POWER SOURCE Ratings Electrical Requirements Type	Door Rim	
Control Panel Available Colors OPTIONS Pedestals Stacking Kit LP Conversion Kit POWER SOURCE Ratings Electrical Requirements Type	Cabinet Top	
Available Colors OPTIONS Pedestals Stacking Kit LP Conversion Kit POWER SOURCE Ratings Electrical Requirements Type	Cabinet	
OPTIONS Pedestals Stacking Kit LP Conversion Kit POWER SOURCE Ratings Electrical Requirements Type	Control Panel	
Pedestals Stacking Kit LP Conversion Kit POWER SOURCE Ratings Electrical Requirements Type	Available Colors	
Stacking Kit LP Conversion Kit POWER SOURCE Ratings Electrical Requirements Type	OPTIONS	
LP Conversion Kit POWER SOURCE Ratings Electrical Requirements Type	Pedestals	
POWER SOURCE Ratings Electrical Requirements Type	Stacking Kit	
Ratings Electrical Requirements Type	LP Conversion Kit	
Electrical Requirements Type	POWER SOURCE	
Туре	Ratings	
	Electrical Requirements	
DIMENSIONS	Туре	
	DIMENSIONS	

DLEX3875V/W / DLGX3876V/W DLEX3885C/W / DLGX3886C/W		
Front Control Front Control	DLEX3875V/W / DLGX3876V/W	DLEX3885C/W / DLGX3886C/W
Front Control Front Control		
Electronic with LCD Display & Dial-A-Cycle	7.4 cu.ft.	7.4 cu.ft.
Electronic with LCD Display & Dial-A-Cycle		
Touch Control Buttons	Front Control	Front Control
12	Electronic with LCD Display & Dial-A-Cycle™	Touch Control Buttons
12		
5 5 5 5 5 5 6 60 min, 50 min, 40 min, 30 min, 20 min, 40 min, 30 min, 40 min,		
5		
60 min., 50 min., 40 min., 30 min., 20 min., More Time/Less Time 60 min., 50 min., 40 min., 30 min., 20 min., More Time/Less Time 60 min., 50 min., 40 min., 30 min., 20 min., More Time/Less Time 60 min., 50 min., 40 min., 30 min., 20 min., More Time/Less Time 60 min., 50 min., 40 min., 30 min., 20 min., More Time/Less Time 60 min., 50 min., 40 min., 30 min., 20 min., 40 min		
30 min., 20 min., More Time/Less Time	5	5
	30 min., 20 min.,	30 min., 20 min.,
	•	•
	•	•
	•	•
	•	•
	•	•
		•
		•
		I
		•
Chrome Chrome Chrome Chrome Porcelain (W, V) Porcelain (W, C) Painted Steel Plastic Plastic Plastic White (W), Graphite Steel (V) White (W), Chardonnay (C) White: WDP4W, Graphite Steel: WDP4V White: WDP4W, Chardonnay: WDP4C White: WSTK1 Graphite Steel: SSTK1 White: WSTK1 Chardonnay: CSTK1 4948EL 4002B CSA Listed CSA Listed 120V, 15 Amps (Gas) / 240V, 30 Amps (Electric) Gas/Electric Gas/Electric 27 x 38-11/16 x 30		
Chrome Chrome Porcelain (W, V) Porcelain (W, C) Painted Steel Plastic Plastic Plastic White (W), Graphite Steel (V) White (W), Chardonnay (C) White: WDP4W, Graphite Steel: WDP4V White: WDP4W, Chardonnay: WDP4C White: WSTK1 Graphite Steel: SSTK1 White: WSTK1 Chardonnay: CSTK1 4948EL 4002B 4948EL 4002B CSA Listed CSA Listed 120V, 15 Amps (Gas) / 240V, 30 Amps (Electric) Gas/Electric Gas/Electric 27 x 38-11/16 x 30 27 x 38-11/16 x 30		
Chrome Chrome Porcelain (W, V) Porcelain (W, C) Painted Steel Painted Steel Plastic Plastic White (W), Graphite Steel (V) White (W), Chardonnay (C) White: WDP4W, Graphite Steel: WDP4V White: WDP4W, Chardonnay: WDP4C White: WSTK1 Graphite Steel: SSTK1 White: WSTK1 Chardonnay: CSTK1 4948EL 4002B 4948EL 4002B CSA Listed CSA Listed 120V, 15 Amps (Gas) / 240V, 30 Amps (Electric) 240V, 30 Amps (Electric) Gas/Electric Gas/Electric 27 x 38-11/16 x 30 27 x 38-11/16 x 30		•
Chrome Chrome Porcelain (W, V) Porcelain (W, C) Painted Steel Painted Steel Plastic Plastic White (W), Graphite Steel (V) White (W), Chardonnay (C) White: WDP4W, Graphite Steel: WDP4V White: WDP4W, Chardonnay: WDP4C White: WSTK1 Graphite Steel: SSTK1 White: WSTK1 Chardonnay: CSTK1 4948EL 4002B 4948EL 4002B CSA Listed CSA Listed 120V, 15 Amps (Gas) / 240V, 30 Amps (Electric) 240V, 30 Amps (Electric) Gas/Electric Gas/Electric 27 x 38-11/16 x 30 27 x 38-11/16 x 30		I .
Porcelain (W, V)		•
Porcelain (W, V)	Chrome	Chrome
Painted Steel Painted Steel Plastic Plastic White (W), Graphite Steel (V) White (W), Chardonnay (C) White: WDP4W, Graphite Steel: WDP4V White: WDP4W, Chardonnay: WDP4C White: WSTK1 Graphite Steel: SSTK1 White: WSTK1 Chardonnay: CSTK1 4948EL 4002B 4948EL 4002B CSA Listed CSA Listed 120V, 15 Amps (Gas) / 240V, 30 Amps (Electric) 240V, 30 Amps (Gas) / 240V, 30 Amps (Electric) Gas/Electric Gas/Electric		i
White (W), Graphite Steel (V) White (W), Chardonnay (C)		
White: WDP4W, Graphite Steel: WDP4V White: WDP4W, Chardonnay: WDP4C White: WSTK1 Graphite Steel: SSTK1 White: WSTK1 Chardonnay: CSTK1 4948EL 4002B 4948EL 4002B CSA Listed CSA Listed CSA Listed 120V, 15 Amps (Gas) / 240V, 30 Amps (Electric) Gas/Electric Gas/Electric 27 x 38-11/16 x 30 27 x 38-11/16 x 30	Plastic	Plastic
White: WDP4W, Graphite Steel: WDP4V White: WDP4W, Chardonnay: WDP4C White: WSTK1 Graphite Steel: SSTK1 White: WSTK1 Chardonnay: CSTK1 4948EL 4002B 4948EL 4002B CSA Listed CSA Listed CSA Listed 120V, 15 Amps (Gas) / 240V, 30 Amps (Electric) Gas/Electric Gas/Electric 27 x 38-11/16 x 30 27 x 38-11/16 x 30	White (W), Graphite Steel (V)	White (W), Chardonnay (C)
White: WSTK1 Graphite Steel: SSTK1		
White: WSTK1 Graphite Steel: SSTK1	White: WDP4W, Graphite Steel: WDP4V	White: WDP4W, Chardonnay: WDP4C
4948EL 4002B CSA Listed CSA Listed 120V, 15 Amps (Gas) / 240V, 30 Amps (Electric) Gas/Electric C38/Electric C38/Electric C38/Electric 27 x 38-11/16 x 30 27 x 38-11/16 x 30		
120V, 15 Amps (Gas) / 120V, 15 Amps (Gas) / 240V, 30 Amps (Electric) 240V, 30 Amps (Electric) Gas/Electric Gas/Electric	· · · · · · · · · · · · · · · · · · ·	
120V, 15 Amps (Gas) / 120V, 15 Amps (Gas) / 240V, 30 Amps (Electric) 240V, 30 Amps (Electric) Gas/Electric Gas/Electric		
120V, 15 Amps (Gas) / 120V, 15 Amps (Gas) / 240V, 30 Amps (Electric) 240V, 30 Amps (Electric) Gas/Electric Gas/Electric	CSA Listed	CSA Listed
Gas/Electric Gas/Electric 27 x 38-11/16 x 30 27 x 38-11/16 x 30		l .
27 x 38-11/16 x 30 27 x 38-11/16 x 30		
27 x 38-11/16 x 30 27 x 38-11/16 x 30		
(51" D with door open) (51" D with door open)	27 x 38-11/16 x 30 (51" D with door open)	27 x 38-11/16 x 30 (51" D with door open)



CAPACITY
Capacity
APPEARANCE
Design Look
Controls
DRY PROGRAMS
Drying Cycles
Options
Temperature Levels
Dry Levels
Dry Times
Custom Program
FABRIC CARE FEATURES
Sensor Dry
TrueSteam™ Technology
SteamFresh™
SteamSanitary [™]
ReduceStatic™
Easylron™
CONVENIENCE FEATURES
SmartDiagnosis™
Drum Light
Reversible Door
FlowSense™
Status Indicator(s)
Drying Rack
LoDecibel™ Quiet Operation
MATERIALS AND FINISHES
NeveRust™ Stainless Steel Drum
Door Rim
Cabinet Top
Cabinet
Control Panel
Available Colors
OPTIONS
Pedestals
Stacking Kit
POWER SOURCE
Ratings
Electrical Requirements
Туре
DIMENSIONS
Product (WxHxD) in inches

1
DLEC855W/R
4.2 cu.ft.
T.E. CUIT.
Front Control
Electronic with LED Display & Dial-A-Cycle™
& Dial-A-Cycle™
9
10
5
5
More Time/Less Time
•
•
•
•
•
Chrome
LPM Board
Painted Steel
Plastic
White (W), Wild Cherry Red (R)
Matching Stacking Kit Packaged with Unit (Dryer)
UL Listed
240V, 30 Amps
Electric
24 x 33-1/2 x 25-1/4 (45" D w/door open)





CAPACITY
Capacity
APPEARANCE
Design Look
Controls
DRY PROGRAMS
Drying Cycles
Options
Temperature Levels
Dry Levels
Dry Times
Custom Program
FABRIC CARE FEATURES
Sensor Dry
TrueSteam™ Technology
SteamFresh™
SteamSanitary™
ReduceStatic™
Easylron™
CONVENIENCE FEATURES
Drum Light
Reversible Door
FlowSense™
Status Indicator(s)
Drying Rack
LoDecibel™ Quiet Operation
MATERIALS AND FINISHES
NeveRust™ Stainless Steel Drum
Door Rim
Top Cover
Cabinet
Control Panel
Available Colors
OPTIONS
LP Conversion Kit
POWER SOURCE
Ratings
Electrical Requirements
Туре
DIMENSIONS
Product (WxHxD) in inches

DLE5001W / DLG5002W	DLEX5101V/W / DLGX5102V/W
7.3 cu.ft.	7.3 cu.ft.
Rear Control	Rear Control
Electronic with LED Display	Electronic with LED Display
& Dial-A-Cycle™	& Dial-A-Cycle™
12	14
7	8
5	5
5	5
60 min., 50 min., 40 min.,	60 min., 50 min., 40 min.,
30 min., 20 min., More Time/Less Time	30 min., 20 min., More Time/Less Time
•	•
	1
•	
	•
	•
•	•
•	·
•	·
•	•
•	•
•	•
•	•
Chrome	Chrome
Painted Steel	Painted Steel
Painted Steel	Painted Steel
Plastic	Plastic
White (W)	White (W), Graphite Steel (V)
4948EL 4002B	4948EL 4002B
CSA Listed	CSA Listed
120V, 15 Amps (Gas) / 240V, 30 Amps (Electric)	120V, 15 Amps (Gas) / 240V, 30 Amps (Electric)
Gas/Electric	Gas/Electric
	•
27 x 45-7/16 x 28-15/16	27 x 45-7/16 x 28-15/16 (50-1/4" D with door open)
(50-1/4" D with door open)	(50-1/4" D with door open)

2011 LG HOME APPLIANCES COLLECTION VACUUMS

PICK UP MORE, EMPTY LESS.

Discover vacuums that don't just make your house cleaner, but also makes your life easier. No more messy vacuum bags or having to empty them constantly with KOMPRESSOR® technology.



KOMPRESSOR® SYSTEM

Goodbye messy vacuum bags. The KOMPRESSOR® system uses a unique wiper blade within the bagless bin to keep it clean while compressing dust intake. That allows you to store up to 3 times more dirt, dust and pet hair vs. non-compressor models, and means there's an easy-to-dispose-of cake of dust when you empty it.



DUALFORCE™ & DUALFORCE+™ SUCTION

DualForce[™] suction uses two additional air pathways plus an enhanced motor (DualForce+[™]) to pick up dirt from both sides, in addition to the traditional center section.

This allows you to capture dirt and dust over a wide surface area, and is ideal for picking up dust in hardto-reach edges.

HEPA FILTER

True HEPA filtration that captures dust mites and pollen.



CLICK 'N GO™ WAND

Hard-to-reach spots just got easy. The Click 'N Go™ Wand detaches from the base – providing up to 15 feet of additional reach – for easier cleaning of stairs, upholstery, and other out-of-the-way spots. (select models)

PET HAIR TURBINE TOOL

Air-turbine powered brush is great for stairs and interiors, as well as removing pet hair from fabrics and carpets.



AAFA CERTIFICATION

Certified asthma and allergy friendly™ by the Asthma and Allergy Foundation of America (AAFA) on the basis of scientific testing by physician-led testing organization. It is proven to reduce

common allergens in carpeting, such as dust mites and domestic animal dander. (select models)



VACUUM LuV300B





FEATURES

- PetCare Upright Vacuum Cleaner
- KOMPRESSOR® Dust Compression System (with wiper blade)
- DualForce™ Two Way Suction
- Auto-Rewind Cord (30 Ft.)
- LG's Upright Vertical Cyclone System
- HEPA Filter
- Pet Hair Turbine Tool



- PetCare Plus Upright Vacuum Cleaner
- KOMPRESSOR® Dust Compression System (with wiper blade)
- DualForce+™ Two Way Suction
- Click 'N Go™ Wand
- RF Control™
- Convenient Long Reach Cord (40 Ft.)
- · LG's Upright Vertical Cyclone System
- HEPA Filter
- Pet Hair Turbine Tool
- AAFA Certification

VACUUM LuV250C





FEATURES

- TotalCare Upright Vacuum Cleaner
- KOMPRESSOR® Dust Compression System (with wiper blade)
- DualForce+™ Two Way Suction
- Click 'N Go™ Wand
- RF Control™
- Convenient Long Reach Cord (40 Ft.)
- · LG's Upright Vertical Cyclone System
- HEPA Filter
- Pet Hair Turbine Tool
- · Accessory Pack
- · LED Headlight
- AAFA Certification





FEATURES

- Lightweight PetCare Vacuum Cleaner
- KOMPRESSOR® Dust Compression System (with wiper blade)
- DualForce™ Two Way Suction
- Compact Design
- Pet Hair Turbine Tool
- HEPA Filter
- Telescopic Handle
- 30 Ft. Cord

VACUUM LcV900B



- Canister Lightweight PetCare Vacuum Cleaner
- KOMPRESSOR® Dust Compression System (with wiper blade)
- EasyMoving[™] Wheel
- Auto Nozzle
- Compact Canister Design with Cleaning Tools
- HEPA Filter
- Retractable Cord (18.7 Ft.)
- Easy Storage
- · Low Noise Level
- Handle Controls
- 2 Way Parking



- . 2, .. 0. . 20
- Canister PetCare Plus Vacuum Cleaner
- KOMPRESSOR® Dust Compression System (with wiper blade)
- DualForce™ Suction
- Power Nozzle
- · Compact Canister Design with Onboard Tool Storage
- HEPA Filter
- Retractable Cord (21 Ft.)
- Easy Storage
- Handle Controls
- 2 Way Parking





	LuV200R	
FEATURES		
KOMPRESSOR® System	•	
Vertical Cyclone		
RF Control™		
Suction	DualForce™	
Click 'N Go™		
Filter	HEPA	
Auto Cord Rewind		
Cord Length	30 Feet	
Stretch Hose		
Floor Height Adjustment	Foot Operated (H, M, ML, L)	
Motor Overload Protection		
Cleaning Width in inches	14-1/2	
Filtration	Standard	
On/Off Brush Roll	•	
Amps	12	
ACCESSORIES		
Wand	Telescopic Aluminum	
Additional Foam Pre Filter	•	
Tools	Pet Hair Turbine Tool, Crevice, Dusting Brush	
CERTIFICATION		
AAFA		
DIMENSIONS		
Product (WxHxD) in inches	12-1/2 x 36-4/5 x 15-3/20	

LuV300B	LuV400T
	•
	•
	•
DualForce+™	DualForce+™
	•
НЕРА	HEPA
40 Feet	40 Feet
•	•
Foot Operated (H, M, ML, L)	Foot Operated (H, M, ML, L)
•	•
14-1/2	14-1/2
Allergen	Allergen
•	•
12	12
Telescopic Aluminum	Telescopic Aluminum
•	•
Pet Hair Turbine Tool, Crevice, 2-in-1 (Upholstery Tool + Dusting Brush)	Pet Hair Turbine Tool, Flexible Crevice Tool, 2-in-1 (Upholstery Tool + Dusting Brush) Mattress Tool, Parquet Nozzle
	•
12-1/2 x 36-4/5 x 15-3/20	12-1/2 x 36-4/5 x 15-3/20





	LuV250C	
FEATURES		
KOMPRESSOR® System	•	
Vertical Cyclone		
RF Control™		
Suction	DualForce™	
Click 'N Go™		
Filter	HEPA	
Auto Cord Rewind		
Cord Length	30 Feet	
Stretch Hose	•	
Floor Height Adjustment	Manual Operated (5 Step)	
Motor Overload Protection	•	
Cleaning Width in inches	13-1/2	
Filtration	Standard	
On/Off Brush Roll	•	
Amps	12	
ACCESSORIES		
Wand	Telescopic Aluminum	
Additional Foam Pre Filter		
Tools	Pet Hair Turbine Tool, 2-in-1 (Crevice/Dusting Brush) Tool	
CERTIFICATION		
AAFA		
DIMENSIONS		
Product (WxHxD) in inches	13-1/2 x 35-3/5 x 11-2/5	

LcV800R	LcV900B	
	•	
	DualForce™	
HEPA	HEPA	
	•	
18.7 Feet	21 Feet	
	•	
Carpet/Floor	Manual Operated (5 Step)	
	•	
11-1/4	14-1/2	
Standard	Standard	
	•	
9.5	12	
Telescopic Aluminum	Telescopic Aluminum	
Pet Hair Turbine Tool, Crevice Tool, 2-in-1 Built-in Dusting Brush	Onboard: Pet Hair Turbine Tool, 2-in-1 (Crevice/Dusting Brush) Tool	
11-1/4 x 17-5/16 x 11-13/16	11-7/10 x 13-7/10 x 19	

Bottom Mount Freezer Refrigerator

A two-door configuration, with the refrigeration section placed at eye-level for easy access to the food used the most. The freezer section is available in either of two door types—swing or drawer.

Bridge Element

A cooktop accessory that combines three cooktop heating areas into one, allowing for easy use of griddles and oversized pans.

Built-In

The appliance is custom-installed, directly into your kitchen, to fit seamlessly with your space and décor.

Counter Depth

Also called "cabinet-depth," counter-depth models are designed to fit flush with standard kitchen cabinets, providing an integrated look without the need for built-in installation.

Energy Star®

The US Government's international program that sets energy-efficiency standards and encourages use of more energy-saving consumer products. Most LG products meet or surpass the Energy Star standard.

Four (4) Door Refrigerator

Building on the convenience and efficiency of a 3 Door Refrigerator, the 4-Door Refrigerator comes in with the freezer drawer divided into two, providing the ultimate in organization and easy access.

Induction Heat

A pioneering cooktop technology that saves energy and heats with unrivaled speed — by generating electromagnetic energy.

KOMPRESSOR® System

The KOMPRESSOR® system uses a unique wiper blade within the vacuum's bagless bin to keep it clean while compressing dust intake. That allows you to store up to 3 times more dirt, dust and pet hair vs. non-compressor vacuum models, and means there's an easy-to-dispose-of cake of dust when you empty it.

Side-by-Side Refrigerator

A two-door configuration with the refrigeration and freezer sections placed side-by-side in a vertical orientation. This refrigerator boasts a large freezer capacity, and it is the perfect type to be installed in a narrow kitchen.

Single Oven

One large-capacity, high-performance oven to meet all of your home cooking needs.

Three (3) Door Refrigerator

Combines the convenience and efficiency of both sideby-side and bottom freezer models, with two top doors and a large-capacity freezer.

Wash Program

Multiple Wash Programs allow you to perfectly calibrate your wash cycle according to the size of the load and the type of garments being washed.

2011 LG HOME APPLIANCES COLLECTION

WARRANTY

REFRIGERATORS

1 year parts and labor, 7 years on the sealed system

ELECTRIC RANGES

1 year parts and labor, 5 years limited on cooktop and radiant surface units

GAS RANGES

1 year parts and labor, 5 years glass cooktop, electric elements and sealed gas burners

BUILT-IN WALL OVENS

1 year from date of purchase parts and labor during first year

ELECTRIC BUILT-IN COOKTOPS

1 year parts and labor, 5 years parts on cooktop and induction coils

GAS BUILT-IN COOKTOPS

1 year parts and labor

COUNTER-TOP MICROWAVES

1 year parts and labor

OVER-THE-RANGE MICROWAVES

1 year parts and labor, 10 years limited on magnetron

DISHWASHERS

1 year labor, 2 years parts, 5 years limited on control board and rack parts, 10 years on the motor, lifetime on the stainless steel tub and door liner

WASHERS

1 year parts and labor (private family use only), 10 years on the motor, lifetime on the drum

DRYERS

1 year parts and labor

VACUUMS

5 years parts and labor

CONSUMER WEBSITE

LG.com

CUSTOMER SERVICE

us.LGservice.com 800-243-0000

DEALER ACCESS TO MARKETING MATERIALS

LGEdealers.com



Design, features and specifications are subject to change without notice. Non-metric weights and measurements are approximate.

© 2011 LG Electronics USA, Inc. All rights reserved. "LG Life's Good" is a registered trademark of LG Corp. All other product and brand names are trademarks or registered trademarks of their respective companies. HA-Full-PG 06/11