Thermador ★

Innovation

- Star Speed™ is a full wash cycle in just 20 minutes
- Largest Wine Glass Capacity- 18 large wine glasses
- Piezo Touch Control communicates slick design and performance
- Time Remaining PowerBeam® shines the actual remaining time of the cycle on the floor
- Sapphire Glow™ internal light illuminates glassware
- Flexible 3rd Rack delivers added loading capacity as well as adjustability to accomodate larger items, wider ends and utensil handles
- Newly-engineered Smooth Glide Racks glide effortlessly without jarring or sticking, delivering a more pleasing loading and unloading experience
- Flexible Folding Tines fold down to accommodate larger pots, pans and dishes and add flexibility to hold items twice as wide as standard models and significantly wider than competitors
- Dosage Assist optimizes break down of detergent tablets

Performance

- Crystal Protection™ System ensures perfect results for fine crystal
- PowerBoost® option increases temperature and pressure in the lower rack for the ultimate in heavy-duty cleaning
- Sens-A-Wash® ensures superior washing and drying guaranteed
- Extra Dry option ensures perfectly dry dishes
- Hand Wash allows you to delicately wash fine items and wine glasses
- Accommodates 15 plate settings for your dinner parties
- Powerfully Quiet® - 44 dBA for peaceful kitchen

experience
- ENERGY STAR® Qualified - uses only 260kWh/Yr
- Extra-Tall-Item™ Sprinkler allows large items (22" high) to be washed

Design
- Masterpiece Handle
- Blue LED Display
- 18/10 high-grade stainless steel interior offers long-lasting reliability, never rusts and resists nicks and chips
- Silver Painted Toe Kick

measurements in inches and mm

Drain hose:
63" / 160 cm
(141½" / 360 cm)

Drain hose:
59" / 150 cm
(137½" / 350 cm)

Front view

Water inlet hose:
55" / 140 cm
(141½" / 360 cm)

Water inlet hose:
47" / 120 cm
(133½" / 340 cm)

Electrical junction box:
47½" / 120 cm

Electrical junction box:
63" / 160 cm

All connections in the rear of the appliance.
( ) values with extension kit.

Amps (A)	12
Frequency (Hz)	60
Approval certificates	CSA, UL
Plug type	120V-3 prong
Net weight (lbs)	101
Gross weight (lbs)	109
Length outlet hose (in)	55 1/8 "
Length inlet hose (in)	55 1/8"
Tub material	Stainless steel
Tub type	TallTub
Leak protection system	24/7 Aqua Stop Plus
Optional accessories	SGZ1010, SGZ9091UC, SMZ2014, SMZ5000, SMZ5002
Number of options	5
Start delay time max (h)	24
Concealed heating element	Yes
Five-level wash	Yes
Display	Yes
Status indicator	Time remaining indic. internal
Sanitized indicator light	Yes
Load sensor	Yes
Variable spray pressure	Yes
Silverware basket	Standard

Generated On 02/01/2013 02:39:45