# T36IT900NP 36-INCH BUILT-IN FRENCH DOOR BOTTOM FREEZER FREEDOM® COLLECTION, PANEL-READY





### **FEATURES & BENEFITS**

- Freedom® Hinge enables true flush design
- The new Auto Door Opening provides the opening of the door with just a slight push or pull
- Delicate Produce Bins for expanded storage
- ThermaFresh System, Humidity and Temperature controlled drawers
- $\mathsf{SoftClose}^{\circledast}$  Drawers and Produce Bins for easy and controlled storage
- Sleek clean design for the perfect symmetry when paired with additional columns
- TFT control panel managing all your columns functions

| TEMPERATURE RANGES            |  |  |
|-------------------------------|--|--|
| Refrigerator                  | 35°F (2°C) to 46°F (8°C)                         |  |
| Adjustable Temperature Drawer | 32°F (0°C) to 37°F (3°C)                         |  |
| Deli Drawer                   | N/A  |  |
| SuperCool                     | 35.5°F (2°C) for<br>approximately 9 hours        |  |
| Energy Saving (Economy) Mode  | Refrigerator: 45°F (7°C)<br>Freezer: 3°F (-16°C) |  |
| Freezer                       | -9°F (-23°C) to 7°F<br>(14°C)                    |  |
| SuperFreeze®                  | -9°F (-23°C) for<br>approximately 52 hours       |  |

| GENERAL PROPERTIES                                   |   |
|--|---|
| Panel Ready  | Yes   |
| Reversible Door Swing                                | No  |
| SoftClose® Drawers                                   | Yes   |
| Carbon Air Filter                                    | Yes   |
| Lighting   |   |
| New Bar ALL LED Sidewall and Theater Lighting        |   |
| Full Width Shelves – Refrigerator                    | 2   |
| Adjustable Shelves – Refrigerator                    | 2   |
| Shelf Material                                       | Glass w/Aluminum<br>Profile   |
| Full Extension Drawers @ 115° Door Opening Angle     | Yes   |
| Full Extension Drawers @ 90° Door Opening Angle      | Yes   |
| Temperature Controlled Drawer                        | 1   |
| Humidity Controlled Drawer                           | ThermaFresh Plus  |
| General Use Drawer                                   | 1   |
| Door Bins – Refrigerator                             | 2   |
| Gallon Door Bins – Refrigerator                      | 2   |
| Delicate Produce Bins                                | 2 Small   |
| Defrost Process – Freezer                            | Frost-Free  |
| Drawers – Freezer                                    | 1   |
| Ice Maker with Diamond Ice System                    | Yes   |
| Door Open Alarms                                     | Yes   |
| Open Door Assist                                     | Yes   |
| SuperCool  | Yes   |
| SuperFreeze®   | Yes   |
| Special Modes  | Sabbath, Economy,<br>Vacation                                       |
| CAPACITY   |   |
| Total Unit Gross Capacity (cu. ft.) – AHAM           | 19.4 cu. ft.  |
| Freezer Gross Capacity (cu. ft.)                     | 5.5 cu. ft.   |
| Refrigerator Gross Capacity (cu. ft.)                | 13.9 cu. ft.  |
| TECHNICAL DETAILS                                    |   |
| Watts (W)  | 588 W   |
| Current (A)  | 15 A  |
| Volts (V)  | 120V-3 Prong  |
| Frequency (Hz)                                       | 60 Hz   |
| Power Cord Length (in.)                              | 139   |
| Plug Туре  | 120V-3 Prong  |
| DIMENSIONS & WEIGHT                                  |   |
| Appliance Dimensions (H x W x D) (in.)               | 83 <sup>3</sup> /4"* x 35 <sup>3</sup> /4" x<br>24 <sup>3</sup> /4" |
| Required Cutout Size (H $\times$ W $\times$ D) (in.) | 84" x 36" x 25"   |
| Net / Gross Weight (lbs)                             | 540 / 573 lbs   |
| EFFICIENCY   |   |
| ENERGY STAR® Most Efficient                          | Yes   |
|  | L = - =   |

Page 1 of 3

Annual Energy Consumption

585 kWh

## T36IT900NP 36-INCH BUILT-IN FRENCH DOOR BOTTOM FREEZER FREEDOM® COLLECTION, PANEL-READY




### WARRANTY


| Limited, Entire Appliance, Parts and Labor on Any Part of the Refrigerator that Fails Because of a Manufacturing Defect | 2 Year           |
|---|------------------|
| Limited Warranty for Sealed Refrigeration System**; Parts and Labor   | 3rd to 6th Year  |
| Limited Warranty for Sealed Refrigeration System**; Parts Only  | 7th to 12th Year |
| Limited Warranty for Stainless Steel Rust-Through   | Lifetime         |

\*\*Sealed refrigeration system includes compressor, evaporator, condenser, dryer / strainer and connection tubing

### **CUTOUT DIMENSIONS**



#### **TOP VIEW CLEARANCE**




\*\* door handle must be added to this dimension.

# T36IT900NP 36-INCH BUILT-IN FRENCH DOOR BOTTOM FREEZER FREEDOM® COLLECTION, PANEL-READY



### PANEL DIMENSIONS



## ACCESSORIES (OPTIONAL)

**STORAGE** 

### FLAT STAINLESS STEEL DOOR PANELS

TFL36IT800

**3DHFGALBIN** 

Gallon Bin

ICEBUCKETL Large Ice Bucket

SPRODBIN10

3DPRODRAIL

**Produce Railing** 

French Door

Small Produce Bin

French Door Half

36-Inch French Door Flat Stainless Steel Door Panel

#### HANDLES

NOTE: Choose one handle for each column, choose 2 handles for each 2-door bottom freezer and choose 3 handles for each French Door bottom freezer.

PR36HNDL20 36-Inch Professional Series Handle PR30HNDL20 30-Inch Professional Series Handle

MS36HNDL20 36-Inch Masterpiece® Series Handle MS30HNDL20 30-Inch Masterpiece® Series Handle PR36HNDL10 36-Inch Professional Series Classic Handle PR30HNDL10 30-Inch Professional Series Classic Handle

MS36HNDL10 36-Inch Masterpiece® Series Classic Handle MS30HNDL10 30-Inch Masterpiece® Series Classic Handle

#### REPLFLTR10

### **FREEDOM® WATER FILTER**

Replacement water filter for use in all freezer and bottom freezer models

#### HEATRKIT10 AND HEATRKIT20 FREEDOM<sup>®</sup> HEATER KIT

For installations where two appliances are installed side-by-side or instances where any appliances are installed less than 6" apart from another but not connected. The heater kit is also recommended for use with any installation in areas that are subject to humidity, or located next to an outside wall. HEATERKIT20 offers improved energy efficiency when compared to HEATRKIT10.

These warranties give you specific legal rights and you may have other rights that vary from state to state. Full warranty and limited warranty from date of installation. For complete warranty details, refer to your Use & Care manual, or ask your dealer.

Specifications are for planning purposes only. Refer to installation instructions and consult your countertop supplier prior to making counter opening. Consult with a heating and ventilation engineer for your specific ventilation requirements. For the most detailed information, refer to installation instructions accompanying product or write to Thermador indicating the model number. Specifications are correct at time of printing. Thermador reserves the right to change product specifications or design without notice. Some models are certified for use in Canada. Thermador is not responsible for products that are transported from the U.S. for use in Canada.

1 800 735 4328 | USA THERMADOR.COM | CANADA THERMADOR.CA | ©2017 BSH HOME APPLIANCES CORPORATION. ALL RIGHTS RESERVED.