HPCB36NS 36-INCH CHIMNEY WALL HOOD WITH BLOWER

PROFESSIONAL SERIES







FEATURES & BENEFITS

- 1,000 CFM Integrated Blower included
- Three fan speeds
- Dimmer lighting for a soft lighting effect
- Commercial-Style Stainless Steel Baffle Filter
- Filter systems are highly efficient at capturing grease


ACCESSORIES (OPTIONAL)	
36" W Keep-Hot Shelf	KHS36QS
6" High Duct Cover	CHMHP366N
12" High Duct Cover	CHMHP3612N
18" - 35" High Duct Cover	CHMHP36TSN
36" W Stainless Steel Backsplash	PA36JBS

Operating Mode Ducted Maximum CFM 1,000 CFM Sones 12.0 HS / 4.0 WS Number of Speed Settings 3-Stage Motor Location Integrated Motor In Hood Body Number of Lights 2 Bulb Type Halogen Total Power of the Lamps (W) 40 W Damper Included Yes Grease Filter Material Washable Stainless Steel Grease Filter Type Commercial-Style Stainless Steel Baffle Filter TECHNICAL DETAILS Watts (W) N/A Current (A) Volts (V) 120 V Frequency (Hz) Plug Type Fixed Connection, No Plug Conduit Length DIMENSIONS & WEIGHT Overall Appliance Dimensions (Width of Canopy Included) (HxWxD) (in) 18" x 35 15/16" x 24" Cooking Surface Diameter of Air Duct (in) Top 10" Net Weight (Ibs) 91 lbs BLOWER OPTIONS Remote Blower (Mounted to Roof or External Wall) N/A N/A N/A N	GENERAL PROPERTIES	
Number of Speed Settings Number of Speed Settings 3-Stage Motor Location Integrated Motor In Hood Body Number of Lights 2 Bulb Type Total Power of the Lamps (W) Damper Included Yes Grease Filter Material Washable Stainless Steel Grease Filter Type Commercial-Style Stainless Steel Baffle Filter TECHNICAL DETAILS Watts (W) N/A Current (A) Volts (V) Frequency (Hz) Plug Type Fixed Connection, No Plug Conduit Length DIMENSIONS & WEIGHT Overall Appliance Dimensions (Width of Canopy Included) (HxWxD) (in) Height of The Chimney (in) Duct Covers Sold Separately Required Distance Above Cooktop / Range Cooking Surface Diameter of Air Duct (in) Top Net Weight (lbs) BLOWER OPTIONS Remote Blower (Mounted to Roof or External Wall) Inline Blower (Mounted Between Kitchen and External Wall) Integrated Blower (Mounted in Hood) WARRANTY	Operating Mode	Ducted
Number of Speed Settings Motor Location Integrated Motor In Hood Body Number of Lights 2 Bulb Type Total Power of the Lamps (W) Damper Included Yes Grease Filter Material Washable Stainless Steel Grease Filter Type Commercial-Style Stainless Steel Baffle Filter TECHNICAL DETAILS Watts (W) N/A Current (A) Volts (V) Frequency (Hz) Plug Type Fixed Connection, No Plug N/A DIMENSIONS & WEIGHT Overall Appliance Dimensions (Width of Canopy Included) (HxWxD) (in) Height of The Chimney (in) Duct Covers Sold Separately Required Distance Above Cooktop / Range Cooking Surface Diameter of Air Duct (in) Top Net Weight (lbs) BLOWER OPTIONS Remote Blower (Mounted to Roof or External Wall) Inline Blower (Mounted Between Kitchen and External Wall) N/A N/A Inline Blower (Mounted Blower (Mounted in Hood) WARRANNTY	Maximum CFM	1,000 CFM
Motor Location Integrated Motor In Hood Body	Sones	12.0 HS / 4.0 WS
Number of Lights 2 Bulb Type Halogen Total Power of the Lamps (W) 40 W Damper Included Yes Grease Filter Material Washable Stainless Steel Grease Filter Type Commercial-Style Stainless Steel Baffle Filter TECHNICAL DETAILS Watts (W) N/A Current (A) 15 A Volts (V) 120 V Frequency (Hz) Fixed Connection, No Plug Tonduit Length N/A DIMENSIONS & WEIGHT Overall Appliance Dimensions (Width of Canopy Included) (HxWxD) (in) Height of The Chimney (in) Duct Covers Sold Separately Required Distance Above Cooktop / Range Cooking Surface Diameter of Air Duct (in) Top 10" Net Weight (Ibs) 91 lbs BLOWER OPTIONS Remote Blower (Mounted to Roof or External Wall) Inline Blower (Mounted Between Kitchen and External Wall) N/A Inline Blower (Mounted in Hood) N/A WARRANTY	Number of Speed Settings	3-Stage
Bulb Type Total Power of the Lamps (W) Damper Included Yes Grease Filter Material Washable Stainless Steel Grease Filter Type Commercial-Style Stainless Steel Baffle Filter TECHNICAL DETAILS Watts (W) N/A Current (A) Volts (V) Frequency (Hz) Plug Type Fixed Connection, No Plug Conduit Length N/A DIMENSIONS & WEIGHT Overall Appliance Dimensions (Width of Canopy Included) (HxWxD) (in) Height of The Chimney (in) Duct Covers Sold Separately Required Distance Above Cooktop / Range Cooking Surface Diameter of Air Duct (in) Top Net Weight (Ibs) BLOWER OPTIONS Remote Blower (Mounted to Roof or External Wall) Integrated Blower (Mounted in Hood) WARRANTY	Motor Location	3
Total Power of the Lamps (W) Damper Included Grease Filter Material Grease Filter Material Grease Filter Type Commercial-Style Stainless Steel Baffle Filter TECHNICAL DETAILS Watts (W) N/A Current (A) Volts (V) Frequency (Hz) Plug Type Fixed Connection, No Plug Conduit Length N/A DIMENSIONS & WEIGHT Overall Appliance Dimensions (Width of Canopy Included) (HxWxD) (in) Height of The Chimney (in) Required Distance Above Cooktop / Range Cooking Surface Diameter of Air Duct (in) Top Net Weight (Ibs) BLOWER OPTIONS Remote Blower (Mounted to Roof or External Wall) Integrated Blower (Mounted in Hood) WARRANTY	Number of Lights	2
Damper Included Grease Filter Material Grease Filter Material Grease Filter Type Commercial-Style Stainless Steel Baffle Filter TECHNICAL DETAILS Watts (W) N/A Current (A) Volts (V) Frequency (Hz) Plug Type Fixed Connection, No Plug Conduit Length N/A DIMENSIONS & WEIGHT Overall Appliance Dimensions (Width of Canopy Included) (HxWxD) (in) Height of The Chimney (in) Required Distance Above Cooktop / Range Cooking Surface Diameter of Air Duct (in) Top Net Weight (Ibs) BLOWER OPTIONS Remote Blower (Mounted to Roof or External Wall) Integrated Blower (Mounted in Hood) WARRANTY	Bulb Type	Halogen
Grease Filter Material Grease Filter Type Commercial-Style Stainless Steel Baffle Filter TECHNICAL DETAILS Watts (W) Current (A) Volts (V) Frequency (Hz) Plug Type Fixed Connection, No Plug Conduit Length DIMENSIONS & WEIGHT Overall Appliance Dimensions (Width of Canopy Included) (HxWxD) (in) Height of The Chimney (in) Required Distance Above Cooktop / Range Cooking Surface Diameter of Air Duct (in) Top Net Weight (lbs) BLOWER OPTIONS Remote Blower (Mounted to Roof or External Wall) Integrated Blower (Mounted in Hood) WARRANTY	Total Power of the Lamps (W)	40 W
Grease Filter Type Commercial-Style Stainless Steel Baffle Filter TECHNICAL DETAILS Watts (W) Current (A) Volts (V) Frequency (Hz) Plug Type Conduit Length DIMENSIONS & WEIGHT Overall Appliance Dimensions (Width of Canopy Included) (HxWxD) (in) Height of The Chimney (in) Required Distance Above Cooktop / Range Cooking Surface Diameter of Air Duct (in) Top Net Weight (lbs) BLOWER OPTIONS Remote Blower (Mounted to Roof or External Wall) Integrated Blower (Mounted in Hood) WARRANTY	Damper Included	Yes
TECHNICAL DETAILS Watts (W) N/A Current (A) 15 A Volts (V) 120 V Frequency (Hz) 60 Hz Plug Type Fixed Connection, No Plug Conduit Length N/A DIMENSIONS & WEIGHT Overall Appliance Dimensions (Width of Canopy Included) (HxWxD) (in) Height of The Chimney (in) Duct Covers Sold Separately Required Distance Above Cooktop / Range Cooking Surface Diameter of Air Duct (in) Top 10" Net Weight (Ibs) 91 Ibs BLOWER OPTIONS Remote Blower (Mounted to Roof or External Wall) Inline Blower (Mounted Between Kitchen and External Wall) Integrated Blower (Mounted in Hood) N/A WARRANTY	Grease Filter Material	
Watts (W) N/A Current (A) 15 A Volts (V) 120 V Frequency (Hz) 60 Hz Plug Type Fixed Connection, No Plug Conduit Length N/A DIMENSIONS & WEIGHT Overall Appliance Dimensions (Width of Canopy Included) (HxWxD) (in) 18" x 35 15/16" x 24" Height of The Chimney (in) Duct Covers Sold Separately Required Distance Above Cooktop / Range Cooking Surface 30" / 30" Diameter of Air Duct (in) Top 10" Net Weight (lbs) 91 lbs BLOWER OPTIONS Remote Blower (Mounted to Roof or External Wall) N/A N/A N/A Inline Blower (Mounted Between Kitchen and External Wall) N/A Integrated Blower (Mounted in Hood) N/A	Grease Filter Type	Stainless Steel Baffle
Current (A) Volts (V) Frequency (Hz) Plug Type Conduit Length DIMENSIONS & WEIGHT Overall Appliance Dimensions (Width of Canopy Included) (HxWxD) (in) Height of The Chimney (in) Required Distance Above Cooktop / Range Cooking Surface Diameter of Air Duct (in) Top Net Weight (lbs) BLOWER OPTIONS Remote Blower (Mounted to Roof or External Wall) Inline Blower (Mounted Between Kitchen and External Wall) N/A Inline grated Blower (Mounted in Hood) WARRANTY	TECHNICAL DETAILS	
Volts (V) Frequency (Hz) Plug Type Fixed Connection, No Plug Conduit Length N/A DIMENSIONS & WEIGHT Overall Appliance Dimensions (Width of Canopy Included) (HxWxD) (in) Height of The Chimney (in) Required Distance Above Cooktop / Range Cooking Surface Diameter of Air Duct (in) Top Net Weight (lbs) BLOWER OPTIONS Remote Blower (Mounted to Roof or External Wall) Inline Blower (Mounted Between Kitchen and External Wall) Integrated Blower (Mounted in Hood) WARRANTY	Watts (W)	N/A
Frequency (Hz) Plug Type Fixed Connection, No Plug Conduit Length N/A DIMENSIONS & WEIGHT Overall Appliance Dimensions (Width of Canopy Included) (HxWxD) (in) Height of The Chimney (in) Required Distance Above Cooktop / Range Cooking Surface Diameter of Air Duct (in) Top Net Weight (lbs) BLOWER OPTIONS Remote Blower (Mounted to Roof or External Wall) Inline Blower (Mounted Between Kitchen and External Wall) Integrated Blower (Mounted in Hood) WARRANTY	Current (A)	15 A
Plug Type Fixed Connection, No Plug Conduit Length N/A DIMENSIONS & WEIGHT Overall Appliance Dimensions (Width of Canopy Included) (HxWxD) (in) Height of The Chimney (in) Required Distance Above Cooktop / Range Cooking Surface Diameter of Air Duct (in) Top Net Weight (lbs) BLOWER OPTIONS Remote Blower (Mounted to Roof or External Wall) Inline Blower (Mounted Between Kitchen and External Wall) Integrated Blower (Mounted in Hood) N/A WARRANTY	Volts (V)	120 V
Conduit Length DIMENSIONS & WEIGHT Overall Appliance Dimensions (Width of Canopy Included) (HxWxD) (in) Height of The Chimney (in) Required Distance Above Cooktop / Range Cooking Surface Diameter of Air Duct (in) Top Net Weight (lbs) BLOWER OPTIONS Remote Blower (Mounted to Roof or External Wall) Inline Blower (Mounted Between Kitchen and External Wall) Integrated Blower (Mounted in Hood) WARRANTY	Frequency (Hz)	60 Hz
DIMENSIONS & WEIGHT Overall Appliance Dimensions (Width of Canopy Included) (HxWxD) (in) Height of The Chimney (in) Required Distance Above Cooktop / Range Cooking Surface Diameter of Air Duct (in) Top Net Weight (lbs) BLOWER OPTIONS Remote Blower (Mounted to Roof or External Wall) Inline Blower (Mounted Between Kitchen and External Wall) Integrated Blower (Mounted in Hood) WARRANTY 18" x 35 15/16" x 24" Duct Covers Sold Separately 30" / 30" 10" N/A Find N/A N/A N/A N/A N/A N/A N/A N/A	Plug Type	
Overall Appliance Dimensions (Width of Canopy Included) (HxWxD) (in) Height of The Chimney (in) Required Distance Above Cooktop / Range Cooking Surface Diameter of Air Duct (in) Top Net Weight (lbs) BLOWER OPTIONS Remote Blower (Mounted to Roof or External Wall) Inline Blower (Mounted Between Kitchen and External Wall) Integrated Blower (Mounted in Hood) WARRANTY	Conduit Length	N/A
Canopy Included) (HxWxD) (in) Height of The Chimney (in) Required Distance Above Cooktop / Range Cooking Surface Diameter of Air Duct (in) Top Net Weight (lbs) BLOWER OPTIONS Remote Blower (Mounted to Roof or External Wall) Inline Blower (Mounted Between Kitchen and External Wall) Integrated Blower (Mounted in Hood) WARRANTY	DIMENSIONS & WEIGHT	
Separately		18" x 35 15/16 " x 24"
Cooking Surface 10" Diameter of Air Duct (in) Top 10" Net Weight (lbs) 91 lbs BLOWER OPTIONS Remote Blower (Mounted to Roof or External Wall) N/A N/A N/A Inline Blower (Mounted Between Kitchen and External Wall) N/A Integrated Blower (Mounted in Hood) N/A WARRANTY N/A	Height of The Chimney (in)	
Net Weight (lbs) 91 lbs		30" / 30"
N/A N/A	Diameter of Air Duct (in) Top	10"
N/A N/A	Net Weight (lbs)	91 lbs
(Mounted to Roof or External Wall) N/A N/A Inline Blower (Mounted Between Kitchen and External Wall) N/A Integrated Blower (Mounted in Hood) N/A WARRANTY	BLOWER OPTIONS	
Inline Blower (Mounted Between Kitchen and External Wall) Integrated Blower (Mounted in Hood) WARRANTY		N/A
Inline Blower (Mounted Between Kitchen and External Wall) N/A Integrated Blower (Mounted in Hood) N/A WARRANTY		N/A
(Mounted Between Kitchen and External Wall) N/A Integrated Blower (Mounted in Hood) WARRANTY		N/A
Integrated Blower (Mounted in Hood) WARRANTY		N/A
WARRANTY		N/A
	Integrated Blower (Mounted in Hood)	N/A
Limited Warranty Parts and Labor 2 Year	WARRANTY	
	Limited Warranty Parts and Labor	2 Year

HPCB36NS 36-INCH CHIMNEY WALL HOOD WITH BLOWER PROFESSIONAL SERIES



HOOD DIMENSIONS




HPCB36NS

36-INCH CHIMNEY WALL HOOD WITH BLOWER

PROFESSIONAL SERIES




OPTIONAL ACCESSORIES




KEEP-HOT SHELF KHS36QS 36" WIDE

- Stainless steel finish
- Convenient shelf allows dishes to keep hot at serving temperature.
- Includes stainless steel backguard and two shelves.



measurements in inches and mm

STAINLESS STEEL BACKSPLASH PA36JBS 36" WIDE



These warranties give you specific legal rights and you may have other rights that vary from state to state. Full warranty and limited warranty from date of installation. For complete warranty details, refer to your Use & Care manual, or ask your dealer.

Specifications are for planning purposes only. Refer to installation instructions and consult your countertop supplier prior to making counter opening. Consult with a heating and ventilation engineer for your specific ventilation requirements. For the most detailed information, refer to installation instructions accompanying product or write to Thermador indicating the model number. Specifications are correct at time of printing. Thermador reserves the right to change product specifications or design without notice. Some models are certified for use in Canada. Thermador is not responsible for products that are transported from the U.S. for use in Canada.