
ELICA PRO SERIES LINEUP

Images			Milling		There					
Model Name	TRENTO insert	AREZZO	SCANNO insert	CERVINIA undercabinet	CALABRIA wall-mount	LEONE wall-mount	VAVANO wall-mount	LEONE IS island	VAVANO IS island	CAPRI outdoor
Model Numbers	ETR628SS ETR634SS ETR134S1 ETR146SS	EAR628S4 EAR134S4 EAR634SS EAR140S4 EAR146S4	ESC628SS ESC128SS ESC134SS ESC146SS	ECV630S3 ECV636S3	ECL630S4 ECL636SS ECL136S4 ECL142S4 ECL148S4	ELN630S2 ELN636SS ELN136S2 ELN142S2 ELN148SS	EVV636S1 EVV648S1	EL1136S2 EL1142S2	EVI642S1 EVI648S1	ECP136SS ECP148SS
Dimensions	28", 34", 46"	28", 34", 40", 46"	28", 34", 46"	30", 36"	30", 36", 42", 48"	30", 36", 42", 48"	36", 48"	36", 42"	42", 48"	36", 48"
Blower Type	600 CFM, 1200 CFM	600 CFM, 1200 CFM	600 CFM, 1200 CFM	600 CFM	600 CFM, 1200 CFM	600 CFM, 1200 CFM	600 CFM	1200 CFM	600 CFM	1200 CFM
CFM Reduction	Yes w/Kit	Yes	Yes	Yes	Yes	Yes w/ Kit	Yes w/ Kit	Yes w/ Kit	Yes w/ Kit	No
Noise (max - min)	1.7 - 7.0 sones (28", 34") 1.7 - 8.5 sones (34", 46")	1.7 - 7.0 sones (28", 34") 1.7 - 8.5 sones (34", 40", 46")	7 sones (28") 8.5 sones (34", 46")	1.7 - 7.0 sones	1.3 - 7.0 sones (600 сгм) 1.7 - 8.5 sones (1200 сгм)	0.7 - 7.0 sones (600 CFM) 2.6 - 8.5 sones (1200 CFM)	1.7 - 7.0 sones	2.6 - 8.5 sones	1.7 - 7.0 sones	1.7 - 8.5 sones
Finish	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel	Corrosion Resistant Grade Stainless Steel
Controls	Fully Retractable Rotating Knobs w/ Blue Backlighting	Fully Retractable Rotating Knobs w/ Blue Backlighting	Fully Retractable Rotating Knobs w/ Blue Backlighting	Fully Retractable Rotating Knobs w/ Blue Backlighting	Fully Retractable Rotating Knobs w/ Blue Backlighting	Fully Retractable Rotating Knobs w/ Blue Backlight				
Illumination	LED Light	LED Light	LED Light	LED Light	LED Light	LED Light	LED Light	LED Light	LED Light	LED Light
Filter Type	Professional Stainless Steel Angled Baffle Filter	Professional Stainless Steel Angled Baffle Filter	Professional Stainless Steel Baffle Filters	Professional Stainless Steel Baffle Filter	Professional Stainless Steel Baffle Filter	Professional Stainless Steel Baffle Filters	Professional Stainless Steel Angled Baffle Filters			
Duct Transition	10" Round with Backdraft Damper (top only)	10" Round with Backdraft Damper (top only)	10" Round with Backdraft Damper (top only)	Ducted Installation Only	3 ¼₄" x 10" with Backdraft Damper (Top or Rear)	8" Round with Backdraft Damper (Top Only)	8" Round with Backdraft Damper (Top Only)	8" Round with Backdraft Damper (Top Only)	8" Round with Backdraft Damper (Top Only)	10" Round with Back Draft Damper (Top only)
Plus Features										





TECHNE SERIES LINEUP

Images												
Model Name	UMBRIA insert	MODENA undercabinet	ARIA undercabinet	LUGANO wall-mount	FOGLIA wall-mount	COMO wall-mount	VARNA wall-mount	MEZZANO wall-mount	SALICE island	MAGGIORE island	CINGOLI island	RISE downdraft
Model Numbers	EUM628SS EUM634SS	EMD530S3 EMD536S3	EAI430SS EAI436SS	ELG630S3 ELG636S3	EFG630S1 EFG636S1	ECM630S3 ECM636S3	EVR630S2 EVR636S2	EMZ630S3 EMZ636S3	ESL636S3 ESL642S3	EMG636S1 EMG642S1	ESL636S3 ESL642S3	ERS630S1 ERS636S1
Dimensions	28", 34"	30", 36"	30", 36"	30", 36"	30", 36"	30", 36"	30", 36"	30", 36"	36", 42"	36", 42"	36", 42"	30", 36"
Blower Type	600 CFM	600 CFM	430 CFM	600 CFM	600 CFM	600 CFM	600 CFM	600 CFM	600 CFM	600 CFM	600 CFM	600 CFM
CFM Reduction	Yes w/Kit	Yes w/Kit	Yes w/Kit	No	No	Yes	Yes	No	Yes	Yes	Yes	Yes w/Kit
Noise (max - min)	1.8 - 6.8 sones	1.3 - 6.8 sones	1.0 - 5.0 sones	1.3 - 6.8 sones	1.3 - 6.8 sones	1.7 - 6.8 sones (1200 CFM)	0.4 - 5.2 sones	2.6 - 8.5 sones	1.3 - 6.8 sones	1.3 - 6.8 sones	1.7 - 6.8 sones	1.7 - 6.8 sones
Finish	Stainless Steel	Stainless Steel + Black Tempered glass	Stainless Ste <mark>el +</mark> Black Tempered glass	Stainless Steel + Black Tempered glass	Stainless Steel + Black Tempered glass	Stainless Steel + Black Tempered glass	Stainless Steel + Black Tempered glass	Stainless Steel + Black Tempered glass	Stainless Steel + Black Tempered glass	Stainless Steel + Black Tempered glass	Stainless Steel + Black Tempered glass	Stainless Steel
Controls	Stainless Steel Push Buttons	Capacitive Touch (Glass)	Capacitive Touch (Glass)	Capacitive Touch (Glass)	Capacitive Touch (Glass)	Capacitive Touch (Glass)	Capacitive Touch (Glass)	Capacitive Touch (Glass)	Capacitive Touch (Glass)	Capacitive Touch (Glass)	Capacitive Touch (Glass)	External Electronic Rotating Disk + LCD
Illumination	LED Light	LED Light	LED Light	LED Light	LED Light	LED Light	LED Light	LED Light	LED Light	LED Light	LED Light	No Light
Filter Type	Anodized Alumi- num, Mesh Filter + Perimeter Aspiration	Stainless Steel Ba- ffle Slot Filter	Stainless Steel Baffle Slot Filter	Anodized Aluminum, Mesh Filter + Perimeter Aspiration	Stainless Steel Microhole Filter	Stainless Steel Microhole Filter	Stainless Steel Microhole Filter	Stainless Steel Microhole Filter	Anodized Aluminum Mesh filter + Perimeter Aspiration	Stainless Steel Microhole Filter	Stainless Steel Microhole Grease Filter	Anodized Aluminum Mesh Filter + Perimeter Aspiration
Duct Transition	6" Round with Backdraft Damper (top only)	3 ¹ / ₄ " x 10" (Rear outlet) or 6" Round (Top outlet)	3 ¼" x 10" (Top or Rear) or 7" Round (sold separately)	6" Round with Backdraft Damper (Top Only)	6" Round with Backdraft Damper (Top Only)	6" Round with Backdraft Damper (Top Only)	6" Round with Backdraft Damper (Top Only)	6" Round with Backdraft Damper (Top Only)	6" Round with Backdraft Damper (Top Only)	6" Round with Backdraft Damper (Top Only)	6" Round with Backdraft Damper (Top Only)	6" Round with Backdraft Damper _(Side)
Plus Features												

Plus Features





ICONIC SERIES LINEUP


Images										
Model Name	EASY	SEASHELL	HAIKU 13"	HAIKU 13"	HAIKU	HAIKU	HILIGHT	ILLUSION	CIELO	
	island	island	island	wall-mount	wall-mount	island	ceiling	ceiling	ceiling	
Model Numbers	EES320SS EES320WT	ESS432SS	EHK613SS	EHK613SS	EHK624SS EHK636SS EHK648SS EHK636WH EHK636BL	EHI648SS EHI67OSS EHI648BL EHI648WH	EHL640WH EHL640SS	EIL640WH EIL640DW	ECEX40SS ECEX60SS	
Dimensions	20"	32"	13"	13"	24", 36", 48"	48", 70"	40"	40"	40", 60"	
Blower Type	355 CFM	400 CFM	600 CFM	600 CFM	600 CFM	600 CFM	600 CFM	600 CFM	600 CFM, 1200 CFM	
CFM Reduction	No	No	No	No	No	No	No	No	No	
Noise (max - min)	1.3 - 6.0 sones	0.4 - 5.0 sones	1.8 - 6.8 sones	1.8 - 6.8 sones	1.8 - 6.8 sones	1.8 - 6.8 sones	1.3 - 6.8 sones	1.3 - 6.8 sones	40", 60" : 1.3 - 6.8 sones (600 CFM) 40" : 1.7 - 7.0 sones (1200 CFM) 60" : 1.7 - 8.5 sones (1200 CFM)	
Finish	Stainless Steel	Mirror look stainless steel	Stainless Steel	Stainless Steel	Stainless Steel Black glass White KRION®	Stainless Steel Black glass White KRION®	Stainless Steel Panel with Stainless Steel frame White Glass with Metal White Frame	Naked Panel Ready stainless steel + stainless Steel Frame Metal White with White Frame	Stainless Steel Panel and Frame with Panel Ready Capability	
Controls	Electronic push control withperimetral light	Remote control	Sensitive touch control with backlight	Remote control	Remote control	Remote control				
Illumination	LED Light	LED Light	LED Light	LED Light	LED Light	LED Light	LED Light	LED Light	LED Light	
Filter Type	Aluminium mesh filter + Peri- meter aspiration	Aluminium grease filter + regenerable charcoal filte	Sophisticated black iron grates + 6 layer mesh filter	Aluminum mesh filter + perimetral aspiration	Aluminum mesh filter + perimetral aspiration	Aluminum mesh filter + perimetral aspiration				
Duct Transition	NA	NA	6" round	6" round	6" round	6" round	6" round (multidirectional)	6" round (multidirectional)	Round multidirectional transition	
Plus Features										
TOTAL INTEGRATION DEP SILENCE Image: Contract Contract Image: Contrad Image: Contrad <										



COMFORT SERIES LINEUP

Images							L				Con and				
Model Name	ALLASIO undercabinet	NEMI undercabinet	TOBLINO 24" wall - mount	TOBLINO wall-mount	POTENZA wall-mount	VOLTERRA wall-mount	BOLSENA wall-mount	FUSARO undercabinet	GUBBIO undercabinet	SORA undercabinet	ASTI insert	ASTI 30"	ASTI 300-28 insert	BELLAGIO undercabinet	TT undercabinet
Model Numbers	EAL330W1 EAL330B1 EAL330S1 EAL336S1	ENM230S1 ENM236S1 EM230W1 ENM230B1	ETB424SS	ETB430S3 ETB436S3	EPT430S3 EPT436S3	EVL424SS EVL430S2 EVL436S2	EBS630SS EBS636SS	EFS130S1 EFS130SS EFS130BL EFS130WH	EGB224SS	ESR430S1 ESR436S1	EAS422SS EAS428S1	EAS430SS	EAS328SS EAS328S1	EBL430S1 EBL430W1 EBL436S1	ETT424S1 ETT430SS ETT436SS
Dimensions	30", 36"	30", 36"	24"	30", 36"	30", 36"	24", 30", 36"	30", 36"	30"	24"	30", 36"	22", 28"	30"	28"	30", 36"	24", 30", 36"
Blower Type	300 CFM	280 CFM	400 CFM	400 CFM	400 CFM	400 CFM	600 CFM	190 CFM	250 CFM	400 CFM	400 CFM	400 CFM	300 CFM	430 CFM	400 CFM
CFM Reduction	No	No	Yes w/Kit	Yes w/Kit	Yes	Yes w/Kit	Yes w/Kit	No	No	Yes w/Kit	Yes	Yes	No	Yes w/Kit	Yes w/Kit
Noise (max - min)	1.7 - 5.0 sones	1.3 - 4.9 sones	0.4 - 5.0 sones	0.4 - 5.0 sones	0.4 - 5.0 sones	0.4 - 5.0 sones	0.4 - 5.2 sones	0.3 - 4.1 sones	0.4 - 4.5 sones	0.4 - 5.0 sones	0.4 - 5.0 sones	0.3 - 5.0 sones	0.4 - 5.0 sones	0.9 - 5.0 sones	0.3 - 5.0 sones
Finish	Stainless Steel Black White	Stainless Steel Black White	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel
Controls	SS: Backlit electronic push controls COLORS: Touch buttons w/blue light	Backlit Electronic Push Buttons	Backlit Electronic Push Buttons	Electronic Touch Controls with Adjustable Color Backlight	Electronic Touch Controls with Adjustable Color Backlight	Backlit Electronic Push Buttons	Multiple Backlight Color Touch Controls	Rocker Switches	Mechanical Slider Control	Rocker Switches	Backlit Electronic Push Buttons	Stainless Steel Push Buttons	Stainless Steel Mesh	Multi-function Electronic with LCD Display	Hidden Electronic Touch Controls
Illumination	LED Light	LED Light	LED Light	LED Light	LED Light	LED Light	LED Light	LED Light	LED Light	LED Light	LED Light	LED Light	LED Light	LED Light	LED Light
Filter Type	Anodized aluminum mesh	Anodized Aluminum Mesh	Anodized Aluminum Mesh Filter	Anodized Aluminum Mesh Filter	Anodized Aluminum Mesh Filter	Anodized Aluminum Mesh Filte	Stainless Steel, Baffle Slot Filters	Stainless Steel Microhole Filter	Anodized Aluminum Mesh	Stainless Steel Baffle Slot Filter	Anodized Aluminum Mesh	Stainless Steel Push Buttons	Backlit electronic push controls	Anodized Aluminum Mesh	Anodized Aluminum Mesh
Duct Transition	3 ¹ / ₄ " x 10" with Backdraft Damper (Top or Rear)	3 ¹ / ₄ " x 10" (Top or Rear) or 7" Round (sold separately)	6" Round with Backdraft Damper (top only)	6" Round with Backdraft Damper (top only)	6" Round with Backdraft Damper (top Only)	3 ¹ / ₄ " x 10" (Top or Rear) or 6" Round (Sold Separately)	3 ¹ / ₄ " x 10" (Top or Rear) or 6" Round (Sold Separately)	3 ¹ / ₄ " x 10" (Top or Rear) or 7" Round (sold separately)	3 ¹ / ₄ " x 10" (Top or Rear) or 7" Round (sold separately)	3 ¹ / ₄ " x 10" with Backdraft Damper (Top or Rear)	6" Round with Backdraft Damper (top Only)	6" Round with Backdraft Damper (top only)	6" Round with Backdraft Damper (top only)	3 ¹ / ₄ " x 10" (Top or Rear) or 7" Round (sold separately)	6" Round Top Discharge
Plus Features															

Plus Features





DISEGNO SERIES LINEUP

Images		
Model Name	ORISTANO wall-mount	
Model Numbers	EORX36SS (requires EAR634SS or EAR134S4) EORX48SS (requires EAR140S4)	ECTX36SS ECT
Dimensions	36", 48"	
Blower Type (sold separately)	600 CFM (4-speed) - 1200 CFM (4-speed)* **requires Arezzo insert	600 CFM
CFM Reduction	No	
Finish	Stainless Steel + Front and Lateral Rim Stainless Steel Mirror look + Decorative Bands & Bolts Stainless Steel Mirror Look	Stainles Stainless Steel I St
Installation	Elica Easy Mounting + Rear Outlet installation	Elica Easy N
Plus Features		

GREASE COLLECTORS

HUSH SYSTEM

SEAMLESS LOOK PROFFESSIONAL PERFORMANCE

ELICA EASY MOUNTING HEAT GUARD

REAR OUTLET





CATANIA wall-mount

SS (requires ETR634SS or ETR134S1) CTX48SS (requires ETR146SS)

36", 48"

M (4-speed) - 1200 CFM (4-speed)* **requires Trento insert

No

ess Steel + Front and Lateral Rim el Mirror look + Decorative Bands & Bolts Stainless Steel Mirror Look

Mounting + Rear Outlet installation