











Electric freestanding ranges



	LDE5415ST	LREL6325F/D	LREL6323S/D	LREL6321S
Previous model		LRE3193	LRE3061	LRE3060
Brand				
Type	Electric	Electric	Electric	Electric
Capacity (cu.ft.)	7.3 (3.0 upper + 4.3 lower)	6.3	6.3	6.3
Oven window	WideView™	InstaView® & WideView™	WideView™	WideView™
AirFry		●	●	
Air sous vide				
Convection	ProBake Convection™	True convection	Fan convection	
Infrared grill	● Upper oven only			
EasyClean®	EasyClean® (10 mins)	EasyClean® (10 mins)	EasyClean® (10 mins)	EasyClean® (10 mins)
Self clean	●	●	●	
ThinQ®	WiFi	WiFi	WiFi	WiFi
Power element	3,200 W UltraHeat™ 9" element	3,200 W UltraHeat™ 9" element	3,200 W UltraHeat™ 9" element	3,200 W UltraHeat™ 9" element
Oven control type	SmoothTouch™ glass panel	SmoothTouch™ glass panel	Standard touchpad	Standard touchpad
Cooktop control type	Front tilt-knobs	Rear control knobs	Rear control knobs	Rear control knobs
Control panel lockout	●			
No. of elements	5 radiant elements	5 radiant elements	5 radiant elements	5 radiant elements
No. of oven racks	1 gliding rack 2 standard racks	3 standard racks	2 standard racks	2 standard racks
Drawer type	N/A	Storage	Storage	Storage
Dimensions (W x H x D) <small>*Depth does not include handles</small>	29 15/16 x 47 5/16 x 26 1/2"	29 7/8 x 46 1/2 x 26 1/2"	29 7/8 x 46 1/2 x 26 1/2"	29 7/8 x 46 1/2 x 26 1/2"
Colours	Stainless steel	Smudge resistant stainless steel Smudge resistant black stainless steel	Stainless steel Black stainless steel	Stainless steel

Electric slide-in ranges



	LSES6338F	LSEL6337F	LSEL6335F/D	LSEL6333F/D	LSEL6331F
Previous model	LSSE3026	LSE5615	LSE5613	LSE4611	
Brand					
Type	Electric	Electric	Electric	Electric	Electric
Capacity (cu.ft.)	6.3	6.3	6.3	6.3	6.3
Oven window	InstaView® & WideView™	InstaView® & WideView™	InstaView® & WideView™	WideView™	WideView™
AirFry	●	●	●	●	
Air sous vide	●	●			
Convection	ProBake Convection™	ProBake Convection™	ProBake Convection™	Fan convection	
EasyClean®	 EasyClean® (10 mins)	 EasyClean® (10 mins)	 EasyClean® (10 mins)	 EasyClean® (10 mins)	 EasyClean® (10 mins)
Self clean	●	●	●	●	●
ThinQ®	WiFi	WiFi	WiFi	WiFi	WiFi
Power element	3,600 W UltraHeat™ 12" element	3,600 W UltraHeat™ 12" element	3,200 W UltraHeat™ 9" element	3,200 W UltraHeat™ 9" element	3,200 W UltraHeat™ 9" element
Oven control type	SmoothTouch™ glass panel	SmoothTouch™ glass panel	SmoothTouch™ glass panel	SmoothTouch™ glass panel	SmoothTouch™ glass panel
Cooktop control type	Backlit front control knobs	Backlit front control knobs	Front control knobs	Front control knobs	Front control knobs
Control panel lockout	●	●	●	●	●
Temperature probe	●	●			
No. of oven racks	2 heavy duty racks 1 gliding rack 1 AirFry rack	2 heavy duty racks 1 AirFry rack	2 heavy duty racks 1 AirFry rack	2 standard racks 1 AirFry rack	2 standard racks
Drawer type	Storage	Storage	Storage	Storage	Storage
Dimensions (W x H x D) <small>*Depth does not include handles</small>	29 7/8 x 36 1/2 x 26 7/8"	29 7/8 x 36 1/2 x 26 7/8"	29 7/8 x 36 1/2 x 26 7/8"	29 7/8 x 37 1/4 x 26 7/8"	29 7/8 x 37 1/4 x 26 7/8"
Colours	Smudge resistant stainless steel	Smudge resistant stainless steel	Smudge resistant stainless steel Smudge resistant black stainless steel	Smudge resistant stainless steel Smudge resistant black stainless steel	Smudge resistant stainless steel







Gas ranges



	LSGS6338F	LSGL6335F/D	LRGL5825F	LRGL5823S
Previous model	LSSG3016	LSG5513	LRG5115	LRG3193
Brand				
Type	Gas	Gas	Gas	Gas
Capacity (cu.ft.)	6.3	6.3	5.8	5.8
Oven window	InstaView® & WideView™	InstaView® & WideView™	InstaView® & WideView™	WideView™
AirFry	●	●	●	●
Air sous vide	●			
Convection	ProBake Convection™	ProBake Convection™	True convection	Fan convection
EasyClean®	EasyClean® (10 mins)	EasyClean® (10 mins)	EasyClean® (10 mins)	EasyClean® (10 mins)
Self clean	●	●	●	●
ThinQ®	WiFi	WiFi	WiFi	WiFi
Power burner	22,000 BTU UltraHeat™ burner	20,000 BTU UltraHeat™ burner	20,000 BTU UltraHeat™ burner	20,000 BTU UltraHeat™ burner
Oven control type	SmoothTouch™ glass panel	SmoothTouch™ glass panel	SmoothTouch™ glass panel	Standard touchpad
Cooktop control type	Front control knobs	Front control knobs	Front control knobs	Front control knobs
No. of burners	5 sealed burners	5 sealed burners	5 sealed burners	5 sealed burners
Griddle	●	●	●	●
Wok grate	●			
Temperature probe	●			
No. of oven racks	1 heavy duty racks 1 gliding rack 1 offset rack 1 AirFry rack	2 heavy duty racks 1 AirFry rack	3 standard racks 1 AirFry rack	2 standard racks
Drawer type	Storage	Storage	Storage	Storage
Propane conversion kit	●	●	●	●
Dimensions (W x H x D) *Depth does not include handles	29 7/8 x 37 1/8 x 26 7/8"	29 7/8 x 37 1/8 x 26 7/8"	29 7/8 x 46 1/2 x 26 9/16"	29 7/8 x 46 1/2 x 26 9/16"
Colours	Smudge resistant stainless steel	Smudge resistant stainless steel Smudge resistant black stainless steel	Smudge resistant stainless steel	Stainless steel

Induction ranges



	LSIS6338F	LSIL6336F	LSIL6334F
Previous model	LSIS3018	LSE4616	
Brand			
Type	Induction slide-in	Induction slide-in	Induction slide-in
Availability	Available	Available	October 2023
Capacity (cu.ft.)	6.3	6.3	6.3
Oven window	InstaView® & WideView™	InstaView® & WideView™	WideView™
AirFry	●	●	●
Air sous vide	●	●	
Convection	ProBake Convection™	ProBake Convection™	ProBake Convection™
EasyClean®	 EasyClean® (10 mins)	 EasyClean® (10 mins)	 EasyClean® (10 mins)
Self clean	●	●	●
ThinQ®	WiFi	WiFi	WiFi
Power element	4,300 W UltraHeat™ 11" element	4,300 W UltraHeat™ 11" element	3,900 W UltraHeat™ 11" element
Oven control type	SmoothTouch™ glass panel	SmoothTouch™ glass panel	SmoothTouch™ glass panel
Cooktop control type	Front control knobs	Front control knobs	Front control knobs
Cooktop control lockout	●	●	●
Temperature probe	●	●	
No. of oven racks	2 heavy duty racks 1 gliding rack 1 AirFry rack	2 heavy duty racks 1 AirFry rack	2 standard racks 1 AirFry rack
Drawer type	Storage	Storage	Storage
Dimensions (W x H x D) <small>*Depth does not include handles</small>	29 7/8 x 36 1/2 x 26 7/8"	29 7/8 x 36 1/2 x 26 7/8"	29 7/8 x 36 1/2 x 26 7/8"
Colours	Smudge resistant stainless steel	Smudge resistant stainless steel	Smudge resistant stainless steel