











# VENTILATION

POWER PACK	MODEL	FINISH	SIZE (W x D)
 <b>COLORADO</b>	<b>AVC-276PS2</b>	403-GRADE SS	27-1/2" x 10-1/4"
	<ul style="list-style-type: none"> <li>• Max. CFM blower: 600</li> <li>• LED lights</li> <li>• 3-speed electronic controls</li> </ul>	<ul style="list-style-type: none"> <li>• Aluminum micro-hole filters</li> <li>• 6" round duct (top)</li> </ul>	
 <b>DAKOTA</b>	<b>AVD-306PSB2</b>	BLACK GLASS	29-1/2" x 11-1/2"
	<ul style="list-style-type: none"> <li>• Max. CFM blower: 600</li> <li>• LED light strips</li> <li>• 5-speed soft touch electronic controls</li> </ul>	<ul style="list-style-type: none"> <li>• Auto delay-off timer function</li> <li>• Aluminum micro-hole filter w/ peripheral plate</li> <li>• 6" round duct (top)</li> </ul>	
 <b>FLORIDA</b>	<b>AVF-306PS</b>	BLACK + SS FRAME	29-1/2" x 11-1/2"
	<ul style="list-style-type: none"> <li>• Max. CFM blower: 600 CFM</li> <li>• LED light strips</li> <li>• 5-speed soft touch electronic controls</li> </ul>	<ul style="list-style-type: none"> <li>• Auto delay-off timer function</li> <li>• Aluminum mesh filter w/ peripheral plate</li> <li>• 6" round duct (top)</li> </ul>	
 <b>MONTANA</b>	<b>AVM-278PS</b> <b>AVM-368PS</b>	201-GRADE SS	27-3/4" x 11-1/2" 35-1/2" x 11-3/4"
	<ul style="list-style-type: none"> <li>• Max. CFM blower: 860 CFM</li> <li>• LED lights</li> <li>• 3-speed mechanical controls</li> </ul>	<ul style="list-style-type: none"> <li>• Aluminum micro-hole filters &amp; stainless steel baffle filters included in both sizes</li> <li>• 6" round duct (top)</li> </ul>	
 <b>PENNSYLVANIA</b>	<b>AVP-286PPS</b> <b>AVP-34108PS</b> <b>AVP-44108PS</b>	430-GRADE SS	27-13/16" x 18" 34-1/8" x 18" 44" x 18"
	<ul style="list-style-type: none"> <li>• Max. CFM blower: (28") 600 CFM (34", 44") 1000 CFM</li> <li>• LED lights (frosted, 3500k)</li> <li>• 4-speed electronic push button controls with LCD display</li> <li>• Auto delay-off timer function</li> </ul>	<ul style="list-style-type: none"> <li>• Aluminum micro-hole filters &amp; stainless steel baffle filters included</li> <li>• 28" - 6" round duct (top)</li> <li>• 34", 44" - 8" and 10" round duct (top) - transition included</li> </ul>	

Models & specifications are subject to change without notice. Please refer to AVG website for latest updates.

# VENTILATION

UNDERCABINET	MODEL	FINISH	SIZE (W x D)
 <b>ALASKA</b>	<b>AVA-306RS</b>	201-GRADE SS	30" X 19-3/4"
	<b>AVA-366RS</b>		35.5 X 19-3/4"
 <b>BOSTON</b>	<b>AVB-306RS</b>	201-GRADE SS	30" x 19-3/4"
	<b>AVB-366RS</b>		35.5 x 19-3/4"
 <b>GEORGIA</b>	<b>AVG-306CS</b>	201-GRADE SS	30" x 22"
	<ul style="list-style-type: none"> <li>• Max. CFM blower: 600</li> <li>• Dual motor</li> <li>• 6" hood height</li> <li>• LED lights</li> <li>• 3-speed soft touch controls with LCD display</li> </ul>	<ul style="list-style-type: none"> <li>• Auto delay-off timer function</li> <li>• Clean filter reminder</li> <li>• Aluminum micro-hole filters &amp; stainless steel baffle filters included</li> <li>• Ducting options: 6" round (top); 3-1/4" x 10" rectangular (top or rear)</li> </ul>	
 <b>KENTUCKY</b>	<b>AVK-306CS</b>	201-GRADE SS	29-1/2" x 19-11/16"
	<ul style="list-style-type: none"> <li>• Max. CFM blower: 600</li> <li>• Dual motor</li> <li>• 2.36" hood height-undercabinet</li> <li>• 5.79" height built in the cabinet</li> <li>• LED lights</li> <li>• 3-speed soft touch controls with LCD display</li> </ul>	<ul style="list-style-type: none"> <li>• Auto delay-off timer function</li> <li>• Clean filter reminder</li> <li>• Aluminum micro-hole filters &amp; stainless steel baffle filters included</li> <li>• Ducting options: 6" round (top); 3-1/4" x 10" rectangular (top or rear)</li> </ul>	
 <b>VIRGINIA</b>	<b>AVV-309S</b>	201-GRADE SS	29-1/2" x 22"
	<b>AVV-369S</b>		35-7/16" x 22"
	<ul style="list-style-type: none"> <li>• Max. CFM blower: 900 CFM</li> <li>• Dual motor</li> <li>• 9-13/16" hood height</li> <li>• LED lights</li> <li>• 4-speed soft touch controls with LCD display</li> </ul>	<ul style="list-style-type: none"> <li>• Auto delay-off timer function</li> <li>• Clean filter reminder</li> <li>• Stainless steel baffle filters</li> <li>• 8" round duct (top)</li> </ul>	

# VENTILATION

WALL MOUNT	MODEL	FINISH	SIZE (W x D)
------------	-------	--------	--------------



CAROLINA

<b>AVC-306CS3</b>	430-grade SS + Black glass front trim	29-1/3" x 19-1/8"
-------------------	--	-------------------

- Max. CFM blower: 600
- LED lights
- 4-speed electronic controls with LED display
- Auto delay-off timer function
- Aluminum micro-hole filters & stainless steel baffle filters included
- 6" round duct (top)
- Chimney: up to 8' ceiling height



HAWAII

<b>AVH-308CS</b> <b>AVH-368CS</b>	201-GRADE SS	29-1/2" x 19-3/4" 35-1/2" x 19-3/4"
--------------------------------------	--------------	--

- Max. CFM blower: 860
- LED lights
- 6-speed soft touch controls with LCD display
- Auto delay-off timer function
- Clean filter reminder
- Aluminum micro-hole filters & stainless steel baffle filters included
- 6" round duct (top)
- Chimney: up to 9' ceiling height
- Optional duct extension: AD-884S (34.8"H)



LOUISIANA-CS3

<b>AVL-306CS3</b>	430-grade SS + Blk glass front	29-1/2" x 19-1/8"
<b>AVL-306CBS</b>	430-grade Blk SS + Blk glass front	29-1/2" x 19-1/8"

- Max. CFM blower: 600 CFM
- LED lights
- 4-speed soft touch controls with LED display
- Auto delay-off timer function
- CS3 includes 3 aluminum micro-hole filters & stainless steel baffle filters
- CBS includes 3 painted black aluminum micro-mesh filters
- 6" round duct (top)
- Chimney: up to 8' ceiling height



LOUISIANA-CBS

## VENTILATION

### WALL MOUNT

### MODEL

### FINISH

### SIZE (W x D)



NEVADA

**AVN-308CS2**  
**AVN-368CS2**

201-GRADE SS

29-1/2" x 19-3/4"  
35-1/2" x 19-3/4"

- Max. CFM blower: 860 CFM
- LED lights
- 6-speed soft touch controls with LCD display
- Auto delay-off timer function
- Clean filter reminder
- Stainless steel baffle filters
- Ducting options: 6" round (top); 3-1/4" x 10" rectangular (top or rear)
- Chimney: up to 9' ceiling height
- Optional duct extension: AD-884S-2 (34.8"H)



OREGON

**AVO-308CS2**  
**AVO-368CS2**

201-GRADE SS

29-1/2" x 19-3/4"  
35-1/2" x 19-3/4"

- Max. CFM blower: 860 CFM
- LED lights
- 6-speed soft touch controls with LCD display
- Auto delay-off timer function
- Clean filter reminder
- Stainless steel baffle filters
- Ducting options: 6" round (top); 3-1/4" x 10" rectangular (top or rear)
- Chimney: up to 9' ceiling height
- Optional duct extension: AD-780S-2 (30.7"H)



WYOMING



**AVW-308CS2**  
**AVW-368CS2**

201-GRADE SS

29-1/2" x 19-3/4"  
35-1/2" x 19-3/4"

- Max. CFM blower: 860
- LED lights
- 6-speed soft touch controls with LCD display
- Auto delay-off timer function
- Clean filter reminder
- Aluminum micro-hole filters & SS baffle filters included
- 6" round duct (top)
- Chimney: up to 9' ceiling height
- Optional duct extension: AD-800S (31.5"H)

## VENTILATION

ISLAND	MODEL	FINISH	SIZE (W x D)
 <p>IOWA</p>	<b>AVI-366IS3</b>	430-grade SS + Black front frame	35-1/4" x 23-5/8"
	<ul style="list-style-type: none"> <li>• Max. CFM blower: 600 CFM</li> <li>• LED square lights at front &amp; rear of hood</li> <li>• 4-speed soft touch controls with LED display at front &amp; rear of hood*</li> <li>• Auto delay-off timer function</li> </ul>	<ul style="list-style-type: none"> <li>• Aluminum micro-hole filter w/ peripheral plate</li> <li>• 6" round duct (top)</li> <li>• Chimney: up to 9' ceiling height</li> </ul>	
 <p>IDAHO</p>	<b>AVI-369IS2</b>	201-GRADE SS	35-1/2" x 23-5/8"
	<ul style="list-style-type: none"> <li>• Max. CFM blower: 900 CFM</li> <li>• LED lights at front &amp; rear of hood</li> <li>• 6-speed soft touch controls with LCD display at front &amp; rear of hood*</li> <li>• Auto delay-off timer function</li> </ul>	<ul style="list-style-type: none"> <li>• Clean filter reminder</li> <li>• Aluminum micro-hole filters</li> <li>• 6" round duct (top)</li> <li>• Chimney: up to 9' ceiling height</li> <li>• Optional duct extension: AD-860S (33.85"H)</li> </ul>	

\*Both IOWA and IDAHO Island Hoods can be operated from the front and back side of the hood.

## VENTILATION - MODEL NUMBER NOMENCLATURE

<b>A</b>	AVG
<b>V</b>	Ventilation
<b>LETTER</b>	Model name ( 1 <sup>st</sup> letter )
<b>##</b>	Size
<b>#</b>	CFM ( 1 <sup>st</sup> digit )
<b>C / I / P</b>	Type of Hood: Chimney, Island, Power Pack
<b>BS / S</b>	Color: Black Stainless / Stainless Steel
<b>#</b>	Generation

VENTILATION WARRANTY: 1-year parts and labor