

SOFIA PRO RANGES

MODEL

WIDTH DESCRIPTION

ENERGY



F6PGR304S2

F6PGR304S2	30"	4 Brass burner	Gas
F6PGR366S2	36"	4 Brass burner + griddle	Gas
F6PGR364GS2	36"	6 Brass burner	Gas
F6PGR486GS2	48"	6 Brass burner + griddle	Gas

COOKING SURFACE

- > Digital Controls
- > One-piece, matte finish porcelain burner bowl
- > Tubular Gas Burner
- > Dual-Flame Crescendo Burners

30" MODELS

- > Oven capacity 4.4 cu. ft.
- > One 20k and three 18k BTU Burners
- > 2 Heavy Duty, continuous cast iron grates

COOKING SURFACE

- > Digital Controls
- > One-piece, matte finish porcelain burner bowl
- > Tubular Gas Burner
- > Dual-Flame Crescendo Burners
- > One integrated trilaminate Griddle + Lid (F6PGR364GS2 & F6PGR486GS2 only)
- > L.P. Conversion Kit included
- > Island trim included

36" MODELS

- > Oven capacity 5.7 cu. ft.
- > F6PGR366S2:
3 Heavy Duty, continuous cast iron grates
Two 20k and four 18k BTU Burners
- > F6PGR364GS2:
2 Heavy Duty, continuous cast iron grates
Two 20k and two 18k BTU Burners



F6PGR364GS2

OVEN

- > Dual Convection
- > Oven temperature electronic control
- > Nova Broiler System
- > Black Porcelain enamel interior
- > Cool to the touch soft closing door
- > Extra-large baking cavity and viewing area
- > 3 Halogen lights for flawless visibility
- > Oven functions: Bake, Broil, Convection, Pizza cooking mode 590 °F, Dehydrate, Timer, Sabbath Mode (main oven)
- > Optional colour door kits available

48" MODELS

- > Two 20k and four 18k BTU Burners
- > 3 Heavy Duty, continuous cast iron grates
- > Oven capacity 4.4 cu. ft. and 2.7 cu.ft.
- > 2 Halogen light on accessory oven
- > Convection in accessory oven

INCLUDED ACCESSORIES

- > 2 Chrome racks per oven
- > 1 Telescopic rack per oven
- > Enameled Broiler Pan

30: 29 3/4" W / 35 3/8" - 37 1/4" H / 27 1/2" D (30" with handle)
 36: 35 7/8" W / 35 3/8" - 37 1/4" H / 27 1/2" D (30" with handle)
 48: 47 7/8" W / 35 3/8" - 37 1/4" H / 27 1/2" D (30" with handle)


See range accessories > Pages 21-24



F6PGR366S2



F6PGR486GS2

SOFIA PRO RANGES	MODEL	WIDTH	DESCRIPTION	ENERGY
	F6PIR304S1	30"	4 zones	Induction
	F6PIR365S1	36"	5 zones	Induction
	F6PIR487S1	48"	7 zones	Induction
	F6PIR485GS1	48"	5 Zones + Griddle	Induction

COOKING SURFACE

- > Elegant Ceramic glass surface
- > Digital Controls
- > 1 Dual Max Power with Ø 11" cooking zone
- > Booster function for each cooking zone
- > Residual heat and Power-on Indicators
- > Pot Detection System
- > Child Lock Function
- > Automatic Heat-up

OVEN

- > Dual True Convection
- > Self-cleaning oven with Multifunction baking
- > Fast pre-heat
- > Black Porcelain enamel interior
- > Cool to the touch soft closing door
- > Extra-large baking cavity and viewing area
- > 3 Halogen lights for flawless visibility
- > Oven Functions: Bake, Broil, Roast, True Convection, Warm / Proof / Dehydrate, Meat Probe, Self-Clean, Sabbath Mode, Convection Roast
- > Optional colour door kits available

30" MODELS
> Oven capacity 4.4 cu. ft.

36" MODELS
> Oven capacity 5.7 cu. ft.

48" MODELS
> 2 Bridge Zone Elements
> One integrated trillaminare Griddle + Lid (F6PIR485GS1 only)
> Oven capacity 4.4 cu. ft. and 2.7 cu.ft.
> 2 Halogen light on accessory oven
> True Convection in accessory oven


INCLUDED ACCESSORIES

- > 2 Chrome racks per oven
- > 1 Telescopic rack per oven
- > 1 Meat probe

30: 29 3/4" W / 35 3/8" - 37 1/4" H / 27 1/2" D (30" with handle)
 36: 35 7/8" W / 35 3/8" - 37 1/4" H / 27 1/2" D (30" with handle)
 48: 47 7/8" W / 35 3/8" - 37 1/4" H / 27 1/2" D (30" with handle)

See range accessories > Pages 21-24

F6PIR304S1



F6PIR304S1 cooktop surface

F6PIR365S1



F6PIR365S1 cooktop surface



F6PIR485GS1



F6PIR487S1

SOFIA PRO RANGES

MODEL

WIDTH DESCRIPTION

ENERGY



F6PDF304S1

F6PDF304S1	30"	4 brass burners	Dual Fuel
F6PDF366S1	36"	6 brass burners	Dual Fuel
F6PDF364GS1	36"	4 brass burners + griddle	Dual Fuel
F6PDF486GS1	48"	6 brass burners + griddle	Dual Fuel

COOKING SURFACE

- > Digital Controls
- > One-piece, matte finish porcelain burner bowl
- > Tubular Gas Burners
- > Dual-Flame Crescent Burners
- > One integrated trillaminate Griddle + Lid
F6PDF364GS1 & F6PDF486GS1 only)
- > L.P. Conversion Kit included
- > Island trim included

OVEN

- > Dual True Convection
- > Self-cleaning oven with Multifunction baking
- > Fast pre-heat
- > Black Porcelain enamel interior
- > Cool to the touch soft closing door
- > Extra-large baking cavity and viewing area
- > 3 Halogen lights for flawless visibility
- > Oven Functions: Bake, Broil, Roast, True Convection, Warm / Proof / Dehydrate, Meat Probe, Self-Clean, Sabbath Mode, Convection Roast
- > Optional colour door kits available

30" MODELS

- > Oven capacity 4.4 cu. ft.
- > One 20k and three 18k BTU Burners
- > 2 Heavy Duty, continuous cast iron grates

36" MODELS

- > Oven capacity 5.7 cu. ft.
- > F6PDF366S1:
3 Heavy Duty, continuous cast iron grates
Two 20k and four 18k BTU Burners
- > F6PDF364GS1:
2 Heavy Duty, continuous cast iron grates
Two 20k and two 18k BTU Burners

48" MODELS

- > 3 Heavy Duty, continuous cast iron grates
- > Two 20k and four 18k BTU Burners
- > Oven capacity 4.4 cu. ft. and 2.7 cu.ft.
- > 2 Halogen light on accessory oven
- > True Convection in accessory oven

INCLUDED ACCESSORIES

- > 2 Chrome racks per oven
- > 1 Telescopic rack per oven
- > 1 Meat probe

30: 29 3/4" W / 35 3/8" - 37 1/4" H / 27 1/2" D (30" with handle)
 36: 35 7/8" W / 35 3/8" - 37 1/4" H / 27 1/2" D (30" with handle)
 48: 47 7/8" W / 35 3/8" - 37 1/4" H / 27 1/2" D (30" with handle)

See range accessories > Pages 21-24



Specifications and features may vary. Please refer to the manufacturer's website for the latest updates.

ACCENTO RANGES	MODEL	WIDTH	DESCRIPTION	ENERGY
----------------	-------	-------	-------------	--------



F4PGR304S2	30"	4 aluminum burners	Gas
F4PGR366S2	36"	6 aluminum burners	Gas

COOKTOP

- > One piece, matte finish porcelain burner bowl
- > Heavy Duty, continuous cast iron grates :
2 for 30" / 3 for 36"
- > Dual-Flame Crescendo Burners 18,000 BTU max (NG) : 2 for 30" / 3 for 36"
- > Rapid Burners 15,000 BTU max (NG):
2 for 30" / 3 for 36"
- > Natural Gas (LP convertible)

OVEN

- > Dual Convection
- > Black Porcelain enamel interior
- > Cool to the touch door
- > Extra-large baking cavity and viewing area
- > 3 Halogen lights for flawless visibility
- > Gross capacity 30" 4.4 cu. ft. / 36" 5.7 cu. ft.
- > 2 Chromed Racks
- > Enameled Grill Set
- > Optional colour door kits available



F4PDF304S1	30"	4 aluminum burners	Dual Fuel
F4PDF366S1	36"	6 aluminum burners	Dual Fuel

COOKTOP

- > Heavy Duty, continuous cast iron grates
(2 for 30" / 3 for 36")
- > One piece, matte finish porcelain burner bowl
- > Dual-Flame Crescendo Burners
(2 for 30" / 3 for 36")
- > 18,000 BTU max (NG) (2 for 30" / 3 for 36")
- > Rapid Burners (2 for 30" / 3 for 36")
- > 15,000 BTU max (NG) (2 for 30" / 3 for 36")
- > Natural Gas (LP convertible)

OVEN

- > Dual True Convection
- > Self-cleaning oven with Multifunction baking
- > Black Porcelain enamel interior
- > Cool to the touch door
- > Extra-large baking cavity and viewing area
- > 3 Halogen lights for flawless visibility
- > Gross capacity 30" 4.4 cu. ft. / 36" 5.7 cu. ft.
- > Optional colour door kits available

30: 29 3/4" W / 35 3/8" - 37 1/4" H / 28 1/4" D (29 3/4" with handle)
36: 35 7/8" W / 35 3/8" - 37 1/4" H / 28 1/4" D (9 3/4" with handle)








See range accessories > Pages 21-24



F4PDF304S1



F4PGR366S1

RANGETOPS	MODEL	WIDTH	DESCRIPTION	ENERGY
	F6GRT304S1	30"	4 brass burners	Gas
	F6GRT366S1	36"	6 brass burners	Gas
	F6GRT364GS1	36"	4 brass burners + griddle	Gas
	F6GRT486GS1	48"	6 brass burners + griddle	Gas
	F6IRT304S1	30"	4 zones	Induction
	F6IRT365S1	36"	5 zones	Induction
	F6IRT485GS1	48"	5 zones with griddle	Induction
	F6IRT487S1	48"	7 zones	Induction

<ul style="list-style-type: none"> > One-piece, matte finish porcelain burner bowl > Tubular Gas Burners > Dual-Flame Crescendo Burners > Natural Gas (LP convertible) > Electric Re-ignition system > Flame-out Sensing > L.P. Conversion Kit included > Island trim included 	<p>36" MODELS</p> <p>F6GRT366S1:</p> <ul style="list-style-type: none"> > 3 Heavy Duty, continuous cast iron grates > Two 20k and four 18k BTU Burners <p>F6GRT364GS1:</p> <ul style="list-style-type: none"> > 2 Heavy Duty, continuous cast iron grates > Two 20k and two 18k BTU Burners > One integrated trillaminate Griddle + Lid
<p>30" MODELS</p> <ul style="list-style-type: none"> > One 20k and three 18k BTU Burners > 2 Heavy Duty, continuous cast iron grates 	<p>48" MODELS</p> <p>F6GRT486GS1:</p> <ul style="list-style-type: none"> > 3 Heavy Duty, continuous cast iron grates > Two 20k and four 18k BTU Burners > One integrated trillaminate Griddle + Lid

<p>30: 29 3/4" W / 7" H / 27 3/8" D (29 1/2" with knob)</p> <p>36: 35 3/4" W / 7" H / 27 3/8" D (29 1/2" with knob)</p> <p>48: 47 7/8" W / 7" H / 27 3/8" D (29 1/2" with knob)</p>	<p>F6IRT304S1 30" 4 zones Induction</p> <p>F6IRT365S1 36" 5 zones Induction</p> <p>F6IRT485GS1 48" 5 zones with griddle Induction</p> <p>F6IRT487S1 48" 7 zones Induction</p>
---	---


<ul style="list-style-type: none"> > Powerful premium European inductors > Elegant Ceramic glass surface > Booster function for each cooking zone > Residual heat and Power-on Indicators > Melting and Simmering function > Knob Controlled > Digital Minute Minder > Pot Detection System > Child Lock Function > Failure Codes Indication > Digital Display for Power Level > Automatic Heat-up Time 	<p>36" MODELS</p> <ul style="list-style-type: none"> > 4 Single Induction cooking zones > 1 Dual Max Power with Ø 11" cooking zone. <p>48" MODELS</p> <p>F6IRT487S1</p> <ul style="list-style-type: none"> > 4 Single Induction cooking zones > 1 Dual Max Power with Ø 11" cooking zone > 2 Bridge Zone Elements (griddle function) <p>F6IRT485GS1</p> <ul style="list-style-type: none"> > 4 Single Induction cooking zones > 1 Dual Max Power with Ø 11" cooking zone > 2 Bridge Zone Elements > One integrated trillaminate Griddle + Lid
<p>30" MODELS</p> <ul style="list-style-type: none"> > 4 Single Induction cooking zones. 	<p>30: 29 3/4" W / 7" H / 27 3/8" D (29 1/2" with knob)</p> <p>36: 35 3/4" W / 7" H / 27 3/8" D (29 1/2" with knob)</p> <p>48: 47 7/8" W / 7" H / 27 3/8" D (29 1/2" with knob)</p>

COOKTOPS

MODEL

WIDTH DESCRIPTION

ENERGY



F6PGK365S1

F4PGK305S2	30"	5 aluminum burners	Gas
F6PGK305S2	30"	5 brass burners	Gas
F6PGK365S1	36"	5 brass burners	Gas

- 30" COOKTOP
- > Dual flame burners: 1 x 20,000 BTU / 2 x 10,500 BTU / 2 x 8000 BTU
 - > 3 Heavy duty continuous cast iron grates
 - > Heavy Gauge 304 Stainless Steel Burner Bowl
 - > Backlit Control Knob indicator (F6PGK models only)
- 36" COOKTOP
- > Solid Brass Dual flame burners: 1 x 20,000 BTU / 4 x 15,000 BTU
 - > Heavy duty control panel
 - > Large cooking area
 - > Full pot stability
 - > Natural Gas (LP Convertible)

30" (W) (H) 3 1/2"x (D) 21"
36" (W) (H) 3 1/2"x (D) 21"

F4GK24S1	24"	4 Aluminum Burners	Gas
----------	-----	--------------------	-----



- > 4 gas burners (including dual crown burner)
- > power 450-18000 BTU
- > 4 front/horizontal design knobs
- > 4 heavy duty cast iron grates
- > optional simmer plate, wok ring and small pot insert
- > flame out sensing
- > electric flame ignition and re-ignition
- > propane conversion kit
- > (W) 24,4" (H) 2,9" (D) 20"

F4GK30S1	30"	5 Aluminum Burners	Gas
----------	-----	--------------------	-----



- > 5 gas burners (including dual crown burner)
- > power 450-18000 BTU
- > 5 front/horizontal design knobs
- > 2 heavy duty cast iron grates
- > optional simmer plate, wok ring and small pot insert
- > flame out sensing
- > electric flame ignition and re-ignition
- > propane conversion kit
- > (W) 29,9" (H) 2,9" (D) 20"

F4GK36S1	36"	5 Aluminum Burners	Gas
----------	-----	--------------------	-----



- > 5 gas burners (including dual crown burner)
- > power 450-18000 BTU
- > 5 front/horizontal design knobs
- > 3 heavy duty cast iron grates
- > optional simmer plate, wok ring and small pot insert
- > flame out sensing
- > electric flame ignition and re-ignition
- > propane conversion kit
- > (W) 35,8" (H) 2,9" (D) 20"

F4GK42S1	42"	5 Aluminum Burners	Gas
----------	-----	--------------------	-----



- > 4 gas burners (including dual crown burner)
- > Power 450-18000 BTU
- > 4 front/horizontal design knobs
- > 4 heavy duty cast iron grates
- > Optional simmer plate, wok ring and small pot insert
- > Flame out sensing
- > Electric flame ignition and re-ignition
- > Propane conversion kit
- > (W) 44" (H) 2,9" (D) 16,7"

COOKTOPS

MODEL

WIDTH

FINISH

ENERGY



F3RK24S2

24"

Black Ceramic

Electric

- > 4 radiant zones
- > Power 800 - 1900W
- > 4 side design knobs for power level setting
- > Power on Indication
- > Hot surface Indication
- > (W) 24" (H) 3 9/32" (D) 21"



F6RT30S2

F6RT30S2

30"

Black with Aluminum Trim

Electric

F6RT36S2

36"

Black Ceramic

Electric

- > Easy clean ceramic glass
- > 30" - 4 radiant zones
- > 36" - 5 radiant zones (1 Bridge 800W)
- > 1 triple zone 2500W / 1600W / 800W
- > Peacock Slider Touch Control
- > Low Power Scale for Delicate Cooking
- > Control Display Lock
- > Automatic Fast Boil Function
- > Power and Hot surface Indication
- > Timer Functions
- > Timer Display
- > Acoustic Buzzer
- > Independent timer for each zone.
- > Booster function for each cooking zone
- > Failure Codes Indication



F6RT36S2

30" (W) 30 3/8" (H) 3 - 5/16" + conduit 15/16" (D) 21 3/16"
36" (W) 36 3/16" (H) 3 - 5/16" + conduit 15/16" (D) 21 3/16"



F7IT30S1

F7IT30S1

30"

Black with Aluminum Trim

Induction

F7IT36S1

36"

Black with Aluminum Trim

Induction

- > Easy to clean ceramic glass
- > 30" 4 Induction Zones
- > 36" 5 Induction Zones with Bridge on right side
- > Slide Touch Control
- > Melt and Simmering Functions
- > Residual heat and Power on Indicators
- > Digital Minute Minder
- > Pot Detection System
- > Child Lock Function
- > Independent timer for each zone.
- > Pause Function
- > Booster function for each cooking zone
- > Failure Codes Indication
- > Digital Display for Power Level
- > Automatic Heat-up Time



F7IT36S1

30" (W) 30 3/8" (H) 4" (D) 21 3/16"
240V, 60HZ, 30A

36" (W) 36 3/16" (H) 4" (D) 21 3/16"
240V, 60HZ, 45A