





WALL



TEMPEST II ACT⁻

| MODEL | FINISH | SIZE W x D | | |
|----------------------------------------------------------------------------------------------------------------------------|-------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------|--|
| TEMPEST II 6 | 50 CFM 18in Ta | ll Pro-Style Hood w/ LED Lighting and ACT ^{**} | и | |
| AK7500CS | S | 30" x 24" | | |
| AK7536CS | S | 36" x 24" | | |
| AK7542CS | S | 42" x 24" | | |
| AK7548CS | S | 48" x 24" | | |
| AK7554CS | S | 54" x 24" | | |
| •Max. Blower CFM: 65 •Max. Blower CFM: 1,2 •ACT Max. Blower CFM •Wireless remote opti •8" or 10" round vertice | 200 (optional) /: 390, 290 on | •8", 10" or 3-1/4"x10" horizontal ducting •6-speed electronic touch controls •CleanAir function •6W LumiLight LED lights | •Dual-level lighting •Pro baffle filters •Auto delay-off | |
| Accessories and Blo | wers | | | |
| AK0720 | 12" Duct Co | ver (For AK7500CS) | | |
| AK0726 | 12" Duct Co | ver (For AK7536CS) | | |
| AK0722 | 12" Duct Co | ver (For AK7542CS) | | |
| AK0728 | | ver (For AK7548CS) | | |
| AK0724 | | ver (For AK7554CS) | | |
| AK1720 | | ver (For AK7500CS) | | |
| AK1726 | | ver (For AK7536CS) | | |
| AK1722 | | ver (For AK7542CS) | | |
| AK1728 | | ver (For AK7548CS) | | |
| AK1724 | | ver (For AK7554CS) | | |
| ZRC-7000C* | | g Kit (For AK7500CS, w/ charcoal filters | • | |
| ZRC-7036C* | | g Kit (For AK7536CS, w/ charcoal filters | • | |
| ZRC-7042C* | | Recirculating Kit (For AK7542CS, w/ charcoal filters) | | |
| ZRC-7048C* | | g Kit (For AK7548CS, w/ charcoal filters |) | |
| Z0F-C002 | | ter Replacement (each) | | |
| PBD-1200A** | | 1,200 CFM Internal Blower Kit (10" round duct) RF Wireless Remote Control | | |
| 14000005 | | | | |
| MUA008A MUA010A | | r Kit (650 CFM) r Kit (1,200 CFM) | | |

*ZRC-70xxC recirculating kits are compatible with 650-CFM internal blower only (blower included with hood). ZRC-70xxC includes a 4-inch tall return-air box, so please plan your installation accordingly.

**PBD-1200A is a dual internal blower kit with a single blower and two blower openings. To complete the kit you must remove the blower from the hood and install it into the PBD-1200A kit.





WALL





MODEL FINISH SIZE W x D OMBRA 600 CFM Traditional Wall Hood w/ Airflow Control Technology (ACT™) and LED Lighting ZOM-E30BS 30" x 19-3/4" S ZOM-E30BBS Blk SS 30" x 19-3/4" ZOM-E36BS S 36" x 19-3/4" 36" x 19-3/4" ZOM-E36BBS Blk SS •Max. Blower CFM: 600 •4-speed capacitive touch controls •6W LumiLight LED lights •ACT Max. Blower CFM: 390, 290 •6" round vertical ducting •Dual-level lighting •Auto delay-off •Accommodates 9'4" ceiling height •Aluminum mesh filters Accessories ZRC-01OM Recirculating Kit (w/ charcoal filters) Z0F-C091 Charcoal Filter Replacement (each) Z1C-01OMS Stainless Steel Duct Cover Extension, (For up to a 12' ceiling) Black SS Duct Cover Extension, (For up to a 12' ceiling) Z1C-01OMBS MUA006A Make-Up Air Kit Z0F-B002 Hybrid Baffle Filter Kit (2 filters)

ombra





savona ACT

| SAVONA | 600 CFM Classic | Curved Body Wall Hood w/ ACT [™] & LED lig | hts |
|------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------|
| ZSA-E30FB | В | 30" x 19-1/2" | |
| ZSA-E30FW | W | 30" x 19-1/2" | |
| ZSA-E30FS | S | 30" x 19-1/2" | |
| ZSA-E30FBS | Blk SS | 30" x 19-1/2" | |
| ZSA-M90FB | В | 35-7/16" x 19-1/2" | |
| Z <mark>SA-M</mark> 90FW | W | 35-7/16" x 19-1/2" | |
| ZSA-M90FS | S | 35-7/16" x 19-1/2" | |
| ZSA-M90FBS | Blk SS | 35-7/16" x 19-1/2" | |
| •Max. Blower CFM: •ACT Max. Blower C •Auto delay-off | | •5-speed ICON Touch® controls •6" round vertical ducting •Accommodates 9'7" ceiling height | •6W LumiLight LED lights •Dual-level lighting •Aluminum mesh filters |
| Accessories | | | |
| ZRC-00SV Z0F-C002 Z1C-01SAB Z1C-01SAW Z1C-01SA Z1C-01SABS MUA006A Z0F-B001 RC-0002 | Charcoal Filter Duct Cover Ex Duct Cover Ex Duct Cover Ex Duct Cover Ex Make-Up Air K Baffle Filter Kit | | |

DID YOU KNOW Zephyr has a comprehensive hood height calculator online to determine if our chimney range hoods will fit in your kitchen. zephyronline.com/customer-care/range-hood-height-calculator





WALL



| MODEL | FINISH | SIZE W x D | |
|-----------------------------------------------------------------|------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------|
| ANZIO 60 | 00 CFM Low-Pro | file Modern Wall Hood w/ ACT™ & LED light | s |
| ZAN-E24DS | S | 24″ x 22″ | |
| ZAN-E30DS | S | 30" x 22" | |
| ZAN-E30DBS | Blk SS | 30" x 22" | |
| ZAN-M90DS | S | 35-7/16" x 22" | |
| ZAN-M90DBS | Blk SS | 35-7/16" x 22" | |
| •Max. Blower CFM: 60 •ACT Max. Blower CFM •Auto delay-off | - | •5-speed ICON Touch® controls •6" round vertical ducting •Accommodates 9'10" ceiling height | •6W LumiLight LED lights •Dual-level lighting •Aluminum mesh filters |
| Accessories | | | |
| ZRC-01AN | Recirculating I | Kit (w/ charcoal filters) | |
| Z0F-C091 | | r Replacement (each) | |
| Z1C-00AN | | tension (For up to a 12' ceiling) | |
| Z1C-00ANBS | Duct Cover Extension, Blk SS (For up to a 12' ceiling) | | |
| MUA006A | Make-Up Air k | | |
| Z0F-B002 | Hybrid Baffle Filter Kit (2 filters) Wireless RF Remote Control Kit | | |
| RC-0002 | WITEIESS RF RE | | |



RAVENNA ACT

ACT

| RAVENNA 60 | 0 CFM Curved Glass Wall Hood w/ ACT™ & LED lights | | |
|----------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--|
| ZRV-E30CGC ZRV-E30CBSGG ZRV-M90CGC ZRV-M90CBSGG | S w/ Clear Glass 30" x 19-3/4" Blk SS w/ Smoke Gray Glass 30" x 19-3/4" S w/ Clear Glass 35-3/16" x 19-3/4" Blk SS w/ Smoke Gray Glass 35-3/16" x 19-3/4" | | |
| •Max. Blower CFM: 600 •ACT Max. Blower CFM •Auto delay-off | | | |
| Accessories | | | |
| ZRC-00RV Z0F-C002 Z1C-00RV Z1C-00RVBS MUA006A RC-0002 | Recirculating Kit (w/ charcoal filters) Charcoal Filter Replacement (each) Duct Cover Extension (For up to a 12' ceiling) Duct Cover Extension, Blk SS (For up to a 12' ceiling) Make-Up Air Kit Wireless RF Remote Control Kit | | |



ACT

| ROMA | 600 CFM Conte | mporary Hood w/ ACT™ & LED lights | |
|---------------------------------------------------------|------------------------------------------------|--------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------|
| ZRO-E30FS | S | 30" x 22" | |
| ZRO-M90FS | S | 35-7/16" x 22" | |
| •Max. Blower CFM •ACT Max. Blower •Auto delay-off | | •5-speed ICON Touch® controls •6" round vertical ducting •Accommodates 9'9" ceiling height | •6W LumiLight LED lights •Dual-level lighting •Aluminum mesh filters |
| Accessories | | | |
| ZRC-01RO | Recirculat | ing Kit (2 charcoal filters) | |
| Z0F-C002 | Charcoal Filter Replacement (each) | | |
| Z1C-00RO | Duct Cover Extension (For up to a 12' ceiling) | | |
| MUA006A | Make-Up Air Kit | | |
| RC-0002 | Wireless I | RF Remote Control Kit | |





WALL



Bluetooth ACT

| MODEL | FINISH | SIZE W x D | |
|-------------------------------------------------------------------------------------|----------------------------------------------------|----------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------|
| ROMA GROOVE | 600 CFM Conten | nporary Hood w/ Bluetooth® Speakers, ACT™ | M & LED lights |
| ZRG-E30BS | S | 30" x 22" | |
| ZRG-M90BS | S | 35 1/2" x 22" | |
| •Max. Blower CFM: •ACT Max. Blower C •Baffle filters •2 built-in Bluetooth | FM: 390, 290 | •5-speed ICON Touch® controls •6" round vertical ducting •Accommodates 10' ceiling height | •6W LumiLight LED lights •Dual-level lighting •Auto delay-off |
| Accessories | | | |
| ZRC-00RG Z0F-C005 Z1C-00RO MUA006A RC-0002 | Charcoal Filter Duct Cover Ext Make-Up Air K | Kit (2 charcoal filters) Replacement (each) tension (For up to a 12' ceiling) it emote Control Kit | |
| DID YOU KNOW Th | e Zephyr Roma Groo | we is compatible with various Bluetooth® dev | vices such as mobile phones and |

DID YOU KNOW The Zephyr Roma Groove is compatible with various Bluetooth® devices such as mobile phones and tablets. Roma Groove allows you to play your music through two built-in stereo speakers, freeing up counter space so you can enjoy your favorite music while entertaining or prepping your evening's dinner.

| SIENA | 650 CEM Tra | ditional Wall Hood w/ Hybrid Baffle Filters, A | |
|----------------------------------------------------------------------------------------|------------------------------------------|------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------|
| | | .30" x 22" | |
| ZSI-E30CS ZSI-E36CS | S S | 30 x 22 36" x 22" | |
| •Max. Blower CFM: •ACT Max. Blower C •Hybrid baffle filter: •Accommodates 9'4 | 650 FM: 390, 290 s | •5-speed ICON Touch® controls •8" round vertical ducting •8" or 3-1/4"x10" horizontal ducting | •6W LumiLight LED lights •Dual-level lighting •Auto delay-off |
| Accessories | | | |
| ZRC-00SI Z0F-C091 Z1C-00SI MUA008A RC-0002 | Charcoal Fil Duct Cover Make-Up Ai | g Kit (w/ charcoal filters) ter Replacement (each) Extension, (For up to a 12' ceiling) r Kit Remote Control Kit | |
| SIENA ES | 400 CFM ENE | RGY STAR Traditional Wall Hood w/ Hybrid B | affle Filters & ACT™ |
| ZSI-E30BS-ES | S | 30" x 22" | |
| ZSI-E36BS-ES | S | 36" x 22" | |

•8" round vertical or horizontal ducting

•Accommodates 9'4" ceiling height

•6W LumiLight LED lights

•Hybrid baffle filters

Duct Cover Extension, (For up to a 12' ceiling)

•Auto delay-off



SIENA ES

•Max. Blower CFM: 400

•ENERGY STAR certified

Accessories Z1C-00SI

•ACT Max. Blower CFM: 290

•5-speed ICON Touch® controls

siena ACT

ACT



SIENA PRO WALL

ACT

| SIENA PRO | 1,200 CFM Pro | o Wall Hood w/ Hybrid Baffle Filters, ACT™ & | LED Lights |
|---------------------------------------------------------|-----------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------|
| ZSP-E36CS ZSP-E42CS ZSP-E48CS | S S S | 36" x 22" 42" x 22" 48" x 22" | |
| •Max. Blower CFM •ACT Max. Blower •Auto delay-off | | •5-speed ICON Touch® controls •10" round vertical ducting •Accommodates 9'4" ceiling height | •6W LumiLight LED lights •Dual-level lighting •Hybrid baffle filters |
| Accessories | | | |
| Z1C-00SP MUA010A RC-0002 | Duct Cover Extension (For up to a 12' ceiling) Make-Up Air Kit Wireless RF Remote Control Kit | | |





WALL



ACT

| MODEL | FINISH | SIZE W x D | |
|---------------------------------------------------------------------------------------------------|-------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------|
| TITAN | 750 CFM Pro-Sty | rle Chimney Hood w/ Powerwave™ Blow | er, ACT™ & LED Lights |
| AK7636BS | S | 36" x 24" | |
| AK7642BS | S | 42" x 24" | |
| AK7648BS | S | 48" x 24" | |
| AK7654BS | S | 54" x 24" | |
| AK7660BS | S | 60" x 24" | |
| •Max. Blower CFM •Max. Blower CFM •ACT Max. Blower •Auto delay-off •CleanAir function | : 1,300 (optional) CFM: 590, 390, 290 | •8" or 10" round vertical & horizontal ducting •Dual-level lighting •Accomodates 9'6" ceiling height •Directional lighting | •6W LumiLight LED lights •Pro baffle filters •6-speed LCD controls •Wireless remote option |
| Accessories | | | |
| PBD-1300B Z1C-0076 Z1C-0176 14000005 MUA008A MUA010A | Duct Cover Duct Cover RF Wireless Make-Up Ai | nternal Blower Kit (10" round duct) Extension - 36", 42" (For a 10'-12' ceil Extension - 48", 54", 60" (For a 10'-12 Remote Control r Kit (750 CFM) r Kit (1,300 CFM) | 0, |



roma pro ACT

| ROMA PRO | 750 CFM Pro-Sty | le Chimney Hood w/ Powerwave™ Blowe | er, ACT™ & LED Lights |
|----------------------------------------------------------------------------------------------------------------|----------------------------------------------|-------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------|
| ZRP-E36BS | S | 36" x 24" | |
| ZRP-E48BS | S | 48" x 24" | |
| •Max. Blower CFM: 7 •Max. Blower CFM: 1 •ACT Max. Blower CFM: 1 •Auto delay-off •CleanAir function | 1,300 (optional) | •8" or 10" round vertical ducting •Dual-level lighting •Accomodates 10'3" ceiling height •Directional lighting | •6W LumiLight LED lights •Pro baffle filters •6-speed LCD controls •Wireless remote option |
| Accessories | | | |
| PBD-1300B | 1,300 CFM Inte | ernal Blower Kit (10" round duct) | |
| Z1C-00RP | Duct Cover Extension (For a 10'-12' ceiling) | | |
| 14000005 | RF Wireless Remote Control | | |
| MUA008A | Make-Up Air K | it (750 CFM) | |
| MUA010A | Make-Up Air K | it (1,300 CFM) | |





WALL



MODENA ACT

ACT

ACT

| MODEL | FINISI | H SIZE W x D | |
|----------------------------------------------------------------------|--------------------------|----------------------------------------------------------------------------------|---------------------------------------------------------------------------|
| MODENA 6 | 00 CFM Thin Float | ting Glass Wall Hood w/ LED Lighting an | nd ACT™ |
| ZMO-E30BS ZMO-M90BS | S w/ Glass S w/ Glass | 30" x 22-1/8" 35-7/16" x 22-1/8" | |
| •Max. Blower CFM: 60 •ACT Max. Blower CFM •Accommodates 10' ce | A: 390, 290 | •5-speed ICON Touch® controls •8" round vertical ducting •Auto delay-off | •6W LumiLight LED lights •Dual-level lighting •Aluminum mesh filter |
| Accessories | | | |
| ZRC-00MO Z0F-C002 Z1C-00MO MUA006A | Charcoal Filter F | t (w/ charcoal filter) Replacement (each) ension (For up to a 12' ceiling) | |



| LUCÉ | 600 CFM Wall | Hood w/ LED Accent Lighting, ACT™ & LED L | ights |
|------------------------------------------------------------------------------|------------------------------------------|----------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------|
| ZLU-E30CS | S | 30" x 22" | |
| ZLU-M90CS | S | 35-7/16" x 22" | |
| •Max. Blower CFM: •ACT Max. Blower •Auto delay-off •Aluminum mesh f | CFM: 390, 290 | •5-speed ICON Touch® controls •6" round vertical ducting •Accommodates 10' ceiling height | •6W LumiLight LED lights •Dual-level lighting •3-color LED accent light |
| Accessories | | | |
| ZRC-00LU Z0F-C092 Z1C-00LU MUA006A RC-0002 | Charcoal Fil Duct Cover Make-Up Ai | g Kit (w/ charcoal filter) ter Replacement (each) Extension (For up to a 12' ceiling) r Kit Remote Control Kit | |

Lucé illuminates in cloud white, deep blue and amber..





600 CFM LED Illuminated Glass Wall Hood w/ LED Lighting and ACT™ VERONA ZVO-E30BG S w/ Glass 30" x 22" ZVO-M90BG S w/ Glass 35-7/16" x 22" •Max. Blower CFM: 600 •5-speed ICON Touch® controls •6W LumiLight LED lights •ACT Max. Blower CFM: 390, 290 •8" round vertical ducting •Dual-level lighting •Accommodates 10' ceiling height •Auto delay-off •3 color LED illuminated glass •Aluminum mesh filter Accessories ZRC-00VO Recirculating Kit (w/ charcoal filters) Z0F-C002 Charcoal Filter Replacement (each) Z1C-00VO Duct Cover Extension (For up to a 12' ceiling) MUA006A Make-Up Air Kit

Verona glass illuminates in cloud white, deep blue and amber.

DID YOU KNOW Lucé & Verona models have a "demo mode" that cycles through each of the three LED accent light colors every 10 seconds. To enable demo mode, hold down the "accent light" button on the bottom of the hood for 3 seconds.





WALL



ACT[®] ZEPHYR

| MODEL | FINISH | SIZE W x D | |
|---------------------------------------------------------------------------------------|------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------|
| VENEZIA | 700 CFM Wall Hoo | od w/ Zephyr Connect + PowerWave™ Blov | ver, ACT & LED lights |
| ZVE-E30DS ZVE-E36DS ZVE-E42DS | S S S | 30" x 24" 36" x 24" 42" x 24" | |
| •Max. Blower CFM: 70 •ACT Max. Blower CFM •Baffle filters •CleanAir function | - | •6-speed proximity controls •8" round vertical ducting •Accommodates 9'6" ceiling height •Zephyr Connect app compatible | •6W LumiLight LED lights •Tri-level lighting •Auto delay-off |
| Accessories ZRC-03VE Z0F-C091 Z1C-01VE 14000005 MUA008A | Charcoal Filter | | |

CORE COLLECTION



| MILANO | 700 CFM Curved C | anopy Wall Hood w/ Zephyr Connect, Po | werWave™ Blower & ACT™ |
|-------------------------------------------------------------------------------------|--------------------|------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------|
| ZMI-M90CG ZMI-M90CS | S w/ Glass S | 35-3/16" x 20-1/2" 35-3/16" x 20-1/2" | |
| •Max. Blower CFM: •ACT Max. Blower C •CleanAir function •Zephyr Connect ap | CFM: 590, 390, 290 | •6-speed proximity controls •8" round vertical ducting •Accommodates 10' ceiling height •Aluminum mesh filter | •6W LumiLight LED lights •Tri-level lighting •Auto delay-off |
| Accessories | | | |
| ZRC-00MI Z0F-C002 Z1C-01MI 14000005 MUA008A | Charcoal Filter F | | |

MILANO WALL



DID YOU KNOW Zephyr LumiLight LED lights are covered under the same 3 year warranty as all internal parts. Zephyr is the first and only range hood manufacturer to warranty lights.





WALL





APEX WALL

| MODEL | FINISH | SIZE W x D | |
|-------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------|
| APEX V | ertical-Style Wall Ho | od w/ LED Lighting - BODY C | NLY* |
| DAP-M90AMBX DAP-M90AMWX | Matte Blk Glass Matte Wht Glas | | |
| Max. Blower CFM: 290 3-speed capacitive tout CleanAir function | ch controls • | 6" or 8" round vertical ducting 6" or 8" round horizontal ducting Wireless remote control option | 5W LED lights Tri-level lighting Aluminum mesh filters |
| Accessories and Blo | wers | | |
| ZRC-00AP Z0F-C010 Z1C-00MEMB Z1C-00MESS CBI-290C CBI-390A CBI-600A PBN-1000A CBE-1000 14000010 MUA006A MUA008A | Duct Cover, SS (For u 290 CFM Internal Blo 390 CFM Internal Blo 600 CFM Internal Blo 1,000 CFM In-line Blo | cement (2 per kit) k (For up to 10'6" ceiling) p to 10'6" ceiling) wer (6" round duct) wer (6" round duct) wer (6" round duct) wer (8" round duct**) Blower (8" round duct**) Control CFM) | |

*Requires purchase of Zephyr internal, external or in-line blower, sold separately. **10" round duct connects to external or in-line blower. Must transition from 10" to 8" before duct passes through ceiling. 10" to 8" adapter included with in-line and external blowers

| DVS-E30ASSX | S | 30" x 18-7/8" | |
|------------------------------------------------------------------------------------------------------|--------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------|
| DVS-E36ASSX | S | 36" x 18-7/8" | |
| • Max. Blower CFM: 29 • 3-speed invisible touc • Wireless remote cont • Accommodates 9' cei | h controls rol option | 6" or 8" round vertical ducting Perimeter aspiration system Aluminum mesh filters 2-1/8" body height | 5W LED lights Tri-level lighting CleanAir function |
| Accessories and Bl | owers | | |
| ZRC-00VS | | (w/ charcoal filter) | |
| Z0F-C010 | Charcoal Filter Re | eplacement (2 per kit) | |
| Z1C-00VS | Duct Cover Exter | ision, SS (For up to 12' ceiling) | |
| CBI-290C | 290 CFM Interna | Blower (6" round duct) | |
| CBI-390A | 390 CFM Internal | Blower (6" round duct) | |
| CBI-600A | 600 CFM Interna | Blower (6" round duct) | |
| PBN-1000A | 1,000 CFM In-line | Blower (8" round duct**) | |
| CBE-1000 | 1,000 CFM Exterr | nal Blower (8" round duct**) | |
| 14000010 | RF Wireless Rem | ote Control | |
| MUA006A | Make-Up Air Kit (| 600 CFM) | |
| | | 1,000 CFM) | |

*Requires purchase of Zephyr internal, external or in-line blower, sold separately. **10" round duct connects to external or in-line blower. Must transition from 10" to 8" before duct passes through ceiling. 10" to 8" adapter included with in-line and external blowers



VISTA WALL



FINISH



WALL





| - | _ | - | |
|-------------------------------------------------------------------------------------------------------|----------------------|----------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------|
| MESA E | uropean Pro-Style | e Hood w/ LED Lighting - BODY O | NLY* |
| DME-M90AMBX | Matte Blk | 35-5/16" x 19-11/16" | |
| DME-M90ASSX | S | 35-5/16" x 19-11/16" | |
| DME-M90ASGX | Satin Gold | 35-5/16" x 19-11/16" | |
| Max. Blower CFM: 290- 3-speed invisible touch CleanAir function | | 6" or 8" round vertical ducting 6" or 8" round horizontal ducting Wireless remote control option | 5W LED lights Tri-level lighting Hybrid baffle filters |
| Accessories and Blov | wers | | |
| ZRC-01ME | Recirculating Kit (| | |
| ZOF-CO10 | | placement (2 per kit) | |
| Z1C-00MEMB Z1C-00MESS | | Blk (For up to 10'6" ceiling) | |
| Z1C-00MESG | | or up to 10'6" ceiling) Gold (For up to 10'6" ceiling) | |
| MERAIL-00SS | Accent Rail, Stainle | | |
| MERAIL-00SG | Accent Rail, Satin | | |
| CBI-290C | | Blower (6" round duct) | |
| CBI-390A | | Blower (6" round duct) | |
| CBI-600A | | Blower (6" round duct) | |
| PBN-1000A | | Blower (8" round duct**) | |
| CBE-1000 14000010 | RF Wireless Remo | al Blower (8" round duct**) | |
| MUA006A | Make-Up Air Kit (6 | | |
| MUA008A | Make-Up Air Kit (1 | | |

SIZE W x D

MESA WALL

A WALL

MUA006A MUA008A

MODEL

*Requires purchase of Zephyr internal, external or in-line blower, sold separately. **10" round duct connects to external or in-line blower. Must transition from 10" to 8" before duct passes through ceiling. 10" to 8" adapter included with in-line and external blowers

| LAYERS | Designer Wall Hoo | d w/ PAS Panel and LED Lighting - | BODY ONLY* |
|-------------------------------------------------------------------------------------------------------------------------------|---------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------|
| DLA-M90ASSX | S | 36" x 22" | |
| DLA-E42ASSX | S | 42″ x 22″ | |
| Max. Blower CFM: 2 3-speed invisible too Wireless remote coo Accommodates 9'5' | ntrol option | 6" or 8" round vertical ducting Perimeter aspiration system Aluminum mesh filters 1-3/4" body height | 5W LED lights Tri-level lighting CleanAir function |
| Accessories and E | Blowers | | |
| ZRC-00VS | Recirculating Kit (| w/ charcoal filter) | |
| Z0F-C010 | Charcoal Filter Re | placement (2 per kit) | |
| Z1C-00VS | Duct Cover Extens | sion, SS (For up to 12' ceiling) | |
| CBI-290C | 290 CFM Internal | Blower (6" round duct) | |
| CBI-390A | 390 CFM Internal | Blower (6" round duct) | |
| CBI-600A | 600 CFM Internal | Blower (6" round duct) | |
| PBN-1000A | 1,000 CFM In-line | Blower (8" round duct**) | |
| CBE-1000 | 1,000 CFM Extern | al Blower (8" round duct**) | |
| 14000010 | RF Wireless Remo | te Control | |

*Requires purchase of Zephyr internal, external or in-line blower, sold separately.

Make-Up Air Kit (600 CFM)

Make-Up Air Kit (1,000 CFM)

**10" round duct connects to external or in-line blower. Must transition from 10" to 8" before duct passes through ceiling, 10" to 8" adapter included with in-line and external blowers



LAYERS WAL





WALL



HORIZON WALL

| MODEL | FINISH | SIZE W x D | |
|--------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------|
| HORIZON D | esigner Wall Hood | w/ LED Lighting - BODY ONLY* | e e e e e e e e e e e e e e e e e e e |
| DHZ-M90AMBX DHZ-M90AMWX | Matte Blk Glas Matte Wht Gla | | - |
| Max. Blower CFM: 290- 3-speed capacitive touc CleanAir function Hybrid baffle filters | , , , | 6" or 8" round vertical ducting 6" or 8" round horizontal ducting Wireless remote control option Ambient lighting | 5W LED lights Tri-level lighting Dual capture zones |
| Accessories and Blov | wers | | |
| Z0F-C010 Z1C-01HZ CBI-290C CBI-390A CBI-600A PBN-1000A CBE-1000 14000010 MUA006A MUA008A | 290 CFM Internal B 390 CFM Internal B 600 CFM Internal B 1,000 CFM In-line B | up to 9' - 10' cei ^l ing) lower (6" round duct) lower (6" round duct) lower (6" round duct) lower (8" round duct**) Blower (8" round duct**) e Control 0 CFM) | |

*Requires purchase of Zephyr internal, external or in-line blower, sold separately. **10" round duct connects to external or in-line blower. Must transition from 10" to 8" before duct passes through ceiling. 10" to 8" adapter included with in-line and external blowers.

| COK-E36CSX COK-E36CBGX | S BG | 36" x 22-3/4" 36 x 22-3/4" | |
|--------------------------------------------------------------------------------|---------|----------------------------------------------------------------|-----------------------------------------------------------------------|
| COK-E42CSX | S | 42 x 22-3/4" | |
| COK-E42CBGX | S | 42 x 22-3/4" | |
| COK-E48CSX | S | 48 x 22-3/4" | |
| COK-E48CBGX | BG | 48 x 22-3/4" | |
| • Max. Blower CFM: 290- | , , , | • 6" or 8" round vertical ducting | LumiLight LED lights |
| 3-speed electronic controls Wireless remote option | | Auto delay-off Pro baffle filters | Dual-level lighting 4W LED ambient light |
| Accommodates 10'1" ce | | CleanAir function | |

*Requires purchase of Zephyr blower, sold separately.

Accessories and Blowers

| Z1C-00OK | Duct Cover Extension, SS (For up to a 12' ceiling) |
|-----------|----------------------------------------------------|
| CBI-290C | 290 CFM Internal Blower (6" round duct) |
| CBI-390A | 390 CFM Internal Blower (6" round duct) |
| CBI-600A | 600 CFM Internal Blower (6" round duct) |
| PBN-1000A | 1,000 CFM In-Line Blower (10" to 8" round duct**) |
| CBE-1000 | 1,000 CFM External Blower (10" or 8" round duct**) |
| 14000005 | RF Wireless Remote Control |
| MUA006A | Make-Up Air Kit (600 CFM) |
| MUA008A | Make-Up Air Kit (1,000 CFM) |
| | |

**10" round duct connects to external/in-line blower. Must transition from 10" to 8" before duct passes through ceiling. 10" to 8" adapter included with external/in-line blower.





OKEANITO WALL BRUSHED GOLD





ISLAND



| MODEL | FINISH | SIZE W x D | |
|-------------------------------------------------------------------------------------|------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------|
| ROMA IS. | 600 CFM Conte | mporary Island Hood w/ ACT™ & LED ligh | ts |
| ZRM-E36FS ZRM-E42FS | S S | 36" x 27" 42" x 27" | |
| •Max. Blower CFM: •ACT Max. Blower (•Accommodates 9' •Quick-lock installa | CFM: 390, 290 1″ ceiling height | •5-speed ICON Touch® controls •6" round vertical ducting •Auto delay-off duct covers | •6W LumiLight LED lights •Dual-level lighting •Aluminum mesh filters |
| Accessories ZRC-02RM ZRC-01RM Z0F-C002 Z1C-01RM MUA006A | Recirculating Charcoal Filt | ; Kit (w/ charcoal filters)- 36" model ; Kit (w/ charcoal filters) - 42" model er Replacement (each) xtension (For up to a 12' ceiling) Kit | |

| ZAZ-M90DS | S | 35-7/16" x 25-9/16" | |
|----------------------------------------------------------|---------------|--------------------------------------------------------------------------------|----------------------------------------------------------------------------|
| ZAZ-E42DS | S | 42" x 25-9/16" | |
| Max. Blower CFM: ACT Max. Blower C Accommodates 10 | CFM: 390, 290 | •5-speed ICON Touch® controls •6" round vertical ducting •Auto delay-off | •6W LumiLight LED lights •Dual-level lighting •Aluminum mesh filters |

| Accessories | |
|-------------|------------------------------------------------|
| ZRC-02AZ | Recirculating Kit |
| Z0F-C091 | Charcoal Filter Replacement (each) |
| Z1C-00AZ | Duct Cover Extension (For up to a 12' ceiling) |
| MUA006A | Make-Up Air Kit |
| Z0F-B002 | Hybrid Baffle Filter Kit (2 filters) |

Wireless RF Remote Control Kit

Wireless RF Remote Control Kit



RAVENNA ISLAND

ACT

| RAVENNA IS. | 600 CFM Blac | k Stainless Steel Island Hood w/ Smoke G | ray Glass Canopy, ACT™ & LED lights |
|-------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------|----------------------------------------------------------------------------|
| ZRE-M90BBSGG ZRE-E42BBSGG | Blk SS Blk SS | 35-3/16" x 25-9/16" 42" x 25-9/16" | |
| •Max. Blower CFM: 60 •ACT Max. Blower CFM •Accommodates 9' cei •Quick-lock installatio | 1: 390, 290 ling height | •5-speed ICON Touch® controls •6" round vertical ducting •Auto delay-off duct covers | •6W LumiLight LED lights •Dual-level lighting •Aluminum mesh filters |
| Accessories | | | |
| ZRC-00RE Z0F-C002 Z1C-00REBS | Recirculating Kit (w/ charcoal filters) Charcoal Filter Replacement (each) Duct Cover Extension (For up to a 12' ceiling) | | |

DID YOU KNOW Zephyr island hoods with Quick-lock installation are the easiest island hoods to install in the market.

Wireless RF Remote Control Kit

Make-Up Air Kit

CORE COLLECTION

ANZIO ISLAND

ACT

RC-0002

RC-0002

MUA006A

RC-0002





ISLAND



MODENA ISLAND ACT

| MODEL | FINISH | SIZE W x D | |
|-----------------------------------------------------------------------------------------|--------------------------------|-----------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------|
| MODENA IS. | 600 CFM Thin F | Profile Island Hood w/ LED Lighting and AC | T™ |
| ZMD-M90BS ZMD-E42BS | S S | 35-7/16" x 27-1/2" 42" x 27-1/2" | |
| •Max. Blower CFM: 6 •ACT Max. Blower C •Accommodates 10' •Quick-lock installat | FM: 390, 290 ceiling height | •5-speed ICON Touch® controls •8" round vertical ducting •Auto delay-off duct covers | •6W LumiLight LED lights •Dual-level lighting •Aluminum mesh filters |
| Accessories | | | |
| ZRC-00MD Z0F-C002 Z1C-00MD MUA006A | Charcoal Filt | g Kit (w/ charcoal filter) er Replacement (each) Extension (For up to a 12' ceiling) · Kit | |



ACT

| LUCÉ IS. | 600 (| CFM Island Hood w/ LED Accent Lighting, AC | r™ & LED lights |
|----------------------------------------------------------------------------------------------|-------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------|
| ZLC-M90CS | S | 35-7/16" x 25-9/16" | |
| ZLC-E42CS | S | 42" x 25-9/16" | |
| •Max. Blower CFM: 6 •ACT Max. Blower CF •Accommodates 9'8" •Quick-lock installation | M: 390, 290 ceiling height | | •6W LumiLight LED lights •Dual-level lighting •Aluminum mesh filters |
| Accessories | | | |
| ZRC-00LC Z0F-C092 Z1C-00LC MUA006A RC-0002 | | Recirculating Kit (w/ charcoal filters) Charcoal Filter Replacement (each) Duct Cover Extension (For up to a 12' co Make-Up Air Kit Wireless RF Remote Control Kit | eiling) |

Lucé island illuminates in cloud white, deep blue and amber.

| VERONA IS. | 600 CFM LED Illur | ninated Glass Island Hood w/ LED Light | ting and ACT™ |
|-----------------------------------------------------------------------------------------------------------------------|--------------------------|--------------------------------------------------------------------------------|------------------------------------------------------------------------------------|
| ZVN-M90BG ZVN-E42BG | S w/ Glass S w/ Glass | | |
| •Max. Blower CFM: 600 •ACT Max. Blower CFM: 390, 290 •Accommodates 10' ceiling height •Aluminum mesh filters | | •5-speed ICON Touch® controls •8″ round vertical ducting •Auto delay-off | •6W LumiLight LED lights •Dual-level lighting •3 color LED illuminated glass |

ACT

| Accessories | |
|-------------|------------------------------------------------|
| ZRC-00VN | Recirculating Kit (w/ charcoal filters) |
| Z0F-C002 | Charcoal Filter Replacement (each) |
| Z1C-00VN | Duct Cover Extension (For up to a 12' ceiling) |
| MUA006A | Make-Up Air Kit |
| | |

Verona Island glass illuminates in cloud white, deep blue and amber.

DID YOU KNOW Lucé & Verona models have a "demo mode" that cycles through each of the three LED accent light colors every 10 seconds. To enable demo mode, hold down the "accent light" button on the bottom of the hood for 3 seconds.

CORE COLLECTION



VERONA ISLAND





ISLAND



CORE COLLECTION



NAPOLI ISLAND

ZEPH

ACT



VISTA ISLAND

| MODEL | FINISH | SIZE W x D | |
|-------------------------------------------------------------------------------------------------------------------|--------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------|
| MILANO IS. 70 | 00 CFM Curved Cano | py Island Hood w/ Zephyr Connect, Po | owerWave™ Blower & ACT™ |
| ZML-M90CG | S w/ Glass | 35-7/16" x 25-9/16" | |
| ZML-M90CS | S | 35-7/16" x 25-9/16" | |
| ZML-E42CG | S w/ Glass | 42" x 25-9/16" | |
| ZML-E42CS | S | 42" x 25-9/16" | |
| • Max. Blower CFM: 700 • ACT Max. Blower CFM • CleanAir function • Zephyr Connect app c | : 590, 390, 290 | 6-speed proximity controls 8" round vertical ducting Accommodates 10' ceiling height Aluminum mesh filters | 6W LumiLight LED lights Tri-level lighting Auto delay-off Quick-lock installation with magnetic duct covers |
| Accessories | | | |
| ZRC-00ML | | (w/ charcoal filters) | |
| Z0F-C002 Z1C-03ML | | eplacement (each) ision (For up to a 12' ceiling) | |
| 14000005 | RF Wireless Rem | | |
| MUA008A | Make-Up Air Kit | | |
| NAPOLI IS. | 700 CFM Island Hood | d w/ Zephyr Connect, PowerWave™ Bl | ower, Baffle Filters & ACT™ |
| ZNA-M90DS | S | 35-7/16" x 25-9/16" | |
| ZNA-E42DS | S | 42" x 25-9/16" | |
| •Max. Blower CFM: 70 •ACT Max. Blower CFM •Baffle filters •Zephyr Connect app •Quick-lock installatio | ۸: 590, 390, 290 •٤ •٨ compatible •C | -speed proximity controls "round vertical ducting accommodates 10' ceiling height CleanAir function covers | •6W LumiLight LED lights •Tri-level lighting •Auto delay-off |
| Accessories | | | |
| ZRC-03NA | | w/ charcoal filters) | |
| Z0F-C091 | | eplacement (each) | |
| Z1C-02NA 14000005 | RF Wireless Remo | sion (For up to a 12' ceiling) | |
| MUA008A | Make-Up Air Kit | Ste Control | |
| | · · · · · · | | |
| | | ood w/ PAS Panel and LED Lig | shting- BODY ONLY* |
| DVL-E36ASSX | S | 36" x 23-5/8" | |
| DVL-E42ASSX | S | 42" x 23-5/8" | |
| • Max. Blower CFM: 290 | | • 6" or 8" round vertical ducting | • 5W LED lights |
| 3-speed invisible touch | | Perimeter aspiration system | Tri-level lighting |
| Wireless remote contr Accommodates 10' ce | | Aluminum mesh filters 2-1/8" body beight | CleanAir function |

• Accommodates 10' ceiling height

| Accessories and Blowers | | | | |
|-------------------------|--------------------------------------------------|--|--|--|
| ZRC-00VL | Recirculating Kit (w/ charcoal filter) | | | |
| Z0F-C010 | Charcoal Filter Replacement (2 per kit) | | | |
| Z1C-00VL | Duct Cover Extension, SS (For up to 12' ceiling) | | | |
| CBI-290C | 290 CFM Internal Blower (6" round duct) | | | |
| CBI-390A | 390 CFM Internal Blower (6" round duct) | | | |
| CBI-600A | 600 CFM Internal Blower (6" round duct) | | | |
| PBN-1000A | 1,000 CFM In-line Blower (8" round duct**) | | | |
| CBE-1000 | 1,000 CFM External Blower (8" round duct**) | | | |
| 14000010 | RF Wireless Remote Control | | | |
| MUA006A | Make-Up Air Kit (600 CFM) | | | |
| MUA008A | Make-Up Air Kit (1,000 CFM) | | | |
| | | | | |

• 2-1/8" body height

*Requires purchase of Zephyr internal, external or in-line blower, sold separately. **10" round duct connects to external or in-line blower. Must transition from 10" to 8" before duct passes through ceiling. 10" to 8" adapter included with in-line and external blowers

COLLECTION DESIGNER



SIZE W x D



ISLAND



SIENA PRO ISLAND ACT

MODEL

FINISH



TITAN ISLAND

ACT

| SIENA PRO IS | 1,200 CFM | Pro Island Hood w/ Hybrid Baffle File | ers, ACT™ & LED lights |
|--------------------------------------------------------------------------------------------------------|-------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------|
| ZSL-E42CS | S | 42" x 28" | |
| ZSL-E48CS | S | 48" x 28" | |
| • Max. Blower CFN • ACT Max. Blower • Auto delay-off • Quick-lock insta | | 5-speed ICON Touch® controls 10" round vertical ducting Accommodates 9'10" ceiling height ct covers | 6W LumiLight LED lights Dual-level lighting Hybrid baffle filters |
| Accessories | | | |
| Z1C-01SL MUA010A RC-0002 | Duct Cover Exte Make-Up Air Kit Wireless RF Ren | | |
| RC-0002 | | | |
| TITAN IS. | 750 CFM Pro-Styl | le Island Hood w/ PowerWave™ Blowe | r, ACT™ & LED lights |
| AK7736BS | S | 36" x 31-5/8" | |
| AK7742BS | S | 42" x 31-5/8" | |
| AK7748BS | S | 48" x 31-5/8" | |
| AK7754BS | S | 54" x 31-5/8" | |
| • Max. Blower CFM • Max. Blower CFM • ACT Max. Blower • Auto delay-off • CleanAir function | l: 1,300 (optional) CFM: 590, 390, 290 | 8" or 10" round vertical & horizontal ducting Dual-level lighting Accomodates 10"2" ceiling height Directional lighting 6W LumiLight LED lights | Pro baffle filters 6-speed LCD controls Wireless remote option |
| Accessories | | | |
| PBD-1300B | | nal Blower Kit (10" round duct) | |
| Z1C-0077 | | ension - 36", 42" (For a 10'-12' ceiling) | |
| Z1C-0177 | Duct Cover Exte | ension - 48", 54" (For a 10'-12' ceiling) | |

| Accessories | |
|-------------|---------------------------------------------------------|
| PBD-1300B | 1,300 CFM Internal Blower Kit (10" round duct) |
| Z1C-0077 | Duct Cover Extension - 36", 42" (For a 10'-12' ceiling) |
| Z1C-0177 | Duct Cover Extension - 48", 54" (For a 10'-12' ceiling) |
| 14000005 | RF Wireless Remote Control |
| MUA008A | Make-Up Air Kit (750 CFM) |
| MUA010A | Make-Up Air Kit (1,300 CFM) |
| | |

| DESIGNER COLLECTION | | |
|---------------------|--|--|
|---------------------|--|--|

TRAPEZE

| TRAPEZE | Designer Island Ho | od w/ LED Lighting - BODY ONLY* | |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------|
| CTP-E36CSX | S | 36" x 26-5/8" | |
| CTP-E48CSX | S | 48 x 26-5/8" | |
| CTP-E54CSX | S | 54 x 26-5/8" | |
| CTP-E60CSX | S | 60 x 26-5/8" | |
| Max. Blower CFM: 290-1,000 (not included) 3-speed electronic controls Accommodates 10'4" ceiling height CleanAir function | | 6" or 8" round vertical ducting Auto delay-off Pro baffle filters | LumiLight LED lights Dual-level lighting Wireless remote option |
| Accessories and BI Z1C-00TP | | ion (For up to a 12' coiling) | |
| CBI-290C CBI-390A CBI-600A PBN-1000A | Duct Cover Extension (For up to a 12' ceiling) 290 CFM Internal Blower (6" round duct) 390 CFM Internal Blower (6" round duct) 600 CFM Internal Blower (6" round duct) 1,000 CFM In-Line Blower (10" to 8" round duct**) | | |

1,000 CFM External Blower (10" or 8" round duct**) CBE-1000

14000005 RF Wireless Remote Control MUA006A Make-Up Air Kit (600 CFM)

Make-Up Air Kit (1,000 CFM)

*Requires purchase of Zephyr blower, sold separately.

**10" round duct connects to external/in-line blower. Must transition from 10" to 8" before duct passes through ceiling. 10" to 8" adapter included with external/in-line blowers.

MUA008A





I N-CEILING





LUX CONNECT

TOP: 43" model shown in stainless steel BOTTOM: 63" model shown in white



| MODEL | FINISH | SIZE W x D | |
|---------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------|
| LUX Designer In- | Ceiling Hood w/ Ze | phyr Connect, PAS Panels and LED Lig | shting - BODY ONLY |
| ALU-E43CSX | S | 43-3/8" x 27-1/2" | |
| ALU-E43CWX | W | 43-3/8" x 27-1/2" | |
| ALU-E63CSX | S | 63-3/8" x 27-1/2" | |
| ALU-E63CWX | W | 63-3/8" x 27-1/2" | |
| Max. Blower CFM: 290- 3-speed capacitive touce CleanAir function Aluminum mesh filters | , , , | Perimeter aspiration system 6" or 10" round ducting Vertical and horizontal ducting Zephyr Connect app compatible | 10W LED light strips Tri-level lighting Wireless remote option |
| Accessories and Blow | vers | | |
| ZRC-01LX* Z0F-C002 CBI-290C CBI-390A CBI-600A PBI-1100B PBN-1000A CBE-1000 MUA006A MUA006A MUA008A MUA010A | Charcoal Filter Re 290 CFM Internal 390 CFM Internal 600 CFM Internal 1,100 CFM Internal 1,000 CFM In-line | 1,000 CFM) | |

*ZRC-01LX recirculating kit is compatible with CBI-290C and CBI-600A internal blowers only.

DID YOU KNOW The Perimeter Aspiration System moves airflow away from the central area of the hood and evenly distributes it through narrow openings around the perimeter of the hood. This ventilation method increases air velocity and improves the capture of cooking contaminants. Available in select models: ZPY, DLA, DVS, DVL, ALU, and AK85





DOWNDRAFT



LIFT DOWNDRAFT

| MODEL | FINISH | SIZE W x D | |
|-----------------------|-------------------------|------------------------------------|-----------------------------------------------------------------|
| LIFT | 18" Chimney Rise | Downdraft Hood w/ LED Ligh | ting |
| | | | |
| DLI-E30ASX | S | 30" | |
| DLI-E36ASX | S | 36″ | |
| | 00-1,000 (not included) | 4-way ducting* | BriteStrip[™] LED lighting (3000K) |
| Tri-capture zones | | • 18" chimney rise | Dual-level lighting |
| 3-speed capacitive to | | Aluminum mesh filters | Recirculating option |
| Accessoires et mot | teurs | | |
| ZRC-00LF | | g Kit (w/ charcoal filters) | |
| Z0F-C006 | | er Replacement (each) | |
| DDA-0002 | | te Up/Down Control | |
| DBI-600A | | ernal Blower (400 CFM configurat | ole) |
| PBN-1000A | , | n-line Blower | |
| CBE-1000 | , | xternal Blower | |
| DDS-0030 | | o Seal Kit (For DLI-E30ASX) | |
| DDS-0036 | | o Seal Kit (For DLI-E36ASX) | |
| DDT-0030 | 0 | Kit (For DLI-E30ASX) | |
| DDT-0036 | 0 | Kit (For DLI-E36ASX) | |
| 11030132 | 5' Extension | | |
| DDE-0001 | End Cap Trir | | |
| 54190053 | | Rough-In Plate, 8" | |
| 54190054 | | Rough-In Plate, 10" | |
| AK00070 | 0 | to 8" Round Transition | |
| AK00071 | U | to 10" Round Transition | |
| AK00072 | | Adapter for AK00080 Duct | |
| AK00080 MUA006A | 0 | ar Duct Extension Kit (600 CFM) | |
| MUA008A MUA008A | | | |
| IVIUAUU8A | wake-up Air | Kit (1,000 CFM) | |

*4-Way Ducting includes the front, side (L & R), rear and bottom of blower housing.

DID YOU KNOW Lift is compatible with multiple cooking appliance configurations.



Check out the Lift Downdraft Configurator on our website to help determine what components are needed for installation.



SORRENTO DOWNDRAFT

| SORRENTO | | 500 CFM Downdraft Hood w/ 9-1/2" | Rise |
|--------------------------------------------|---------------------|-----------------------------------------------------------------|--------------------------------------|
| DD1-E30AS | S | 30" | |
| DD1-E36AS | S | 36″ | |
| Max. Blower CFM: 5 Variable speed cont | | HVI certifiedDecorative mesh filters | • 3-1/4"x10" three position ducting* |
| Accessories | | | |
| DDA-0001 MUA006A | Wired Re Make-Up | emote Up/Down Control o Air Kit | |

*Three position ducting includes the left, right, or bottom of blower housing.





INSERT



TORNADO MINI

| MODEL F | INISH | SIZE W x D | |
|--------------------------------------------------------------------------------------------------|---------------------------|------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|
| TORNADO MIN | 400 | CFM Insert w/ Recirculating Option and LE | ED Lighting |
| AK8400BS | S | 20-9/16" x 11" | |
| Max. Blower CFM: 3-speed slide contr Stainless steel liner | rols | • 6" round vertical ducting • Insert height 9-11/16" • Aluminum mesh filters | 6W LumiLight LED lights Dual-level lighting |
| Accessories | | | |
| ZRC-8400A Z0F-C084 AK0840AS AK0846AS | Charcoal F 17-1/2" - 2 | ng Kit (w/ charcoal filters) ilter Replacement (each) 0-1/2" Depth SS Liner (For 30" hood) 0-1/2" Depth SS Liner (For 36" hood) | |



TORNADO MINI ES

| COLLECTION | |
|------------|---------|
| CORE | TWISTER |

| TORNADO MINI ES | | 290 CFM ENERGY STAR Insert w/ LED Lighting | |
|-----------------------------------------------------------------------------------------------------------------|---|---------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------|
| AK8400BS-ES | S | 20-9/16" x 11" | |
| Max. Blower CFM: 290 3-speed slide controls ENERGY STAR[®] rated | | 6" round vertical ducting Insert height 9-11/16" Stainless steel liner option | • 6W LumiLight LED lights • Dual-level lighting • Aluminum mesh filter |
| Accessories | | | |
| AK0840AS AK0846AS | | /2" - 20-1/2" Depth SS Liner (For 30" hood) /2" - 20-1/2" Depth SS Liner (For 36" hood) | |

| TWISTER | 400 CFM I | nsert w/ Recirculating Option and LED Ligh | ting |
|---------------------------------------------------------------------------|-------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------|
| AK8000CS | S | 27-9/16" x 11-13/16" | |
| Max. Blower CFM: 400 3-speed slide controls Aluminum mesh filters | | 6" round vertical & horizontal ducting Insert height 11-1/4" Stainless steel liner option | • 6W LumiLight LED lights • Dual-level lighting |
| Accessories | | | |
| ZRC-0080 Z0F-C008 AK0800AS AK0836AS | Charcoal Filter Re 17-1/2" - 20-1/2" [| w/ charcoal filters) placement (each) Depth SS Liner (For 30" hood) Depth SS Liner (For 36" hood) | |



| TORNADO I | 60 | 0~CFM Insert w/ Hybrid Baffle Filters and LED Light | ing |
|-------------------------------------------------------------------------------|-----------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------|
| AK8100BS | S | 27-9/16" x 11-3/16" | |
| AK8134BS | S | 33-9/16 x 11-3/16 | |
| • Max. Blower CFM: 600 • 3-speed slide controls • Hybrid baffle filters | | 6" round vertical & horizontal ducting Insert height 11-1/4" Stainless steel liner option | • 6W LumiLight LED lights • Dual-level lighting |
| Accessories | | | |
| ZRC-0080 Z0F-C008 AK0800AS* AK0836AS MUA006A | Charcoal 17-1/2" - | ting Kit (w/ charcoal filters) Filter Replacement (each) 20-1/2" Depth SS Liner (For 30" hood) 20-1/2" Depth SS Liner (For 36" hood) Air Kit | |
| *For AK8100BS model on | у. | | |

DID YOU KNOW Tornado and Twister liners are adjustable and can accommodate multiple cabinet depths.

Finish: (S)-Stainless Steel

Warranty: 3 years non-consumable parts, 1 year labor (AK84); 10 years non-consumable parts, 1 year labor (AK80, AK80-ES, AK81)



FINISH



INSERT

MODEL



| AK8500AS | S | 27-3/16" x 11-3/16" | |
|-----------------------------------------------------------------------------------------------------------------------------|----------------------|-----------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------|
| Max. Blower CFM: ACT Max. Blower C Insert height 11-5/ Stainless steel liner | :FM: 390, 290 16″ | 6" vertical & horizontal ducting 6-speed electronic controls Aluminum mesh filter | 7W Glo LED PAS Panel Dual-level lighting Perimeter aspiration system |
| Accessories | | | |
| ZRC-0085 | Recirculatin | g Kit (w/ charcoal filters) | |
| Z0F-C085 | Charcoal Filt | ter Replacement (each) | |
| 14000005 | RF Wireless | Remote Control | |
| | | 1/2" Depth SS Liner (For 30" hood) | |
| AK0836AS | 17-1/2" - 20- | 1/2" Depth SS Liner (For 36" hood) | |
| MUA006A | Make-Up Air | | |

SIZE W x D

| 0 | | |
|-------------|------------|--|
| PRO COLLECT | | |
| | TORNADO II | |

Z

TORNADO II 1,000 CFM Insert w/ Wireless Remote Control and LED Lighting 29-13/16" x 15-13/16" AK8200BS S • Max. Blower CFM: 1,000 • 10" round vertical ducting • 6W LumiLight LED lights • 3-speed electronic touch controls Insert height 11-1/2"* Tri-level lighting CleanAir function Wireless remote control Pro baffle filters · Auto delay-off *Height dimension does not include 5" tall, 8" round duct adapter. Accessories AK0806BS 17-5/8" - 20-1/8" Depth SS Liner (For 36" hood) AK0806AS 20-1/2" - 23-1/2" Depth SS Liner (For 36" hood) 20-1/2" - 23-1/2" Depth SS Liner (For 42" hood) AK0842AS MUA008A Make-Up Air Kit



TORNADO III

| TORNADO III Insert w/ W | reless Remote Control, LED Lighting and Mul | tiple Blowers - BODY ONLY* |
|-----------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------|
| AK8300BSX S | 38-7/16" x 15-13/16" | |
| • Max. Blower CFM: 290-1,100 (not i • 3-speed electronic touch controls • CleanAir function • Auto delay-off | ncluded) • 6" or 10" round vertical ducting • Insert height 11-1/2"** • Wireless remote control | • 6W LumiLight LED lights • Tri-level lighting • Pro baffle filters |

*Requires purchase of Zephyr blower, sold separately.

**Height dimension does not include 5" tall, 8" round duct adapter used with blowers 1,000 CFM or greater.

| Accessories and Blo | wers |
|---------------------|-------------------------------------------------|
| AK0848BS | 17-5/8" - 20-1/8" Depth SS Liner (For 48" hood) |
| AK0848AS | 20-1/2" - 23-1/2" Depth SS Liner (For 48" hood) |
| AK0854AS | 20-1/2" - 23-1/2" Depth SS Liner (For 54" hood) |
| AK0860AS | 20-1/2" - 23-1/2" Depth SS Liner (For 60" hood) |
| CBI-290C | 290 CFM Internal Blower (6" round duct) |
| CBI-390A | 390 CFM Internal Blower (6" round duct) |
| CBI-600A | 600 CFM Internal Blower (6" round duct) |
| PBI-1100B | 1,100 CFM Internal Blower (10" round duct) |
| PBN-1000A | 1,000 CFM In-Line Blower (10" round duct) |
| CBE-1000 | 1,000 CFM External Blower (10" round duct) |
| MUA006A | Make-Up Air Kit (600 CFM) |
| MUA008A | Make-Up Air Kit (1,000 CFM) |



FINISH



INSERT



VORTEX 390 CFM Insert w/ Recirculating Option, Adjustable Depth and LED Lighting S AK9028BS 28-3/8" x 17-1/2" to 20-1/2" S AK9034BS 34-3/8" x 17-1/2" to 20-1/2" • Max. Blower CFM: 390 • 6" round vertical & horizontal ducting • 6W LumiLight LED lights • 3-speed slide controls • Insert height 12-5/16" • Dual-level lighting Hybrid baffle filter Accessories Recirculating Kit (w/ charcoal filters) ZRC-9000 Z0F-C090 Charcoal Filter Replacement (each)

SIZE W x D



| MONSOON MINI | | 300 CFM Insert w/ Hybrid Baffle Filters and LED Lighting | 5 |
|--------------------------------------------------------------------------------------------------------|--------|-----------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------|
| AK9128BS AK9134BS | S S | 28-3/8" x 18-1/16" 34-3/8" x 18-1/16" | |
| Max. Blower CFM: 300 Insert height 6-1/8" 3-speed slide controls | | 7" or 3-1/4"x10" vertical ducting 3-1/4"x10" horizontal ducting Hybrid baffle filters | • 6W LumiLight LED lights • Dual-level lighting |
| Accessories | | | |
| ZRC-9100A Z0F-C091 | | cul <mark>ating</mark> Kit (w/ charcoal filters) coal Filter Replacement (each) | |
| | | | |

CORE COLLECTION



MONSOON MINI II ACT

MONSOON MINI

| MONSOON MINI II | | 600 CFM Insert w/ Hybrid Baffle Filters, LED Lighting and | ACT™ |
|---------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------|
| AK9528AS | S | 28-3/8" x 18-1/16" | |
| AK9534AS | S | 34-3/8" x 18-1/16" | |
| AK9540AS | S | 40-3/8" x 18-1/16" | |
| AK9546AS | S | 46-3/8" x 18-1/16" | |
| Max. Blower CFM: 600 ACT Max. Blower CFM: 390, 290 Insert height 6-1/8" | | 7" or 3-1/4"x10" vertical ducting 3-1/4"x10" horizontal ducting Hybrid baffle filters | 6W LumiLight LED lights Dual-level lighting 3-speed electronic controls |
| Accessories | | | |
| ZRC-9100A Z0F-C091 MUA006A | Recirculating Kit (w/ charcoal filters) Charcoal Filter Replacement (each) Make-Up Air Kit | | |

VORTEX

MODEL

Finish: (S)-Stainless Steel

Warranty: 3 years non-consumable parts, 1 year labor





INSERT



MONSOON I ACT

| MODEL | FINISH | SIZE W x D | |
|------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------|
| MONSOON I | 600 CFN | I Insert w/ LED Lighting and ACT™ | |
| AK9228BS AK9234BS | S S | 28-3/8" x 19-1/4" 34-3/8" x 19-1/4" | |
| • Max. Blower CFM: 60 • ACT Max. Blower CFI • Insert height 12" • Pro baffle filters | | 8" round vertical ducting 8" round horizontal ducting Wireless remote control CleanAir function | 6W LumiLight LED lights Dual-level lighting 6-speed electronic controls Auto delay-off |
| MONSOON I | 1,200 C | FM Insert w/ LED Lighting and ACT™ | |
| AK9240BS AK9246BS | S S | 40-3/8" x 19-1/4" 46-3/8" x 19-1/4" | |
| Max. Blower CFM: 1,200 ACT Max. Blower CFM: 590, 390 Pro baffle filters CleanAir function | | 10" round vertical ducting Insert height 12"* Wireless remote control Auto delay-off | 6W LumiLight LED lights Dual-level lighting 6-speed electronic controls |
| Accessories | | | |
| MUA006A MUA010A | Make-Up Air Ki Make-Up Air Ki | . , | |

* Height dimension does not include 5" tall, 10" round duct adapter.

| MONSOON II | 1,200 CFM | Insert w/ LED lighting and ACT™ | |
|-------------------------------------------------------------------------------------------------------|-----------------------|-------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------|
| AK9334BS AK9340BS AK9346BS AK9352BS AK9358BS | S S S S S | 34-3/8" x 22-1/2" 40-3/8" x 22-1/2" 46-3/8" x 22-1/2" 52-3/8" x 22-1/2" 58-15/16 x 22-1/2" | |
| Max. Blower CFM: 1,200 ACT Max. Blower CFM: 590, 390 Pro baffle filters CleanAir function | | 10" round vertical ducting Insert height 12"* Wireless remote control Auto delay-off | 6W LumiLight LED lights Dual-level lighting 6-speed electronic controls |
| Accessories | | | |
| MUA010A | Make-Up Air Kit | | |

* Height dimension does not include 5" tall, 10" round duct adapter.

| AK9428BS | S | 28-3/8" x 19-3/8" | |
|----------------------------------------------------------------------------------------------------------------------|---------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------|
| AK9434BS | S | 34-3/8" x 19-3/8" | |
| AK9440BS | S | 40-3/8" x 19-3/8" | |
| AK9446BS | S | 46-3/8" x 19-3/8" | |
| • Max. Blower CFM: 7 • Max. Blower CFM: 7 • ACT Max. Blower C • 6-speed proximity of • Zephyr Connect ap | 1,300 (optional) FM: 590, 390, 290 controls | 8" or 10" round vertical ducting 8" horizontal ducting Insert height 12" Pro baffle filters Auto delay-off | 6W LumiLight LED lights Tri-level lighting Wireless remote contro CleanAir function |
| Accessories | | | |
| PBD-1300B* 14000005 | 1,300 CFM Inte RF Wireless Re | ernal Blower Kit (10" round duct) | |
| MUA008A | Make-Up Air K | | |
| MUA010A | Make-Up Air K | | |

*PBD-1300B is a dual internal blower kit with a single blower and two blower openings. To complete the kit you must remove the blower from the hood and install it into the PBD-1300B kit. NOTE: PBD-1300B blower is only compatible with the AK9434BS, AK9440BS, and AK9446BS models.

Finish: (S)-Stainless Steel

MONSOON II ACT⁻

CORE COLLECTION







OUTDOOR INSERT / WALL



SPRUCE OUTDOOR

| MODEL | FINISH | SIZE W x D | |
|-----------------------------------------------------------------------------------------------|------------------|----------------------------------------------------------------------------------------------------------|----------------------------------------------------|
| SPRUCE | 1,200 CFM Outdo | or Insert for Wall or Island Installation | |
| AK9834BS AK9840BS AK9846BS AK9858BS | S S S S | 34-3/8" x 22-1/2" 40-3/8" x 22-1/2" 46-3/8" x 22-1/2" 58-7/8" x 22-1/2" | |
| Max. Blower CFM: 1 3-speed controls 304 stainless steel | 200 | 10" round vertical ducting Pro baffle filters Directional lighting | • 6W LumiLight LED lights • Dual-level lighting |

PRO COLLECTION



CYPRESS OUTDOOR Picture above - shown with Z1C-0178 optional duct cover extension.

| CYPRESS | 1,200 CFM | Outdoor 18in Tall Pro-Style Hood w/ 32" Depth | |
|------------------------------------------------------------------------------------------------|-------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------|
| AK7836CS | S | 36" x 32" | |
| AK7842CS | S | 42" x 32" | |
| AK7848CS | S | 48" x 32" | |
| AK7854CS | S | 54" x 32" | |
| Max. Blower CFM: 1, 3-speed controls 304 stainless steel | 200 | 10" round vertical & horizontal ducting Pro baffle filters 32" depth | • 6W LumiLight LED lights • Dual-level lighting |
| Accessories | | | |
| AK0736BS AK0742BS AK0748BS AK0754BS Z1C-0178 | 12"H x 42 12"H x 44 12"H x 54 | 6"W 304 SS Duct Cover (For AK7836BS) 2"W 304 SS Duct Cover (For AK7842BS) 8"W 304 SS Duct Cover (For AK7848BS) 4"W 304 SS Duct Cover (For AK7854SS) ver Extension - 27" width (For a 10'-12' ceiling) | |





BRISAS RANGE HOODS



ACT



ACT

| MODEL | FINISH | SIZE W x D | |
|-------------------------------------------------------------------------|----------------|-------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------|
| TRADITIONAL CHI | MNEY WALL R | ANGE HOOD | w/ Airflow Control Technology (ACT™) |
| BVE-E30BS BVE-E36BS | S S | 30" x 19-3/4" 36" x 19-3/4" | |
| Max. Blower CFM: 600 ACT Max. Blower CFM: Accommodates 9'4" cei | , | 3 speed electronic controls 6" round vertical ducting Aluminum mesh filters | LED strip lightingDual-level lighting |
| Parts & Accessories BRC-0008 Recirculating Kit (w/ charcoal filters) | | | |
| Z0F-C091 B1C-00VE | Charcoal Filte | r Replacement (each) tension Kit (up to 12' ceiling) | |

| RANGE HOOD W/ | CURVED GLASS CANOPY w/ A | Airflow Control Technology (ACT™) |
|-------------------------------------|-------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------|
| S w/ Glass S w/ Glass | 30" x 19-3/4" 36" x 19-3/4" | |
| 00 M: 390, 290 ceiling height | 3 speed electronic controls 6" round vertical ducting Aluminum mesh filters | LED strip lighting Dual-level lighting |
| es | | |
| Charcoal Filter F | Replacement (each) | |
| | S w/ Glass S w/ Glass 00 M: 390, 290 ceiling height es Recirculating Kit Charcoal Filter F | S w/ Glass36" x 19-3/4"00• 3 speed electronic controlsM: 390, 290• 6" round vertical ductingceiling height• Aluminum mesh filters |



CHIMNEY ISLAND RANGE HOOD W/ CURVED GLASS CANOPY w/ Airflow Control Technology (ACT™) 30" x 25-9/16" BML-E30BG S w/ Glass BML-E36BG S w/ Glass 36" x 25-9/16" • Max. Blower CFM: 600 • 3 speed electronic controls LED strip lighting • ACT Max. Blower CFM: 390, 290 6" round vertical ducting Dual-level lighting • Accommodates 8'11" ceiling height Aluminum mesh filters Parts & Accessories BRC-0007 Recirculating Kit (w/ charcoal filters) Z0F-C094 Charcoal Filter Replacement (each) B1C-00ML Duct Cover Extension Kit (up to 12' ceiling)



ACT