Whirlpool®

KitchenAid[®]



GAS & ELECTRIC COOKTOPS STEP-UP, STEP-DOWN GUIDE

Supercharge your cooktop sales with this Cooktops Step-up, Step-down selling guide!

Here you will learn about the entire lineup of our Whirlpool[®], Maytag[®], and KitchenAid[®] cooktops to help you find the perfect product for your customers. All cooktops are linked to their product pages in Whirlpool Central for full product information at your fingertips.

Click the resources on the right to enhance your knowledge of our cooktops, and happy selling!



Compatible Cooktop/Oven combinations

KitchenAid

 \square

Free Induction

Cookware Promo

KitchenAid[®]

Compatible Cooktop/Oven combinations




Gas Downdraft Training Video

KitchenAid[®]




			5US4HB earn more)			USOHB SUSOHS earn more)		WC	E77US E77US to learn	OHS		
PRODUCT DESCRIPTION			ool [®] 24" Cooktop				ool® 30" Cooktop							
TOP 3 FEATURES	•	30 & 40 An	an Cooktop np Installatio ements		• <i>i</i> • Flex	• FI	•							
SIZE (CUTOUT WIDTH)		2	24"											
COLOUR(S)			В			В	S							
CONTROLS		Kr	obs			Kno	obs							
NUMBER OF ELEMENTS			4			4	1				5			
COOKTOP CONFIGURATION	6"	6" 8" 10"/6" 6"				8"	10"/6"	6"	6"	10"/6"	6"	10"/6"	6"	10"
COOKTOP POWER (WATTS X 1,000)	1.2	1.8	2.5/2.5	1.2	1.2	1.8	2.5/1.8	1.2	0.1	3.0/1.9	1.2	3.0/1.9	1.2	3.2
INSTALLATION OVER OVEN							Ð							



Whirlpool Gas Cooktops

		WCG52424 Click to learn n		V	VCG55US0H VCG55US0H lick to learn m	IS		WCG77 Click to le)	WCG97US0HS Click to learn more					
PRODUCT DESCRIPTION		Whirlpool [®] 2 Gas Cookto				Whirlpo Gas Co		Whirlpool [®] 30" Gas Cooktop with Griddle								
TOP 3 FEATURES	·	• 24" Gas Cool • 4 Burners •Clean Badg	5	• 5K /	Burner Gas Co AccuSimmer™ 2-Lift™ Hingeo	Burner	•	I-Burner G 18K BTU I Z-2-Lift™ I	Flex Burne	er	•	17K BTU	Gas Cookto Flex Burne Hinged Gra	er		
SIZE (CUTOUT WIDTH)		24"			30"			30)"			3	0"			
COLOUR(S)		S			BS			;	S				S			
CONTROLS	Stainle	ess Steel Capp	ed Knobs	Dish	washer Safe F	Knobs	Di	shwasher	Safe Kno	w	eighted B	laded Knol	bs			
NUMBER OF BURNERS		4			4			Ę	5				5			
GRIDDLE					Optional			Opti	onal				•			
BURNER (BTU x 1,000)	5.6	5.6	11.5	15	12	9.1	15	9.1	9.1	10	17	10	10	1		
SIMMER (BTU x 1,000)		3.6 Simme	r		5 Simmer			5 Sin	nmer	5 Simmer						
INSTALLATION OVER OVEN		•			•				•							
OTHER	(Continuous Gr	ates	Front C	uous Cast Iror Controls, Spee cuSimmer® B	dHeat™,	EZ-2-Lif	t™ Hingeo FlexHeat		ı Grates,		FlexHeat	d Cast Iron ™ Burner, her® Burne			





						0	0 0 0 9 - 0				MEC88 Mayta	TRAIN 330 g® 30" sible Gr
		MEC	830HS				/IEC8836H ick to learn r					o view
PRODUCT DESCRIPTION							6-Inch Elect rsible Grill a					
TOP 3 FEATURES		• Bridge	Element			• E	II/Griddle C Bridge Elem al Power Ele	ent				BRIDGE
SIZE (CUTOUT WIDTH)		3	0"									
COLOUR(S)		В	S				S					
CONTROLS		Image: Set of the set o					Knobs					
NUMBER OF ELEMENTS		4 (1 E	Bridge)				4 (1 Bridge)				
COOKTOP CONFIGURATION	8"	8"	10"/6"	6"	6"	8"	8"	6"	12"/9"			
COOKTOP POWER (WATTS X 1,000)	1.8	1.8	3.0/1.9	1.2	1.2	1.8	1.8	1.3	3.0/1.9			

STEP-UP, STEP-DOWN GUIDE

INING AVAILABLE:

)" Electric Cooktop with Grill and Griddle

w videos

GRATED LOCKING GRILL-GRIDDLE

POWER ELEMENT

BE ELEMENT

MAYTAG



		MGC7430DS			MGC7536DS					
		Click to learn more			Click to learn more					
PRODUCT DESCRIPTION		[®] 30" 4-burner Gas with Power™ Burne			6-Inch 5-burner Ga vith Power™ Burne					
TOP 3 FEATURES	•	l-Burner Gas Cook 15K Power™ Burn Continuous Cast Iı	ner	 4-Burner Gas Cooktop 15K Power[™] Burner Continuous Cast Iron 						
SIZE (CUTOUT WIDTH)		30"		36"						
COLOUR(S)		S		S						
CONTROLS	Di	shwasher Safe Kno	obs	Dishwasher Safe Knobs						
NUMBER OF BURNERS		4			5					
BURNER (BTU x 1,000)	15 Power™	12	9.1	15	2 x 9					
SIMMER (BTU x 1,000)		5 Simmer		5 Simmer						
INSTALLATION OVER OVEN		•								

KitchenAid | Electric Cooktops

						0.0.0.0									
	KECC	056RBL			ES550H ES550H										
	Click to	learn more		Click	to learn	more		С							
PRODUCT DESCRIPTION		nAid® 15″ : Cooktop		Kitc Elec	30″ ktop		l Electri								
TOP 3 FEATURES	• 15" Cer • Dishwash • 2 E		• Dua	nt Cerar I Flex Ele ilass Des		,									
SIZE (CUTOUT WIDTH)		• 2 Elements 15″			30″					36″					
COLOUR(S)		BL	BL SS												
CONTROLS	Dishwash	er-Safe Knob	Die Cast Knobs						Die						
NUMBER OF ELEMENTS		2			5					5					
COOKTOP CONFIGURATION	7″	8″	8″	10"/6"	6"	10"/6"	6″	8″	6"	12"/ 9"/6"	10"/6"	6"	6"		
COOKTOP POWER (WATTS X 1,000)	1.2	1.8	3.0/1.9	1.2	3.2/2.3	1.3	1.8	1.3	3.0/ 2.2/1.1	3.2	1.2	1.2			
INSTALLATION OVER OVEN	•	•													
OTHER	Hot Surfa												25 C 3-S		
								L							

COLOUR LEGEND: ^{SS} = STAINLESS STEEL ^{BL} = BLACK

STEP-UP, STEP-DOWN GUIDE



Video Training Available KitchenAid® Downdraft

KitchenAid Electric Induction Cooktops

		KCIG7	704FBL		KICU500XBL KICU500XSS				KICU509XBL KICU509XSS				KICU569XBL KICU569XSS							
		Click to I	earn more)		Click to le	arn more		Click to learn more				Click to learn more							
PRODUCT DESCRIPTION			Aid® 24″ n Cooktop		KitchenAid® 30″ Induction Cooktop				KitchenAid [®] 30″ Induction Cooktop				KitchenAid® 36″ Induction Cooktop							
TOP 3 FEATURES	•	24″ Induct Simmer & I wer Boost f	Melt Funct	ion	 Induction Cooktop Tap Touch Controls 3200 W Booster Feature 				 Induction Cooktop Tap Touch Controls 2 Bridge Elements 				Induction CooktopTap Touch Controls4 Bridge Elements							
SIZE (CUTOUT WIDTH)		2	4"		30″				30"						30"					
COLOUR(S)		ł	BL		BL SS				BL SS				BL SS							
CONTROLS		Тар	Touch		Tap Touch			Tap Touch				Tap Touch								
NUMBER OF ELEMENTS			4			4	ļ		4				5							
COOKTOP CONFIGURATION	6"	7″	6″	9″	6″	7″	10″	9″	6"	7″	7″	12"Dual	12"Dual	12"Dual	7″	7″	7″			
COOKTOP POWER (WATTS X 1,000)	2.5	1.8	2.5	2.5	1.8/1.4	1.8/1.4	3.2/2.3	3.2/2.3	1.8/1.4	2.5/1.8	2.5/1.8	3.7/2.3	4.8/2.8	4.8/2.8	2.5/1.8	2.5/1.8	2.5/1.5			
INSTALLATION OVER OVEN		•			•				•				•							
OTHER _		oost, Simn Sensor, Brid			Power Boost Function, Simmer, Melt				Power Boost Function, Simmer, Melt, 12 Heat Level Settings, 2 Bridge Elements				Power Boost Function, Melt and Hold, Control Lock, 4 Bridge Elements							

STEP-UP, STEP-DOWN GUIDE





KitchenAid[®]

RECEIVE A BONUS INDUCTION-READY 10-PC COOKWARE SET

when you register your qualifying KitchenAid[®] Induction Range or Cooktop.

> September 1, 2019 — December 31, 2019

VALUED AT \$999.99



INDUCTION COOKING FOR THOSE WHO CRAVE PRECISION AND PERFECTION

KitchenAid®

HOW TO REDEEM:

To qualify, you MUST register your KitchenAid[®] Induction Range or Cooktop by calling 1-800-807-6777 no later than December 31, 2019, or offer will be void. (Qualifying Models: KSIB900ESS, YKFID500ESS, KICU500XBL, KICU500XSS, KICU509XBL, KICU509XSS, KICU569XSS, KICU569XBL, KCIG704FBL)

Qualifying induction range or cooktop must be purchased between September 1, 2019 and December 31, 2019

* FOR CANADIAN CONSUMERS ONLY: Terms of offer: Quantities are limited. Offer valid for qualifying purchases made September 1, 2019 through December 31, 2019 (the "promotion period") or while supplies last. Product must be registered by calling 1-800-807-6777 on or before December 31, 2019 in order to be eligible. Offer valid only in Canada for registration of KitchenAid[®] Induction range and cooktop models KSIB900ESS, YKFID500ESS, KICU500XSBL, KICU500XSS, KICU509XSL, KICU509XSS, KICU569XSS, KICU569XSL and KCIG704FBL purchased at authorized Canadian retailers. Bonus cookware set offer is limited to one redemption per household during the promotional period. Qualifying consumer will receive an eligible KitchenAid[®] 10-piece cookware set (Model KC2TS10ST) valued at \$999.99 (Cdn.) MSRP, by courier to a Canadian address. Allow 4-6 weeks for delivery. Whirlpool Canada LP reserves the right to substitute with an alternate cookware set of equal or greater value. No substitutions by consumers are permitted. LATE SUBMISSIONS WILL NOT BE ACCEPTED. Offer good only in Canada. Purchases of refurbished or previously sold models do not qualify for the promotion. Offer is not transferable. Omission of any required information will delay processing or disqualify your request. All submissions become the property of Whirlpool Canada LP. ALL CLAIMS SUBJECT TO AUDIT.

®/™ © 2019 KitchenAid. Used under licence in Canada. All rights reserved. Form No. KA2016100E





ENTERTAIN EFFORTLESSLY AND EFFICIENTLY

Induction cookware efficiently becomes the heat source – little heating power is wasted and will use less energy than electric and gas.



COOK EVERY CREATION TO PERFECTION

Induction temperature control will deliver consistent results with accurate heating for precision cooking.


EASY TO CLEAN, COOL SURFACE

Surface does not get hot like electric, spills are easily wiped away.

KitchenAid.ca

KitchenAid | Gas Cooktops









KCGS556ESS Click to learn mor KitchenAid [®] 36'			KCGSS	956ESS								
	e	Click to learn more										
KitchenAid [®] 36'			Click to le	arn more								
Burner Gas Cook		5-Burne	Kitchen/ er Gas Coc	Aid® 36″ oktop with (Griddle							
20K Dual Ring Bu LED Lit Metal Kr cookShield™ Fin tect Cooktop Su	nobs ish to		LED Lit N CookShiel	Ring Burne ⁄Ietal Knobs d™ Finish t ktop Surfac	; :0							
36"			36″									
SS			SS									
Optional			Opti	onal								
Lighted Metal H	Knobs	LE	D Lighted	Metal Knoł	S							
5			Ę	5								
2x10	7	20 Dual Tier	12	10 Torch	7							
6				6								
•												
Optional Lighted Metal H 5 2x10			Option D Lighted 12	onal Metal Knok 5 10 Torch								

KitchenAid | Gas Cooktops





Commercial Style Cooktops		GCU467 ck to learn				GCU407VSS			wndraft ooktops		CGD500GS		KCGD506GSS Click to learn more				
PRODUCT DESCRIPTION		itchenAid [®] nercial Gas)		itchenAid® 30 nercial Gas Co		PRODUCT D	DESCRIPTION		itchenAid® 30 Gas Downdraf		5 Burr	KitchenAid® 36″ 5 Burner Gas Downdraft Cooktop			
TOP 3 FEATURES			etop wer™ Bu	rner	 4-Burner Commercial-Style Gas Rangetop 20K BTU UltraPower™ Burner 2x 15K BTU Professional Burners 			TOP	9 3 FEATURES	 4-Burner Downdraft Gas Cooktop 425 CFM with 3 Speeds 17K BTU Professional Burner 			 5-Burner Downdraft Gas (300 CFM with 3 Spece 17K BTU Professional B 			ds .	
SIZE (CUTOUT WIDTH)	36″		30″		SIZE (CUT	SIZE (CUTOUT WIDTH) 30'		30″			36″						
COLOUR(S)		SS			SS			COLOUR(S)		SS			5	S			
GRIDDLES		Optiona	al		Optional			GRIDDLES									
CONTROLS	Dishv	washer Saf	e Knobs		Dishwasher Safe Knobs			CONTROLS	SS Metal Knobs		SS Metal Knobs		ll Knobs				
NUMBER OF BURNERS		6				4		NUMBER	OF BURNERS	4		5		5			
BURNER (BTU x 1,000)	15 15	15	20	20	20	15	15	BURNER	(BTU x 1,000)	10	15	17	10	12.5	15	17	
SIMMER (BTU x 1,000)		5				6		SIMMER	(BTU x 1,000)	5		5					
OTHER	Heavy D	20K BTU Ultra Power™ Burner, Heavy Dury Cast-Iron Grates, 5K BTU Simmer Burner		20K BTU Ultra Power™ Burner, Heavy Dury Cast-Iron Grates, 5K BTU Simmer/Melt Burner			OTHER	5K BTU Simmer Burner, Full-Width Cast-Iron Grates			n Full-Width Cast-Iron Grat			es			
-								-			Training Av a enAid® Dow						

