VENTILATION ACCESSORIES GUIDE



UNDERMOUNT/WALL MOUNT

| MODEL | SIZE |
|-------------|------|
| KU24PRO1XV | 24" |
| KU30PRO1XV | 30" |
| KLI36PRO1XV | 36" |



STANDARD FEATURES Standard filter Filter panel quantity

Recirculation

Aluminum mesh 24" - 2 30" - 2 36" - 3 Yes

| | ACCESSORY | SIZE | CODE | COMMENTS/NOTES |
|---------------|------------------------------|-----------|---------|-------------------------------|
| DUCT COVER | STANDARD WIDTH | ALL | 901281 | Duct cover width: 9" 7/16 |
| | | | | Installs up to 10 ft ceilngs |
| | TALL | ALL | 901262 | Duct cover width: 9" 7/16 |
| | | | | Installs up to 12 ft ceilings |
| | MEDIUM WIDTH | 30" - 36" | 901263 | Duct cover width: 22" 1/8 |
| | | | | Installs up to 12 ft ceilings |
| | FULL WIDTH | 30" | 901266 | Duct cover width: 29" 15/16 |
| | | | | Installs up to 12 ft ceilings |
| | | 36" | 901265 | Duct cover width: 35" 7/8 |
| | | | | Installs up to 12 ft ceilings |
| RECIRCULATION | RECIRCULATION KIT | 24" | 901396 | Filter qty: 1 |
| | | | | Installs on top of hood |
| | | 30" | 901335 | Filter qty: 1 |
| | | | | Installs on top of hood |
| | | 36" | 901336 | Filter qty: 1 |
| | | | | Installs on top of hood |
| | REPLACEMENT CHARCOAL FILTERS | ALL | 901430 | Filter qty:1 |
| FILTER PANELS | STAINLESS STEEL BAFFLE | 24" - 36" | 901365 | Filter qty: 4 |
| | | 30" | 901366 | Filter qty: 2 |
| | ALUMINUM MESH FILTERS | 24" - 36" | 901402 | Filter qty: 1 |
| | | | | 24" requires 2 panels |
| | | | | 36" requires 3 panels |
| | | 30" | 901403 | Filter qty: 1 |
| | | | | 30" requires 2 panels |
| OTHER | FLOW RESTRICTOR | ALL | Z130018 | Reduces CFM rating to 300 CFM |

| MODEL | SIZE |
|---------------|------|
| KU24PRO1X/14 | 24" |
| KU30PRO1X/14 | 30" |
| KU36PRO1X/14 | 36" |
| KLIASDBO1X/1A | 48" |



| STANDARD FEATURI | ES |
|-----------------------|--------------|
| Standard filter | Aluminum mes |
| Filter panel quantity | 24" - 2 |
| | 30" - 2 |
| | 36" - 3 |
| | 48" - 4 |
| Recirculation | Yes |
| | |

| | TYPE | SIZE | CODE | COMMENTS/NOTES |
|---------------|------------------------------|-----------------|---------|-------------------------------|
| DUCT COVER | STANDARD | ALL | 901281 | Duct cover width: 9" 7/16 |
| | | | | Installs up to 10 ft ceilings |
| | TALL | ALL | 901262 | Duct cover width: 9" 7/16 |
| | | | | Installs up to 12ft ceilings |
| | MEDIUM | 30" - 36" - 48" | 901263 | Duct cover width: 22" 1/8 |
| | | | | Installs up to 12 ft ceilings |
| | FULL WIDTH | 30" | 901266 | Duct cover width: 29" 15/16 |
| | | | | Installs up to 12 ft ceilings |
| | | 36" | 901265 | Duct cover width: 35" 7/8 |
| | | | | Installs up to 12 ft ceilings |
| | | 48" | 901261 | Duct cover width: 47" 13/16 |
| | | | | Installs up to 12 ft ceilings |
| RECIRCULATION | REPLACEMENT CHARCOAL FILTERS | ALL | 901394 | Filter qty:1 |
| FILTER PANELS | BAFFLE FILTERS | 24" - 36" - 48" | 901365 | Filter panel qty: 4 |
| | | 30" | 901366 | Filter panel qty: 2 |
| | ALUMINUM MESH FILTERS | 24" - 36" - 48" | 901402 | Filter panel qty: 1 |
| | | | | 48" requires 4 panels |
| | | | | 36" requires 3 panels |
| | | | | 24" requires 2 panels |
| | | 30" | 901403 | Filter qty: 1 |
| | | | | 30" requires 2 panels |
| OTHER | FLOW RESTRICTOR | ALL | Z130018 | Reduces CFM rating to 300 CFM |

VENTILATION ACCESSORIES GUIDE



| MODEL | SIZE |
|-----------------|------|
| KU36PRO2X/14 | 36" |
| KI IAODD OOY/AA | 48" |



| STANDARD FEATURES | |
|-----------------------|-------------------------|
| Standard filter | Stainless steel baffles |
| Filter panel quantity | 36" - 3 |
| | 48" - 4 |

| | TYPE | SIZE | CODE | COMMENTS/NOTES |
|---------------|------------------------------|------|----------|--|
| DUCT COVER | MEDIUM | ALL | 901263 | Duct cover width: 22" 1/8 Installs up to 12 ft ceilings |
| | FULL WIDTH | 36" | 901265 | Duct cover width: 35" 7/8 Installs up to 12 ft ceilings |
| | | 48" | 901261 | Duct cover width: 47" 13/16 Installs up to 12 ft ceilings |
| RECIRCULATION | REPLACEMENT CHARCOAL FILTERS | ALL | 901394 | Filter qty: 1 |
| | | | | Filter lifetime: 6 months 36"/48" requires 2 pcs |
| FILTER PANELS | BAFFLE FILTERS | ALL | Included | - |
| | ALUMINUM MESH FILTERS | ALL | 901402 | Filter panel qty: 1 |
| | | | | 48" requires 4 panels |
| | | | | 36" requires 3 panels |

VENTILATION ACCESSORIES GUIDE



WALL MOUNT

| MODEL | SIZE |
|------------|------|
| K36CONX/14 | 36" |
| K48CONX/14 | 48" |



| | TYPE | SIZE | CODE | COMMENTS/NOTES |
|---------------|------------------------------|------|----------|---|
| DUCT COVER | DUCT COVER | ALL | Included | Duct cover width: 12" 7/16 Installs up to 8 ft ceilings |
| | DUCT COVER EXTENSION | ALL | 901363 | Duct cover width: 12" 7/16 Installs up to 10 ft ceilings |
| RECIRCULATION | REPLACEMENT CHARCOAL FILTERS | ALL | 901395 | Filter qty: 1 Filter lifetime: 6 months |
| FILTER PANELS | BAFFLE FILTERS | ALL | 901364 | Filter panel qty: 4 36" - 48" requires 1 kit |
| | ALUMINUM MESH FILTERS | ALL | 901404 | Filter panel qty: 1 36" requires 3 panels 48" requires 4 panels |
| OTHER | FLOW RESTRICTOR | ALL | Z130018 | Reduces CFM rating to 300 CFM |

STANDARD FEATURES
Standard filter
Filter panel quantity Aluminum mesh 36" - 3 48" - 4 Recirculation Yes 21" 5/8 - 35" 13/16

Duct cover height

MODEL SIZE KG30X 30" KG36X 36" KG48X 48"



| | TYPE | SIZE | CODE | COMMENTS/NOTES |
|---------------|------------------------------|------|----------|---|
| DUCT COVER | DUCT COVER | ALL | Included | Duct cover width: 15" 3/4 Installs up to 9 ft ceilings |
| | DUCT COVER EXTENSION | ALL | 901562 | Duct cover width: 11" 7/16 Installs up to 10 ft ceilings |
| RECIRCULATION | REPLACEMENT CHARCOAL FILTERS | ALL | 901578 | Filter qty: 1 Filter lifetime: 6 months |
| RECIRCULATION | KIT | ALL | 901577 | 1 kit include: filter fitting, screws, charcoal filter |
| FILTER PANELS | STAINLESS STEEL MESH FILTERS | ALL | Included | - |

STANDARD FEATURES
Standard filter Stainless steel mesh Filter panel quantity 30" - 2 36" - 3 48" - 4 Recirculation Duct cover height Yes 23" 13/16 - 41" 23/32 Digital throttle to 395 CFM

MODEL KCH24XV **SIZE** 24" KCH30XV 30" KCH36XV 36"



| | TYPE | SIZE | CODE | COMMENTS/NOTES |
|---------------|------------------------------|------|----------|--|
| DUCT COVER | DUCT COVER | ALL | Included | Duct cover width: 10" 29/32 Installs up to 9 ft ceilings |
| RECIRCULATION | REPLACEMENT CHARCOAL FILTERS | ALL | 901488 | Filter qty: 1 Filter lifetime: 6 months |
| FILTER PANELS | ALUMINUM MESH FILTERS | ALL | 901404 | Filter panel qty: 1 24" requires 2 panels 30" requires 2 panels 36" requires 3 panels |
| OTHER | FLOW RESTRICTOR | ALL | Z130018 | Reduces CFM rating to 300 CFM |

STANDARD FEATURES Standard filter Aluminum mesh 24" - 2 30" - 2 Filter panel quantity 36" - 3 Recirculation Yes 17" 23/64 - 36" 19/64 Duct cover height

VENTILATION ACCESSORIES GUIDE



| MODEL | SIZE |
|----------------------------|------|
| KMC30X / KMC30BI / KMC30NE | 30" |
| KMC36X / KMC36BI / KMC36NE | 36" |
| KMC48X / KMC48BI / KMC48NE | 48" |



| | TYPE | SIZE | CODE | COMMENTS/NOTES |
|---------------|--------------------------------------|------|----------|---|
| DUCT COVER | DUCT COVER | ALL | Included | Duct cover width: 15" 3/4 Installs up to 10 ft ceilings |
| RECIRCULATION | REPLACEMENT CHARCOAL FILTERS | ALL | 901531 | Filter qty: 2 Filter lifetime: 6 months |
| | DURABLE REPLACEMENT CHARCOAL FILTERS | ALL | 901532 | Filter qty: 2 Filter lifetime: 3 years Can be washed and resued |
| FILTER PANELS | BAFFLE FILTERS | ALL | Included | - |
| OTHER | FLOW RESTRICTOR - 400 CFM | ALL | 901530 | - |
| | FLOW RESTRICTOR - 300 CFM | ALL | 901544 | - |

STANDARD FEATURES

Standard filter Filter panel quantity Baffle stainless steel

30" - 3 36" - 3

Recirculation

48" - 4 30": Yes 36": Yes 48" No

21" 7/8 - 39" 15/16 Duct cover height

MODEL SIZE

K36HERTX (Base unit)

+ KC36HERTX (Color Canopy - Stainless Steel) + KC36HERTNE (Color Canopy - Matt Textured Black) + KC36HERTAV (Color Canopy - Enamel Ivory)

K48HERTX (Base unit) 48" + KC48HERTX (Color Canopy - Stainless Steel) + KC48HERTNE (Color Canopy - Matt Textured Black)

+ KC48HERTAV (Color Canopy - Enamel Ivory)



| | TYPE | SIZE | CODE | COMMENTS/NOTES |
|---------------|------------------------------|------|-------------|------------------------------------|
| DUCT COVER | STANDARD | ALL | Included in | Duct cover included with canopy |
| | | | Canopy | Duct cover width: 26" 11/16 |
| | | | | Installs up to 10 ft ceilings |
| RECIRCULATION | REPLACEMENT CHARCOAL FILTERS | ALL | 901395 | Filter qty: 1 |
| | | | | Filter lifetime: 6 months |
| RECIRCULATION | KIT | 48" | 901516 | 1 kit include: |
| | | 36" | 901515 | air outlet Ø 150 mm, air deviator, |
| | | | | screws, charcoal filter |
| FILTER PANELS | BAFFLE FILTERS | ALL | Included | = |
| OTHER | FLOW RESTRICTOR | ALL | Z130018 | Reduces CFM rating to 300 CFM |

STANDARD FEATURES Standard filter

Baffle stainless steel

36" - 3 48" - 4 Filter panel quantity

Recirculation Yes Duct cover height

33" 9/16 - 49" 5/16

VENTILATION ACCESSORIES GUIDE



CABINET MOUNT/VISOR HOOD

| MODEL | SIZE |
|-----------|------|
| KTV24XV | 24" |
| KT//30X// | 30" |



| ТҮР | E | SIZE | CODE | COMMENTS/NOTES |
|-------------------|----------------------------|------|--------|---------------------------|
| RECIRCULATION REP | PLACEMENT CHARCOAL FILTERS | ALL | 901531 | Filter qty: 2 |
| | | ALL | | Filter lifetime: 6 months |
| DUR | RABLE CHARCOAL FILTERS | ALL | 901532 | Filter qty: 2 |
| | | | | Filter lifetime: 3 years |
| | | | | Can be washed and resued |

STANDARD FEATURES
Standard filter Aluminum mesh 24" - 2 30" - 4 Filter panel quantity Recirculation Yes

VENTILATION LINER / INSERT

| MODEL | SIZE |
|-----------|------|
| KIN30PROX | 30" |
| KIN36PROX | 36" |
| KIN46PROX | 46" |



| | TYPE | SIZE | CODE | COMMENTS/NOTES |
|---------------|---------------------------------|------|----------|---|
| RECIRCULATION | REPLACEMENT CHARCOAL FILTERS | ALL | 901397 | Filter qty: 2 Filter lifetime: 6 months 36" requires 2 kits 46" requires 2 kits |
| FILTER PANELS | BAFFLE FILTERS | ALL | Included | - |
| OTHER | AIR BRACKET 2 IN 1 (9" 13/16 Ø) | ALL | Included | - |

STANDARD FEATURES
Standard filter
Filter panel quantity Baffle stainless steel 30" - 2 36" - 2 46" - 3 Yes

Recirculation

VENTILATION ACCESSORIES GUIDE



OVER THE RANGE MICROWAVE HOODS

| MODEL | SIZE |
|----------|------|
| KOTR0MXE | 30" |



| TYPE | SIZE | CODE | COMMENTS/NOTES |
|-------------------|------|----------|----------------|
| RECIRCULATION KIT | ALL | Included | = |

| MODEL | SIZE |
|---------|------|
| KULDSUA | 20" |



| TYPE | SIZE | CODE | COMMENTS/NOTES | |
|-----------------------|------|----------|----------------|--|
| RECIRCULATION KIT | ALL | Included | - | |

| MODEL | SIZE |
|-----------------|------|
| KOTR24MXE - NEW | 24" |



| TYPE | SIZE | CODE | COMMENTS/NOTES |
|-------------------|------|----------|----------------|
| RECIRCULATION KIT | ALL | Included | - |