

UNDERMOUNT/WALL MOUNT

MODEL	SIZE
KU24PRO1XV	24"
KU30PRO1XV	30"
KU36PRO1XV	36"



STANDARD FEATURE	S
Standard filter	Aluminum mesh
Filter panel quantity	24" - 2
	30" - 2
	36" - 3
Recirculation	Yes
Motor	1
CFM	400
Lighting	LED
Controls	Electronic with buttons

	ACCESSORY	SIZE	CODE	COMMENTS/NOTES
DUCT COVER	STANDARD WIDTH	ALL	901281	Duct cover width: 9" 7/16
				Installs up to 10 ft ceilngs
	TALL	ALL	901262	Duct cover width: 9" 7/16
				Installs up to 12 ft ceilings
	MEDIUM WIDTH	30" - 36"	901263	Duct cover width: 22" 1/8
				Installs up to 12 ft ceilings
	FULL WIDTH	30"	901266	Duct cover width: 29" 15/16
				Installs up to 12 ft ceilings
		36"	901265	Duct cover width: 35" 7/8
				Installs up to 12 ft ceilings
RECIRCULATION	RECIRCULATION KIT	24"	901396	Filter qty: 1
				Installs on top of hood
		30"	901335	Filter qty: 1
				Installs on top of hood
		36"	901336	Filter qty: 1
				Installs on top of hood
	REPLACEMENT CHARCOAL FILTERS	ALL	901430	Filter qty:1
FILTER PANELS	STAINLESS STEEL BAFFLE	24" - 36"	901365	Filter qty: 4
		30"	901366	Filter qty:2
	ALUMINUM MESH FILTERS	24" - 36"	901402	Filter qty: 1
				24" requires 2 panels
				36" requires 3 panels
		30"	901403	Filter qty: 1
				30" requires 2 panels
OTHER	FLOW RESTRICTOR	ALL	901595	Reduces CFM rating to 300 CFI

MODEL	SIZE
KU24PRO1X/14	24"
KU30PRO1X/14	30"
KU36PRO1X/14	36"
KU48PRO1X/14	48"



	TYPE	SIZE	CODE	COMMENTS/NOTES
DUCT COVER	STANDARD	ALL	901281	Duct cover width: 9" 7/16
				Installs up to 10 ft ceilings
	TALL	ALL	901262	Duct cover width: 9" 7/16
				Installs up to 12ft ceilings
	MEDIUM	30" - 36" - 48"	901263	Duct cover width: 22" 1/8
				Installs up to 12 ft ceilings
	FULL WIDTH	30"	901266	Duct cover width: 29" 15/16
				Installs up to 12 ft ceilings
		36"	901265	Duct cover width: 35" 7/8
				Installs up to 12 ft ceilings
		48"	901261	Duct cover width: 47" 13/16
				Installs up to 12 ft ceilings
RECIRCULATION	REPLACEMENT CHARCOAL FILTERS	ALL	901394	Filter qty:1
	AIR BRACKET 2 IN 1		-	-
FILTER PANELS	BAFFLE FILTERS	24" - 36" - 48"	901365	Filter panel qty: 4
		30"	901366	Filter qty:2
	ALUMINUM MESH FILTERS	24" - 36" - 48"	901402	Filter panel qty: 1
				48" requires 4 panels
				36" requires 3 panels
				24" requires 2 panels
		30"	901403	Filter qty: 1
				30" requires 2 panels
OTHER	FLOW RESTRICTOR	ALL	901595	Reduces CFM rating to 300 CFM

STANDARD FEATURE	<u>8</u>
Standard filter	Aluminum mesh
Filter panel quantity	24" - 2
	30" - 2
	36" - 3
	48" - 4
Recirculation	Yes
Motor	1
CFM	600
Lighting	LED
Controls	Electronic with buttor

Electronic with buttons

SIZE 36" 48"



MODEL KU36PRO2X/14 KU48PRO2X/14



STANDARD FEATUR	ES
Standard filter	Stainless steel baffles
Filter panel quantity	36" - 3
	48" - 4
Motor	2
CFM	1200
Lighting	LED
Controls	Electronic with buttons

	TYPE	SIZE	CODE	COMMENTS/NOTES
DUCT COVER	MEDIUM	ALL	901263	Duct cover width: 22" 1/8
				Installs up to 12 ft ceilings
	FULL WIDTH	36"	901265	Duct cover width: 35" 7/8
				Installs up to 12 ft ceilings
		48"	901261	Duct cover width: 47" 13/16
				Installs up to 12 ft ceilings
RECIRCULATION	REPLACEMENT CHARCOAL FILTERS	ALL	901394	Filter qty: 1
				Filter lifetime: 6 months
				36"/48" requires 2 pcs
FILTER PANELS	BAFFLE FILTERS	ALL	Included	-
	ALUMINUM MESH FILTERS	ALL	901402	Filter panel qty: 1
				48" requires 4 panels
				36" requires 3 panels

WALL MOUNT

MODEL	SIZE				
KT36XT	36"				
KT48XT	48"				
		ТҮРЕ	SIZE	CODE	COMMENTS/NOTES
	DUCT CO	OVER DUCT COVER	ALL	Included	Duct cover width: 11" 13/16 Installs up to 9 ft ceilings
		DUCT COVER EXTENSION	ALL	901583	Duct cover width: 11" 13/16 Installs up to 10 ft ceilings
	RECIRCI	JLATION REPLACEMENT CHARCOAL FILTE	ERS ALL	901497	Filter qty: 1 Filter lifetime: 6 months
•••••	FILTER F	PANELS BAFFLE FILTERS	ALL	901582	Filter panel qty: 1 36" requires 3 panels 48" requires 4 panels
	REMOTE	CONTROL	ALL	Included	-

STANDARD FEATURE	S
Standard filter	Stainless steel mesh
Filter panel quantity	36" - 3
The parter quartity	48" - 4
Recirculation	Yes
Duct cover height	30"5/16 - 40"3/8
Digital throttle to 295 or	395 CFM
Motor	1
CFM	600
Lighting	LED
Controls	Electronic with buttons

SIZE 30" 36" 48"



MODEL		
KG30X		
KG36X		
KG48X		



	ТҮРЕ	SIZE	CODE	COMMENTS/NOTES
DUCT COVER	DUCT COVER	ALL	Included	Duct cover width: 15" 3/4
		ALL	Included	Installs up to 9 ft ceilings
	DUCT COVER EXTENSION	ALL	901562	Duct cover width: 11" 7/16
		ALL	901562	Installs up to 10 ft ceilings
RECIRCULATION	REPLACEMENT CHARCOAL FILTERS	ALL	901578	Filter qty: 1
		ALL	901576	Filter lifetime: 6 months
RECIRCULATION	KIT	ALL	901577	1 kit include:
				filter fitting, screws, charcoal filter
FILTER PANELS	STAINLESS STEEL MESH FILTERS	ALL	Included	-

STANDARD FEATUR	ES			
Standard filter	Stainless steel mesh			
Filter panel quantity	30" - 2			
r nor parlor quartary	36" - 3			
	48" - 4			
Recirculation	Yes			
Duct cover height	23" 13/16 - 41" 23/32			
Digital throttle to 395 CFM				
Motor	1			
CFM	600			
Lighting	LED			
Controls	Touch control			

_					
SIZE					
24"					
30"					
36"					
		ТҮРЕ	SIZE	CODE	COMMENTS/N
	DUCT COVER	DUCT COVER	ALL	Included	Duct cover width: 1 Installs up to 9 ft
	RECIRCULATION	REPLACEMENT CHARCOAL FILTERS			Filter atv: 1



MODEL KCH24XV KCH30XV KCH36XV

STANDARD FEATURES	<u>S</u>
Standard filter	Aluminum mesh
Filter panel quantity	24" - 2
	30" - 2
	36" - 3
Recirculation	Yes
Duct cover height	17" 23/64 - 36" 19/64
Motor	1
CFM	600
Lighting	LED
Controls	Push buttons

	ТҮРЕ	SIZE	CODE	COMMENTS/NOTES
DUCT COVER	DUCT COVER	ALL	Included	Duct cover width: 10" 29/32
				Installs up to 9 ft ceilings
RECIRCULATION	REPLACEMENT CHARCOAL FILTERS	ALL	901488	Filter qty: 1
		ALL	301400	Filter lifetime: 6 months
FILTER PANELS	ALUMINUM MESH FILTERS			Filter panel qty: 1
		ALL	901404	24" requires 2 panels
		ALL	901404	30" requires 2 panels
				36" requires 3 panels
OTHER	FLOW RESTRICTOR	ALL	901595	Reduces CFM rating to 300 CFM



 MODEL
 SIZE

 KPH36XT
 36"

 KPH48XT
 48"

STANDARD FEATURE	S
Standard filter	Baffle stainless steel
Filter panel quantity	36" - 3
	48" - 4
Recirculation	Yes
Duct cover height	16" 23/32 - 35" 1/4
Digital throttle to 395 C	FM
Motor	1
CFM	600
Lighting	LED Bar
Controls	Electronic with buttons

	TYPE	SIZE	CODE	COMMENTS/NOTES
DUCT COVER	DUCT COVER	36"	Included	Duct cover width: 17" 5/8
				Installs up to 10 ft ceilings
		48"	Included	Duct cover width: 29" 7/16
				Installs up to 10 ft ceilings
RECIRCULATION	REPLACEMENT CHARCOAL FILTERS	ALL	901612	Filter qty: 2
				Filter lifetime: 6 months
FILTER PANELS	BAFFLE FILTERS	ALL	Included	-

S I 36 48					
		ТҮРЕ	SIZE	CODE	COMMENTS/NOTES
	DUCT COVER	DUCT COVER	36"	Included	Duct cover width: 17" 5/8 Installs up to 10 ft ceilings
			48"	Included	Duct cover width: 29" 7/16 Installs up to 10 ft ceilings
	FILTER PANELS	BAFFLE FILTERS	ALL	Included	-

STANDARD FEATURES Standard filter Baffle stainless steel

MODEL KPH362XT KPH482XT

	Standard filter	Baffle stainless steel	
Filter panel quantity		36" - 3	
		48" - 4	
	Duct cover height	16" 23/32 - 35" 1/4	
	Motor	2	
	CFM	1200	
	Lighting	LED Bar	
	Controls	Electronic with buttons	



MODEL	
KMC30X / KMC30BI / KMC30	NE
KMC36X / KMC36BI / KMC36	
KMC48X / KMC48BI / KMC48	



			ALL	
	ТҮРЕ	SIZE	CODE	COMMENTS/NOTES
DUCT COVER	DUCT COVER	ALL	Included	Duct cover width: 15" 3/4 Installs up to 10 ft ceilings
RECIRCULATION	REPLACEMENT CHARCOAL FILTERS	ALL	901531	Filter qty: 2 Filter lifetime: 6 months
	DURABLE REPLACEMENT CHARCOAL FILTERS	ALL	901532	Filter qty: 2 Filter lifetime: 3 years Can be washed and resued
FILTER PANELS	BAFFLE FILTERS	ALL	Included	-
REMOTE CONTRO	DL	ALL	901575	-
OTHER	FLOW RESTRICTOR - 400 CFM	ALL	901530	-
	FLOW RESTRICTOR - 300 CFM	ALL	901544	-

STANDARD FEATURES	
Standard filter	Baffle stainless steel
Filter panel quantity	30" - 3
	36" - 3
	48" - 4
Recirculation	30": Yes
	36": Yes
	48" No
Duct cover height	21" 7/8 - 39" 15/16
Motor	1
CFM	600
Lighting	LED
Controls	Electronic with buttons

MODEL		SIZE
K36HERTX	(Base unit)	36"
+ KC36HERTX	(Color Canopy - Stainless	Steel)
+ KC36HERTNE	(Color Canopy - Matt Text	ured Black)
+ KC36HERTAV	(Color Canopy - Enamel	vory)
K48HERTX	(Base unit)	48"
+ KC48HERTX	(Color Canopy - Stainless	Steel)

+ KC48HERTNE (Color Canopy - Matt Textured Black) + KC48HERTNE (Color Canopy - Matt Textured Black) + KC48HERTAV (Color Canopy - Enamel Ivory)



	ТҮРЕ	SIZE	CODE	COMMENTS/NOTES
DUCT COVER	STANDARD	ALL	Included in	Duct cover included with canopy
			Canopy	Duct cover width: 26" 11/16
				Installs up to 10 ft ceilings
RECIRCULATION	REPLACEMENT CHARCOAL FILTERS	ALL	901395	Filter qty: 1
				Filter lifetime: 6 months
RECIRCULATION	KIT	48"	901516	1 kit include:
		36"	901515	air outlet Ø 150 mm, air deviator,
				screws, charcoal filter
FILTER PANELS	BAFFLE FILTERS	ALL	Included	-
OTHER	FLOW RESTRICTOR	ALL	901595	Reduces CFM rating to 300 CFM

STANDARD FEATURES	
Standard filter	Baffle stainless steel
Filter panel quantity	36" - 3
	48" - 4
Recirculation	Yes
Duct cover height	33" 9/16 - 49" 5/16
Motor	1
CFM	600
Lighting	LED
Controls	Electronic with buttons

SIZE 36" 42"



ISLAND

MODEL
KTI36XT
KTI42XT
I/THOYT



STANDARD FEATUR	ES
Standard filter	Stainless steel mesh
Filter panel quantity	36" - 3
	42" - 3
	48" - 4
Recirculation	Yes
Duct cover height	27"3/4 - 39"10/16
Digital throttle to 295 o	r 395 CFM
Motor	1
CFM	600
Lighting	LED
Controls	Electronic with buttons

	TYPE	SIZE	CODE	COMMENTS/NOTES
DUCT COVER	DUCT COVER	ALL	Included	Duct cover width: 13"3/4
		ALL	Included	Installs up to 8 ft ceilings
	DUCT COVER EXTENSION	ALL	901585	Duct cover width: 13"3/4
		ALL	901585	Installs up to 10 ft ceilings
RECIRCULATION	REPLACEMENT CHARCOAL FILTERS	ALL	901497	Filter qty: 1
				Filter lifetime: 6 months
FILTER PANELS	BAFFLE FILTERS			Filter panel qty: 1
		ALL	901581	36" requires 3 panels
		ALL	901561	42" requires 3 panels
				48" requires 4 panels
REMOTE CONTRO	DL	ALL	Included	-

CABINET MOUNT/VISOR

MODEL KTV24XV	SIZE 24"					
KTV30XV	30"					
			ТҮРЕ	SIZE	CODE	COMMENTS/NOTES
		RECIRCULATION	REPLACEMENT CHARCOAL FILTERS	ALL	901531	Filter qty: 2 Filter lifetime: 6 months
	10000		DURABLE CHARCOAL FILTERS	ALL	901532	Filter qty: 2 Filter lifetime: 3 years Can be washed and resued

STANDARD FEATURI	ES	
Standard filter	Aluminum mesh	
Filter panel quantity	24" - 2	
	30" - 4	
Recirculation	Yes	
Motor	1	
CFM	24" - 300	
	30" - 600	
Lighting	LED	
Controls	Slider	
		-

	TYPE	SIZE	CODE	COMMENTS/NOTES
RECIRCULATION	REPLACEMENT CHARCOAL FILTERS	ALL	901531	Filter qty: 2
		ALL		Filter lifetime: 6 months
	DURABLE CHARCOAL FILTERS	ALL	901532	Filter qty: 2
				Filter lifetime: 3 years
				Can be washed and resued





MODEL		SIZE					
KIN30XT		30"					
KIN36XT		36"					
KIN48XT		48"					
				ТҮРЕ	SIZE	CODE	COMMENTS/NOTES
		1-//	RECIRCULATION	REPLACEMENT CHARCOAL FILTERS	ALL	901531	Filter qty: 2 Filter lifetime: 6 months
	n h h how h h h h how			DURABLE CHARCOAL FILTERS	ALL	901532	Filter qty: 2 Filter lifetime: 3 years Can be washed and resued
			REMOTE CONTRO)L	ALL	Included	-
Standard filter Filter panel quantity Recirculation	Baffle stainless steel 30" - 2 36" - 3 48" - 4 Yes						
Digital throttle to 295 o	r 395 CFM just for 30"						
Motor	30" - 1 36"&48" - 2						
CFM	30" - 600 36"&48" - 1200						
	LED						
Lighting							

MODEL	SIZE		
KIN30XV	30"		
KIN36XV	36"		
		 A177	



	TYPE	SIZE	CODE	COMMENTS/NOTES
RECIRCULATION	REPLACEMENT CHARCOAL FILTERS	ALL	901531	Filter qty: 2 Filter lifetime: 6 months
	DURABLE CHARCOAL FILTERS	ALL	901532	Filter qty: 2 Filter lifetime: 3 years Can be washed and resued
REMOTE CONTRO	DL	ALL	901575	-

STANDARD FEATURES	<u>}</u>
Standard filter	Aluminum mesh
Filter panel quantity	30" - 2
	36" - 2
Recirculation	Yes
Digital throttle to 295 or 3	395 CFM
Motor	1
CFM	560
Lighting	LED
Controls	Electronic with buttons



OVER THE RANGE MICROWAVE

MODEL KOTROMXE	SIZE 30"				
		ТҮРЕ	SIZE	CODE	COMMENTS/NOTES
		RECIRCULATION KIT	ALL	Included	-
*					
IODEL	SIZE				
KOTR30X	30"				
		ТҮРЕ	SIZE	CODE	COMMENTS/NOTES
		RECIRCULATION KIT	ALL	Included	
MODEL	SIZE				
KOTR24MXE - NEW	24"				
			SIZE	CODE	COMMENTS/NOTES
		TYPE	SIZE	CODE	COMMENTS/NOTES

