

## Ventilation

### HUI50351UC 30" Pull-Out Hood 500 Series - Stainless Steel



**This sleek, 30" integrated pull-out hood allows you to close the hood when not in use, providing a flush-look with cabinetry**

- Front stainless steel panel is replaceable with custom cabinetry panel
- 300 CFM integrated blower included & recirculation kit available for sale
- 3 speed slider control & 2 halogen lights
- Dishwasher safe aluminum mesh filters
- Absorbs odors with Charcoal Replacement Filters (Available for sale)

---

#### Technical Data

Operating Mode :	Convertible: Ducted / Recirculating
Number of speed settings :	3-stage
Optional accessories :	HUIF06UC
Number of lights :	2
Type of lamps used :	Halogen
Total power of the lamps (W) :	20
UPC code :	825225920328
Material :	Stainless steel
Watts (W) :	370
Volts (V) :	120
Frequency (Hz) :	60
Approval certificates :	CUL
Power cord length (in) :	50"
Power cord length (cm) :	127
Plug type :	fixed connection
Overall appliance dimensions (HxWxD) (in) :	/ x 29 7/8" x 11"
Overall appliance dimensions (HxWxD) (mm) :	x 759 x 279
Product packaging dimensions (HxWxD) (in) :	17.12 x 17.91 x 34.44
Net weight (lbs) :	32
Net weight (kg) :	15.0
Gross weight (lbs) :	36
Gross weight (kg) :	16.0
Motor location :	Integrated motor in hood body
Diameter of air duct (in) top :	6
Diameter of air duct (in) back :	6
Discharge direction :	vertical
No-return airflow flap :	No

---

#### Optional accessories

HUIF06UC : Carbon filter

## Ventilation

### **HUI50351UC 30" Pull-Out Hood 500 Series - Stainless Steel**

**This sleek, 30" integrated pull-out hood allows you to close the hood when not in use, providing a flush-look with cabinetry**

---

#### **Design**

- The Pull-Out Hood Visor Fully Extends During Use, and Neatly Tucks Away When not Needed
- Front Stainless Steel Visor Panel can be Replaced with the User's Own Custom Strip to Match Surrounding Cabinetry (Custom Strip Not Provided)

#### **Performance**

- 300 CFM Integrated Blower Included
- Three Speed Slider Control
- 2 Halogen Lights - 120 V, 20 Watt Max., G-4 Base
- 6 inch Round Duct at Discharge

#### **Efficiency**

- Absorbs Odors with Charcoal Replacement Filters (Separate Purchase Required)

#### **Convenience**

- Aluminum Mesh Filters are Dishwasher Safe for Ease of Cleaning
- Converts to Recirculation Mode with Accessory Kit (Separate Purchase Required)

# Ventilation

## HUI50351UC 30" Pull-Out Hood 500 Series - Stainless Steel

