800 Series, Gas Cooktop, 30", Stainless steel
NGM8058UC

The 800® Series stainless steel gas cooktop with control knob LED light line indicator and adjustable FlameSelect®.

- Seamless, one-piece stainless steel design makes clean-up simple.
- Continuous Grates Make Moving Heavy Pots Easier
- OptiSim® burner offers more flame control at the lowest settings for precise simmering and melting.
- Dishwasher safe grates and porcleain enameled cooking surface makes the clean-up process faster and easier.

Technical Data

Knob Material : Full metal
Sealed Burners : Yes
Type of grate : Cast iron
Natural Gas Connection Rating : 41400 BTU
LP Gas Connection Rating : 40100 BTU
Power of 1st burner : 3400 BTU
Power of 3rd burner (BTU) : 6000 BTU

Optional accessories

HEZ298102 : Wok ring

800 Series, Gas Cooktop, 30'', Stainless steel
NGM8058UC

The 800® Series stainless steel gas cooktop with control knob LED light line indicator and adjustable FlameSelect®.

Performance
- 5 high efficiency gas burners
- FlameSelect® (9 power levels)
- 17.1K dual flame ring power burner
- OptiSim® burner
- STAR-K Sabbath compliant

Convenience
- Sealed burners prevent spills from entering the burner box
- Full width continuous surface enameled cast iron grates can be cleaned in dishwasher
- Push-to-turn knobs with electronic ignition
- LED light line in the control knob for each burner

Design
- Stainless steel cooking surface
- Heavy-duty stainless color metal knobs for a premium look and feel
- Low-profile design for an integrated transition to the counter surface
- Perfect results are within reach with up-front centralized controls
- Cooktop design coordinates with Bosch ovens and ventilation

Safety
- LP conversion kit included for conversion from natural gas to liquid propane
- Residual heat indicator on every burner reminds you not to touch the grates when they are still hot
- Flame thermocouple sensing device will switch off the supply of gas if flame temporarily extinguishes

800 Series, Gas Cooktop, 30'', Stainless steel
NGM8058UC

Measurements in inches (mm)

C 7¹/₄ (184)
1¹/₂ (38)

A: Dimension from countertop to top of grates
B: When installed in combination with a hood, refer to hood manufacturer's requirements for installation

C: Gas connection

Depth from back wall
Cabinet max. 13" (330)

Centred over cooktop
NGM30 - min. 30" (762)
NGM36 - min. 36" (914)

Above counter min. 30" (762) to combustible surface

min. 18"(458)

"Left side 12" (305)

Rear wall – 2" (51)

*Right side 12" (305)

measurements in inches (mm)