

Ventilation

HCP36E51UC
36" Pyramid Canopy Chimney Hood
Energy Star Series - Stainless Steel



The Energy Star Hood is Quiet in Operation Providing Better Efficiency and Comfort with Less Noise

- Quiet operation 1.5 Sones / 168 CFM Low to 5.3 Sones / 300 CFM High
- 300 CFM Centrifugal Integrated Blower Included
- Three Speed Touch Controls with LCD Display
- Dishwasher Safe Aluminum Mesh Filters
- Converts to Recirculation Mode with Accessory Kit (Separate Purchase Required)

Technical Data

Operating Mode :	Convertible: Ducted / Recirculating
Number of speed settings :	3-stage
Optional accessories :	HCIFILTUC, HCPEXT5UC, HCREC5UC
Number of lights :	2
Type of lamps used :	Fluorescent
Total power of the lamps (W) :	13; 13
Grease filter material :	Washable aluminium
Grease filter type :	Multilayer cassette
UPC code :	825225919933
Material :	Stainless steel
Watts (W) :	160
Volts (V) :	110
Frequency (Hz) :	60
Approval certificates :	CUL, UL
Power cord length (in) :	0
Power cord length (cm) :	0
Plug type :	120V-3 prong, no plug
Overall appliance dimensions (HxWxD) (in) :	
	24 9/16" - 38 7/8" / 28 1/4" - 42 9/16" x 36 " x 19 11/16 ' "
Overall appliance dimensions (HxWxD) (mm) :	
	718-1081 x 914 x 500
Product packaging dimensions (HxWxD) (in) :	
	26.25 x 39.99 x 17.75
Height of the chimney (in) :	
	19 9/16" - 33 7/8"/23 1/4" - 42 9/16"
Height of the chimney (mm) :	498-861
Required distance above cooktop/ranges :	24 "/27 "
Net weight (lbs) :	53
Net weight (kg) :	24.0
Gross weight (lbs) :	59
Gross weight (kg) :	27.0
Motor location :	Integrated motor in hood chimney
Diameter of air duct (in) top :	8
No-return airflow flap :	Yes

Optional accessories

- HCIFILTUC : Wall/Island Chimney Charcoal Filter
- HCPEXT5UC : Pyramid Chimney Extension
- HCREC5UC : Wall Chimney Recirc. Kit

Ventilation

HCP36E51UC

36" Pyramid Canopy Chimney Hood Energy Star Series - Stainless Steel

The Energy Star Hood is Quiet in Operation Providing Better Efficiency and Comfort with Less Noise

Design

- Duct Extension Accessory Kit Available for 9' to 11.5' Ceilings

Performance

- 1 Fluorescent Light - 13 Watt
- 8" round duct at discharge.

Efficiency

- Blower will automatically turn on at high speed if excessive heat is sensed in the control area.
- Absorb odors with charcoal replacement filters.

Convenience

- Convenient timer built into control from 1-60 minutes.
- Signal on LCD display will illuminate as a reminder to check filters for cleaning.
- Audible tone when select controls are pressed.

Ventilation

HCP36E51UC

36" Pyramid Canopy Chimney Hood Energy Star Series - Stainless Steel

