

Side-by-Side

30" Built-In Custom Panel Bottom-Freezer Benchmark™ Series - Custom Panel B30IB800SP





















The 30" Custom Panel Built-in Refrigerator Works Efficiently to Prevent the Transfer of Flavors and Keep Produce Fresh Longer

- Includes All LED Sidewall and Theater Lighting
- Dual Evaporators Prevent the Transfer of Odors and Optimize Humidity for Freshness
- The Optiflex Hinge Allows Doors to be Mounted Flush and Open With No Damage to Cabinetry

Technical Data	
Multi-Flow Air Tower :	Yes
SUPERCOOL:	Yes
SUPERFREEZE :	Yes
Carbon Air Filter :	No
Temperature Controlled Drawer:	No
Humidity Control Drawer:	Yes
Number of Door Bins - Refrigerator :	2
Adjustable Door Bins - Refrigerator :	No
Tilt-Out Door Bins - Refrigerator :	Yes
Gallon Storage Bins :	1
Number of Shelves - Refrigerator :	3
Door hinge :	Right reversible
Adjustable Shelves - Refrigerator :	2
Reversible Door Hinge :	Yes
Adjustable Shelves - Freezer :	No
UPC code :	825225910435
Panel ready :	Not possible
Silence level (dBA) :	43
Watts (W):	588
Current (A) :	15
Volts (V):	120
Frequency (Hz) :	60
Energy Star® qualified :	Yes
Approval certificates :	ETL, ETL C
Power cord length (in) :	78 3/4"
Required cutout size (HxWxD) (in):	84" x 30" x 24 3/4"
Appliance Width (in) :	29 3/4"
Height (in):	83 3/4 "
Depth (in):	24"
Total unit gross capacity (cu. ft.) - AHAM	
Product packaging dimensions (HxWxD) (•
	88.97 x 33.46 x 29.13
Refrigerator Gross capacity (cu. ft.):	11
Freezer Gross capacity (cu ft):	5
Net weight (lbs):	396
Gross weight (lbs):	432
SKU:	B30IB800SP

Optional accessories

BORPLFTR10 : water filter



Side-by-Side

30" Built-In Custom Panel Bottom-Freezer Benchmark™ Series - Custom Panel B30IB800SP

The 30" Custom Panel Built-in Refrigerator Works Efficiently to Prevent the Transfer of Flavors and Keep Produce Fresh Longer

Key Features

- Installs completly flush or framed
- ALL LED sidewall and theater lighting
- Dual compressor and dual evaporator
- Full width meat drawer
- ENERGY STAR® Qualified

Design

- ALL LED sidewall and theater lighting
- Full height door True cabinet integration without exposed venting grille
- Optiflex Hinge™ Opens out and away from cabinetry up to 115° door opening angle

Performance

- Dual compressor and dual evaporator
- Electronic Controls for precise temperature management
- Full width meat drawer
- Carbon air filter reduces odors and keeps air clean and fresh
- Humidity controlled crisper
- Filtered ice-maker
- SuperCool™
- SuperFreeze™
- Sabbath Mode
- Economy Mode
- Vacation Mode

Efficiency

- ENERGY STAR® Qualified

Convenience

- Full width glass shelves with metal trim
- Full extension drawers at 90° door opening angle
- Door Open Alarm

Capacity

- Full length cantilever racks for ultimate adjustability
- Large capacity freezer drawer
- Gallon door bins
- 16.2 Cu. Ft.



Side-by-Side

30" Built-In Custom Panel Bottom-Freezer Benchmark™ Series - Custom Panel B30IB800SP





