

800 Series, Single Wall Oven, 30", Stainless steel HBL8454UC





Included accessories

1 x oven racks /upper 1 x temperature probe /upper

Optional accessories

HEZTR301 : Telescopic Oven Rack 30"

The Bosch All-in-One Wall Oven with Air Fry combines all your favorite kitchen tools into one appliance for the ultimate cooking versatility without the countertop clutter.

- Air fry mode quickly cooks foods to crisp perfection without adding oil.
- Dampened Hinges Softly and Quietly Guide the QuietClose™
 Door Shut.
- Genuine European Convection provides even baking results on all racks, no matter where you place your pan.
- Download the Home Connect app to remotely monitor and control your Bosch wall oven with your smart phone or tablet.
- Pyrolytic self-cleaning: Automatically cleans the oven, just wipe out the ash.

Technical Data

Cooking mode: 3rd element convection, Combination fusion cooking, Convection Bake, Convection Broil, Conventional heat, Dough proving setting, Half width variable grill, Pizza setting, warming

Integrated Cleaning system : Self Clean

Interior Lights - cavity 1:2

Timer settings: Alarm, Off, On, timer

Included accessories: 1 x oven racks /upper, 1 x temperature

probe /upper

Bake Element Wattages cavity 1 : 2400 W
Broil Element Wattages cavity 1 : 3800 W
Convection Element Wattages cavity 1 : 2000 W



800 Series, Single Wall Oven, 30", Stainless steel HBL8454UC

The Bosch All-in-One Wall Oven with Air Fry combines all your favorite kitchen tools into one appliance for the ultimate cooking versatility without the countertop clutter.

- 30" Single Wall Oven, HBL8453UC, Stainless Steel

Design

- Touch control with SteelTouch™ buttons makes operating the oven easier
- Installs flush for a sleek modern look

Performance

- Fast Preheat mode saves time so meals are ready sooner
- Convection Pro combines a third heating element with a back fan for even browning and time savings by using multiple racks at one time.
- Keep food warm without overcooking until ready to serve by using the warm mode

Efficiency

- 2, 3, and 4 hour self-clean cycles available, saving time and energy

Convenience


- Dampened hinges softly guide the QuietClose door shut so the oven door never slams
- Large transparent oven window lets you easily monitor the cooking progress without opening the door
- 2 bright interior oven lights let you easily check on your meal's progress

Capacity

 4.6 cu. ft. generous interior capacity fits a large turkey and multiple side dishes with ease




800 Series, Single Wall Oven, 30", Stainless steel HBL8454UC



| Combination Type | А | В | С | D |
|--------------------------|----------------------|--------------------|------------------|------------------|
| | Left reveal cleat | Right reveal cleat | cut-out width | cut-out width |
| Flush bottom hinge | 3/4" (19 mm) | 3/4" (19 mm) | 291/4" (743 mm) | 291/4" (743 mm) |
| Flush side hinge (left) | 11/2" (38 mm) | N/A* | 30" (762 mm) | N/A* |
| Flush side hinge (right) | N/A* | 11/2" (38 mm) | N/A* | 30" (762 mm) |

* Installation not recommended

__ 24¹/2" (622) measurements in inches (mm)



Flush installation
Speed oven or microwave above a 30* single oven**

Side view

Cleats

20 1/ns

Speed oven or microwave

20 1/ns

(25)

Speed oven or microwave

Speed oven or microwave

120

(25)

Speed oven or microwave

underneath the body: 30' products – Dimensions:
H ³/1s' (8) x W 28 1/2* (724) x D 22 1/2* (571)

minimum 1/2* (13) required

between cut-outs'


Wall oven


(740)


1MPORTANT: Base has to be able to support the weight of the oven. Please check oven manual for minimum weight requirements.

"Most combinations available as combo oven (one cut-out, one electrical hook-up).

Standard installation 30" single oven over storage or warming drawer









800 Series, Single Wall Oven, 30", Stainless steel HBL8454UC

measurements in inches (mm)

Standard installation 30" speed oven or microwave above a single oven*** **Junction box may be located above or next to the unit within the reach of the power cable. **Junction box may be located below (depending on space) or next to the unit within the reach of the power cable. **Junction box may be located below (depending on space) or next to the unit within the reach of the power cable. **Junction box may be located below (depending on space) or next to the unit within the reach of the power cable. **Misst combinations available as combo oven (one cut-out, one electrical hook-up). **Minimum dimension between cut-out height of 22" is "(67 mm) for wall oven cut-out height of 22" is "(6

