

Ovens
**30" Single Wall Oven Left
Swing Door
Stainless Steel
HBLP451LUC**

A Newly Designed and Engineered Bosch Wall Oven Features a SideOpening Door and High-Resolution TFT User Interface.

- Side-Opening Door Offers Better Ergonomic Access to the Oven Cavity.
- The Color TFT Control Panel with SteelTouch™ Buttons is Easy to Use.
- A Full-Extension Telescopic Rack Offers Safe Access to the Oven Cavity.
- The Wall Oven is Designed to be Installed Flush with your Cabinetry.
- Wall Ovens are Compatible with Most Competitors' Cut-Outs.

Technical Data

| | |
|---|--|
| Cooking mode : | 3rd element convection, Convection Bake, Convection Broil, Convection Roast, Conventional heat, Dough proving setting, Eco, Half width variable grill, Pizza setting, Special baking setting, Top heating, 1/3 bottom heat., warming |
| Integrated Cleaning system : | Self Clean |
| Interior Lights - cavity 1 : | 2 |
| Timer settings : | Alarm, Off, On, timer |
| Included accessories : | 3 x oven racks / upper, 1 x Broiler pan /upper, 1 x temperature probe /upper |
| Bake Element Wattages cavity 1 (W) : | 2400 |
| Broil Element Wattages cavity 1 (W) : | 3800 |
| Convection Element Wattages cavity 1 (W) : | 2000 |
| UPC code : | 825225906964 |
| Product color : | Stainless steel |
| Energy source : | Electric |
| Watts (W) : | 5000 |
| Current (A) : | 30 |
| Volts (V) : | 240/208 |
| Frequency (Hz) : | 60 |
| Approval certificates : | CSA |
| Power cord length (in) : | 50" |
| Power cord length (cm) : | 127 |
| Plug type : | fixed connection, no plug |
| Required cutout size (HxWxD) (in) : | 27" - 28 5/8" x 28 1/2" x 23 1/2" |
| Required cutout size (HxWxD) (mm) : | 686 x 724 x 597 |
| Overall appliance dimensions (HxWxD) (mm) : | 737 x 755 x 622 |
| Product packaging dimensions (HxWxD) (in) : | 31 1/4" x 34" x 31 1/2" |
| Net weight (lbs) : | 174 |
| Net weight (kg) : | 79.0 |
| Gross weight (lbs) : | 193 |
| Gross weight (kg) : | 88.0 |

Included accessories

3 x oven racks /upper
1 x Broiler pan /upper
1 x temperature probe /upper

Optional accessories

HEZTR301 : Telescopic Oven Rack 30"

Ovens

30" Single Wall Oven Left Swing Door Stainless Steel HBLP451LUC

A Newly Designed and Engineered Bosch Wall Oven Features a SideOpening Door and High-Resolution TFT User Interface.

Design

- Color TFT Touch Control with SteelTouch™ Buttons for Easier Operation of the Oven

Performance

- 14 Specialized Cooking Modes - Gourmet Cooking Made Easy
- Custom Cooking Programs: No-Preheat Frozen Food Mode, Pizza, Pie, Warm and Proof
- Genuine European Convection
- Temperature Conversion for Convection Cooking
- Fast Preheat Reduces Preheat Time

Efficiency


- EcoClean™ 2-Hour Self-Clean Cycle

Convenience

- Two Halogen Lights Provide Superior Cavity Illumination
- Timer with Cook Time and Delay Start Function
- Extra Large Door Window for Easy Monitoring of Cooking Process
- Star-K certified. F100°-450°. Two Separate Time Intervals can be Programmed
- Large Capacity at 4.6 Cu Ft.
- Recessed 8 Pass Broil Element for Increased Capacity and Safety


Ovens

30" Single Wall Oven Left Swing Door Stainless Steel HBLP451LUC



* Includes $\frac{3}{16}$ " (19) base plate
** For single ovens installed under a countertop, the junction box may be located to the left or right of the unit within reach of the power conduit.


measurements in inches (mm)




* For single ovens installed into a wall cabinet, the junction box may be located above or beneath the unit within reach of the power conduit.

measurements in inches (mm)


Flush Install Top View



Side View



measurements in inches (mm)



** Allow $\frac{3}{16}$ " (19 mm) gap to nearest cabinet face for door swing

measurements in inches (mm)