


### BROAN *ELITE* 64000 SERIES RANGE HOOD



Provides high ventilation and durable construction to meet the needs of professional-styled home cooking appliances.

A complete installation requires several optional components.

#### FEATURES


##### HOOD:

- Widths: 30" to 48" (762 mm to 1219 mm) in 6" (152 mm) increments
- Finishes: Stainless steel and appliance colours in White and Black
- Dishwasher-safe aluminum grease filters
- Dual-infrared food warming lamps (120 V)—purchase separately
- Warming lamps may be replaced with 90 W halogen white lights (120 V)
- Two halogen lamps for 30" (762 mm) and 36" (914 mm) hoods; 3 for 42" (1067 mm) and 48" (1219 mm) hoods—Purchase separately
- Solid-state, infinite speed blower control with speed memory
- Exclusive, Broan Heat Sentry™ turns blower ON to HIGH speed when excess heat is detected
- Baffle filters (RBF Series)—Purchase separately


##### BACKSPLASH:

##### RMP Series (Optional)

- Widths: 30" to 48" (762 mm x 1219 mm) in 6" (152 mm) increments
- Stainless steel construction—protects back wall and wipes clean easily
- Two, dual-position food warming/condiment storage shelves



#### 64000 SERIES HOOD



HVI-2100 CERTIFIED RATINGS comply with new testing technologies and procedures prescribed by the Home Ventilating Institute, for off-the-shelf products, as they are available to consumers. Product performance is rated at 0.1 in. (2.54 mm) static pressure, based on tests conducted in AMCA's state-of-the-art test laboratory. Sones are a measure of humanly-perceived loudness, based on laboratory measurements.



Broan-NuTone LLC, 926 West State Street, Hartford, WI 53027 USA (1-800-637-1453)  
Broan-NuTone Canada Inc., 1140 Tristar Drive, Mississauga, Ontario L5T 1H9 CANADA (1-888-882-7626)



REFERENCE	QTY.	REMARKS	Project
			Location
			Architect
			Engineer
			Contractor
			Submitted by <span style="float: right;">Date</span>

# PERFORMANCE RATINGS BROAN *ELITE* 64000 SERIES RANGE HOOD

## SPECIFICATIONS

HOOD SIZE (mm)	VOLTS	AMPS	HZ
30" (762 mm)	120	3.75	60
36" (914 mm)	120	3.75	60
42" (1067 mm)	120	4.2	60
48" (1219 mm)	120	4.2	60


### BACKSPLASH




HVI-2100 CERTIFIED RATINGS comply with new testing technologies and procedures prescribed by the Home Ventilating Institute, for off-the-shelf products, as they are available to consumers. Product performance is rated at 0.1 in. (2.54 mm) static pressure, based on tests conducted in AMCA's state-of-the-art test laboratory. Sones are a measure of humanly-perceived loudness, based on laboratory measurements.



# 64000 SERIES RANGE HOOD SYSTEM INTERIOR BLOWERS



# 64000 SERIES RANGE HOOD SYSTEM IN-LINE AND EXTERIOR BLOWERS



RMP Series Backsplash  
(Stainless steel wall covering with warming shelves. Optional.)

