NuTone


Under-Cabinet

UNITY

The clean harmonious shape of Unity makes it the perfect fit for any kitchen design. Impressive ENERGY STAR® LED lighting and superior smoke and odor removal are a mere introduction to everything this hood has to offer. The LED modules included with this hood are the latest in LED cooktop illumination technology specially designed to operate in the elevated temperatures of cooking - offering bright lighting and lasting up to 25 times as long as a standard bulb and greater reliability than typical replacement LED bulbs.

SIZE	WHITE	BLACK	STAINLES	S	EASE FILT		ON-DUCTE FILTER	
30 in.	NCSEK130WW	NCSEK130E	BL NCSEK130	SS HPF	HPFA130 Type C1		HPF30 Type X	
PERFORMANCE								
Duct Orientation		Size	Damper		nes	-	FM	
				Normal	High	Normal	High	
Vertical	- Rectangular	3¼ in. x 10 in.	Included	1.5	5.0	140	230	
Horizont	tal - Rectangular	3¼ in. x 10 in.	Included	1.5	5.0	110	210	
	Vertical	7 in.	Sold Separately	1.5	5.0	150	250	


FEATURES						
Control type	2-speed Rocker					
Delay off	no					
Filter Clean Reminder	no					
Heat Sentry™	no					
ADA Capable	yes					
Lighting	1-level ENERGY STAR [®] LED (included)					
Grease Filters	Open Mesh (Qty. 2)					
Installation Hardware	EZ1 Bracket					
ENERGY STAR®	yes (no if installed non-ducted)					
Recirculation	Non-ducted filters sold separately					
AC INPUT						
120 V, 60 Hz - 0.65 AMPS						
OPTIONAL ACCESSORIES						
7-in. Round Damper	BP87Q					
7-in. Round Adapter Plate	SR680508					
Make-up Air Dampers	MD6TU, MD8TU and MD10TU					
MOUNTING HEIGHT						
18 in. to 24 in. from cookto	pp to bottom of hood					
LIMITED WARRANTY	•					
1-year						
3-year (LED modules only)						
(See installation manual for	full warranty text.)					
FOR INDOOR USE ONLY						
0.5						
	Vertical High Speed, 7-in. round					
ω 0.4						





CERTIFIED







99045793C

HVI-2100 CERTIFIED RATINGS comply with new testing technologies and procedures prescribed by the Home Ventilating Institute, for off-the-shelf products, as they are available to consumers. Product performance is rated at 0.1 in. static pressure, based on tests conducted in AMCA's state-of-the-art test laboratory. Sones are a measure of humanly-perceived loudness, based on laboratory measurements.

Venmar Ventilation ULC

www.nutone.ca