





# WHY ELICA

The history of our brand began back in 1970 in Fabriano, Italy, where our passion for design and quality was born. An unmistakable style along with the meticulous studies of the air and its qualities, are our distinctive traits.

From the very beginning we have been inspired by the principles of Italian Design, combining the most innovative technologies in the creation of our range-hoods.

Over the years we have revolutionised the image of the hoods and the Elica brand can be found in homes all over the world. Our evolution has taken us into the world of cooking providing unprecedented, industry first solutions before anyone else that **never cease to amaze.** Our long history of cutting edge design and technology has led to numerous patents, which have helped drive the future of appliances. At our global design center and the Elica Propulsion Laboratory, experts study air, moisture and heat, where they are researching and developing the products of tomorrow. Elica is now represented on five continents with manufacturing plants and commercial offices.

We are the market leader, we produce 20.7 million pieces ranging from hoods to motors every year. We are now represented in our plants worldwide in Italy, Poland, Mexico, India, China and Russia, and our brand being present in all five continents.

## These are some of the Awards where our products have been recognized:





































# INDEX



COOKTOPS WITH ASPIRATION SYSTEM



NIKOLATESLA ONE page 7



NIKOLATESLA SWITCH page 8

WALL MOUNT









METEORITE page 17

STONEY page 18

COMO page 20

MEZZANO page 22

VARNA BLACK page 23



VARNA page 23



FOGLIA page 24



PILATO page 24



LUGANO page 21



LEONE page 29



VAVANO page 30



CALABRIA page 31



HAIKU & HAIKU COLOR page 13



HAIKU page 15



TOBLINO page 37



POTENZA page 37



VOLTERRA page 39

ISLAND



METEORITE IS page 17



STONEY IS page 18



CINGOLI page 20



MAGGIORE page 22



SALICE page 21



LEONE IS page 29



VAVANO IS page 30



EASY page 10



CHROME page 11



HAIKU IS & HAIKU IS COLOR page 14



HAIKU IS page 15

# INDEX







CAPRI page 34

UNDER CABINET HOODS









ARIA page 25

MODENA page 25

BELLAGIO page 27

GLIDE page 10











CERVINIA page 31

ALLASIO page 36

NEMI page 36

SORA page 38

TT page 39

INSERT HOODS









PALERMO page 26

AREZZO page 32

TRENTO page 32

ASTI page 38

CEILING MOUNT HOODS



SIENA page 11



ILLUSION page 12



HILIGHT page 12

DOWNDRAFT HOODS



RISE page 26



**NIKOLATESLA** is the first Elica exclusive Aspiration Cooktop, which combines functionality of two technologies: Induction + Ventilation System into one single appliance. No other cooking technology is faster than the induction elements, Nikola Tesla series makes a reality to boil 1L of water in less than 60 seconds. Elica's Air Cooking line offers all the benefits of the induction wonders: safety, cleanliness, energy saving, PLUS the aspiration system of a powerful hood. Save time and space, uncover this elegant hi tech design.



# NIKOLATESLA ONE

## INDUCTION COOKTOP

Model Numbers	ENT432BL
Absorption	440 W
Frequency	60 Hz
Voltage	208-240 V
Cooking Zones	4 zones of 7.1" x 7.9"
Bridge Zones	2
Heating Level	9 Levels + Booster

## **ASPIRATION SYSTEM**

Controls	Slider touch control 3 speed + Booster ventilation
Blower Performance	400 CFM (4 speed)
Noise (Sones)	5 sones
Duct Transition	3 1/4" x 10" Round
Filters	6 Layer Anodized Aluminum Mesh Grease Filter
Ceramic Filters	4

# **AIR COOKING**

**Size** 32 11/16" W x 20 1/16"D x 8 1/4"H

Type Finish Black glass

Installation Type Ducted or recirculating Self rimming or flush mounted

KITS KIT0155746 Stainless Steel Trim Kit 36"



























# NIKOLATESLA SWITCH

## INDUCTION COOKTOP

Model Numbers	ENS436BL
Absorption	440 W
Frequency	60 Hz
Voltage	208-240 V
Cooking Zones	4 zones of 7.1" x 7.9"
Bridge Zones	2
Heating Level	9 Levels + Booster

# **ASPIRATION SYSTEM**

Controls	Slider touch control 3 speed + Booster ventilation
Blower Performance	400 CFM (4 speed)
Noise (Sones)	5 sones
Duct Transition	3 1/4" x 10" Round
Filters	6 Layer Anodized Aluminum Mesh Grease Filter
Ceramic Filters	3

# **AIR COOKING**

Size 36" W x 20 1/16"D x 8 1/4"H

**Type Finish** Black glass

**Installation Type**Ducted or recirculating
Self rimming or flush mounted

























**Iconic** line hoods are uniquely Italian, with a focus on design that makes a statement in any home, providing captivating beauty, complemented by innovative materials and technology that promotes curiosity, emotion and conversation.



# EASY

Model Numbers	EES320SS	EES320WT	
Width		20"	
Depth		19 3/4"	
Color/Material	Stainless	Stainless Steel / White	
Blower Performan	ice 355	CFM (4-speed)	
Controls	Electronic pu erimetral light 3 sp	sh control with beed + Booster	
Lightning		3 LED Lights	
Filter		um mesh filter tral Aspiration	
Installation Type		Recirculating	
Height	For ceiling heig	hts 6'10" - 11'8"	
OTHERS Timer			



**KITS** 



Optional Wall Mounting Bracket

High Ceiling Extension (6'10"-23'5")







KIT0121394

KIT01921











# **UNDERCABINET**

Model Numbers	EGL430S1 EGL436S1		
Width	30", 36		
Depth	19 3/4		
Color/Material	Stainless Steel + Clear Glass		
Blower Performa	Blower Performance 400 CFM (4 speed)		
Controls	Backlit Electronic Push Buttom with display		
Lightning	2 LED Lights		
Filter	Stainless Steel microhole filter		
Installation Type	Ducted or Recirculating with ecirculating Kit (sold separately)		
Transition	3 1/4"x10" top and rear		
OTHERS			
Stand By Mode Timer			

### **KITS**

Optional Recirculating Kit

F00539













16



# **CHROME**

Model Num	bers	ECH623S1
Width		23"
Depth		17"
Color/Mate	rial	Stainless Steel
Blower Per	forma	ace 600 CFM (4-speed)
Controls		Magic Wand
Lightning		2 LED Lights
Filter		Anodized Aluminum mesh filter
Installation	Type	Ducted or Recirculating with Recirculating Kit (sold separately)
Height	For c	eiling heights 7'9" - 9'8" (ducted)
Transition		8" Round
OTHERS Stand By Mor		or

### **KITS**

Optional Recirculating Kit Optional Jet Black Remote Control KIT01916/S KIT02183/1

















# SIENA **CEILING**

**Model Numbers** 

43" Width 27" Depth Stainless Steel Color/Material **Blower Performance** 600 CFM, 4 speed in-line blower (sold separately) Remote Control Controls Lightning 4 LED Lights Filter Dishwasher-safe aluminum mesh grease filters + stainless steel perimeter aspiration plate Duct out installation only Installation Type Height For ceiling heights up to 10'0"

ESNX43S2

ESNBLK26



Transition

**OTHERS** Timer









6" Round (5 directional ports)









# **ILLUSION**

**Model Numbers** EIL640WH EIL640DW Width 39 3/8" Depth 19 17/25" Metal White with White Frame / Color/Material Naked panel (stainless steel) + Stainless Steel Frame Blower Performance 600 CFM Controls 3 Speed + 2 Booster Remote Control Strip LED light with dimmable Lightning + tunable lightning Grease aluminum filter Filter Ducted or Recirculating with Installation Type Recirculating Kit (sold separately) Height For ceiling heights up to 10'0" **Transition** 6" Round (5 directional ports) **OTHERS** Long Strip LED Timer Panel Ready



Recirculating Kit KIT0167875











LEDILIGHT

4 DIM LIGHT















# HILIGHT

Model Numbers	EHL640WH	EHL640SS
Width		39 3/8"
Depth		22 11/25"
Color/Material		e Glass with Metal e / Stainless Steel
Blower Performance	e	600 CEM

Controls 3	Speed + 2 Booster Remote Control
Lightning	Strip LED light with dimmable + tunable lightning
Filter	Grease aluminum filter
Installation Type	Ducted or Recirculating with Recirculating Kit (sold separately)
Height	For ceiling heights up to 10'0"
Transition	6" Round (5 directional ports)

### **OTHERS**

Long Strip LED

Timer

White Glass: gives the look as if it was all

illuminated.

#### **KITS**

Recirculating Kit

KIT0167875













UNIQUE







TOTAL INTEGRATION









Model Numbers	EHK624SS	EHK636SS EHK648SS
Width		24", 36", 48"
Depth		12.5 to 15"
Color/Material		Stainless Steel
Blower Perform	ance	600 CFM
Controls	Sensitive touch co	ontrol 3 speed + 2 Booster
Lightning		Strip LED
Filter	Sophis	sticated black

Installation Type Ducted or Recirculating with Recirculating Kit (sold separately)

Height For ceiling heights 7'3" - 9'10" (ducted), 7'3" - 10'1" (recirculating)

6" Round **Transition** 

**KITS** 

Kit recirculante CFC0141725AUL



TOP PERFORMANCE



UNIQUE MATERIALS





iron grates + 6 layer mesh filter



(Q)) || || || | CLEAN FILTER ALARM



(Q)) 



# HAIKU COLOR

Model Numbers	EHK636WH	EHK636BL
Width		36"
Depth		12.5 to 15"
Color/Material	Black Glass	/ White KRION®
Blower Performa	nce	600 CFM
Controls	Sensitive touch control 3 speed + 2 Booster	
Lightning		Strip LED
Filter		nisticated black layer mesh filter
Installation Type	Ducted or R Recirculating Kit	ecirculating with (sold separately)
Height For ceil	ing heights 7'3" - 7'3" - 10'1	9'10" (ducted), " (recirculating)
Transition		6" Round
KITS		
Kit recirculante		CFC0141725AUL

















REPLACE FILTER ALARM













\*White KRION® ecological material that has antibacterial properties and can be 100% recycled. Easy repair and cleaning due to the absence of porosity



# HAIKU

Model Numbe	rs	EHI648SS	EHI670SS
Width			48", 70"
Depth			12.8"
Color/Materia	ı		Stainless Steel
Blower Perfor	man	ce	600 CFM
Controls	S	ensitive touch	control 3 speed + 2 Booster
Lightning			Strip LED
Filter		Sop	histicated black

Ducted or recirculating with Installation Type Rercilating Kit (sold separately)

Height For ceiling heights 7'3" - 9'10" (ducted), 7'3" - 10'1" (recirculating)

Transition 6" Round

**KITS** Kit recirculante

CFC0141725AUL









iron grates + 6 layer mesh filter











# HAIKU COLOR ISLAND

Model Nu	mbers	EHI648BL	EHI648WH
Width			48"
Depth			12.8"
Color/Material Black Glass / White K			√ White KRION®
Blower Pe	erformance	•	600 CFM
Controls	Sensitive t	ouch control 3 sp	oeed + 2 Booster
Lightning			Strip LED
Filter		Sont	sisticated black

Installation Type Ducted or recirculating with Rercilating Kit (sold separately)

Height For ceiling heights 7'3" - 9'10" (ducted), 7′3″ - 10′1″ (recirculating)

**Transition** 6" Round

**KITS** 

Kit recirculante

CFC0141725AUL











iron grates + 6 layer mesh filter

















\*White KRION® ecological material that has antibacterial properties and can be 100% recycled. Easy repair and cleaning due to the absence of porosity





**Model Numbers** 

Width	12.5"
Depth	12.5 to 15"
Color/Material	Stainless Steel
Blower Perforn	nance 600 CFM
Controls	Sensitive touch control 3 speed + 2 Booster
Lightning	Strip LED
Filter	Sophisticated black iron grates + 6 layer mesh filter
Installation Typ	Ducted or Recirculating with Recirculating Kit (sold separately)
Height For Co	eiling heights 7'3" - 9'10" (ducted), 7'3" - 10'1" (recirculating)
Transition	6" Round

**OTHERS** 

Clean Filter Indicator

**KITS** 

Kit recirculante







CFC0141725AUL

EHK613SS







# HAIKU

Model Numbers	EHI613SS
Width	12.5"
Depth	12.8"
Color/Material	Stainless Steel
Blower Perforn	ance 600 CFM
Controls	Sensitive touch control 3 speed + 2 Booster
Lightning	Strip LED
Filter	Sophisticated black iron grates + 6 layer mesh filter
Installation Typ	Ducted or Recirculating with Recirculating Kit (sold separately)
Height For Ce	eiling heights 7′3″ - 9′10″ (ducted), 7′3″ - 10′1″ (recirculating)

Transition 6" Round

OTHERS

Clean Filter Indicator

**KITS** 

Kit recirculante

CFC0141725AUL































The **Techne Plus** product line include range hoods equipped with sensors that measure temperature and moisture to automatically adjust to the environment necessities. The result is an automatic hood that delivers optimum performance and unparalleled convenience.



Model Numbers	EST630SS	EST636SS	
Width		30", 36"	
Depth		19 7/8"	
Color/Material	Stainless Ste	el + Black Glass	
Blower Performan	lower Performance 600 CFM (4-speed) with 0 System to limit CFM amo		
Controls T	ouch Control 3 S	oeeds + Booster	
Lightning	2 LED Premium [	Dimmable Lights	
Filter		aluminum grease rimeter aspiration	
Installation Type		Recirculating with (sold separately)	
Height For ceil	ing heights 7'0" 7'5" - 9'6"	- 9'2" (ducted), (recirculating)	
Transition		6" Round	
KITS Recirculating Kit		KIT0141925	
Long Chimney ex (9' to 12' Ceiling)		KIT02785	
Charcoal Filter Re		KIT0141918	



















**Model Numbers ESI636SS ESI642SS** Width 36", 42" 27" Depth Color/Material Stainless Steel + Black Glass **Blower Performance** 600 CFM (4-speed) with CRS System to limit CFM amount Controls Touch Control 3 Speeds + Booster Lightning 2 LED Premium Dimmable Lights Dishwasher safe aluminum grease **Filter** filter, perimeter aspiration **Installation Type** Ducted or Recirculating with Recirculating Kit (sold separately) Height For heights 7'9" - 9'11" (ducted), 7'9" - 10'4" (recirculating) **Transition** 6" Round **KITS** Recirculating Kit KIT0141924 Long Chimney Extension KIT02721 (9' to 12' Ceiling) Charcoal Filter Replacement KIT0141918

















23



**Techne** Line brings everyday Italian living into your kitchen, featuring inspirational classic Italian designs, loaded with functional technologies that deliver convenience and high performance. Techne hoods come equipped with powerful blowers, hush sound suppression system, elegant glass touch controls, and the possibility to set the desired illumination mood with long life LED lighting, where temperature and luminosity can be dimmed and adjusted.





Model Numbers	ECM630S3	ECM636S3
Width		30", 36"
Depth		19 11/16"
Color/Material	Stainless Steel v	vith black glass
Blower Performa	nce 600 CFM (4- System to lii	speed) with CRS mit CFM amount
Controls	Touch control 3 S	Speed + Booster
Lightning	2 LED Premium I	Dimmable Lights
Filter		her Safe Stainless Microhole Filters
Installation Type	Ducted or I	Recirculating with

For heights 7'6" - 10'2" (ducted), Height ceiling heights 7'10" - 10'5" (recirculating)

Transition 6" Round

#### **KITS**

KIT02721A | KIT02766 Recirculating Kit Long Chimney Extension KIT0100315 (9' to 12' Ceiling) Recirculating Long Life Filter KIT02199 Charcoal Filter Replacement KIT02667











Recirculating Kit (sold separately)











# **CINGOLI**

Model Numbers		ECN636S	3	ECN642S3
Width				36" , 42"
Depth				25 3/16"
Color/Material	Sta	inless Steel	wi	th black glass
Blower Performa	nce	•		peed) with CRS it CFM amount
Controls	Τοι	ich control 3	Sp	eed + Booster
Lightning	2 LE	ED Premium (	Din	nmable Lights
Filter				er Safe Stainless Microhole Filters
Installation Type	,	Ducted o	r R	ecirculating with

**Installation Type** Recirculating Kit (sold separately)

Height For ceiling heights 7'6" - 9'8" (ducted), 7'6" - 10'1" (recirculating)

6" Round Transition

### **KITS**

Recirculating Kit KIT02665 Long Chimney extension KIT0100317 (9' to 12' Ceiling) KIT02198 Recirculating Long Life Filter Charcoal Filter Replacement KIT02667



















# LUGANO

WALL MOUNT

ELG630S3 ELG636S3 **Model Numbers** Width 30", 36"

Depth 19 7/8"

Color/Material Stainless Steel with Black Glass

**Blower Performance** 600 CFM (4-speed) with CRS System to limit CFM amount

Controls Touch Control 3 Speeds + Booster

Lightning 2 LED Premium Dimmable Lights

Filter Aluminum Mesh Filter + Perimeter Aspiration

Installation Type Ducted or Recirculating with Recirculating Kit (sold separately)

Height For ceiling heights 7'0" - 9'2" (ducted), 7'5" - 9'6" (recirculating)

Transition 6" Round

#### **KITS**

KIT0141925 Recirculating Kit Long Chimney Extension KIT02785 (9' to 12' Ceiling) KIT02199 Recirculating Long Life Filter Charcoal Filter Replacement KIT0141918





TOP PERFORMANCE















# SALICE

Model Numbers	E	SL636S	3	ESL642S3
Width				36", 42"
Depth				27 4/5"
Color/Material	Sta	inless Ste	el wit	h Black Glass
Blower Performa	nce	600 CFN	1 (4-sı	peed) with CRS

System to limit CFM amount Touch control 3 Speeds + Booster Controls

4 LED Premium Dimmable Lights Lightning

Filter Aluminum Mesh Filter + Perimeter Aspiration

Ducted or Recirculating with **Installation Type** Recirculating Kit (sold separately)

Height For ceiling heights 7'9" - 9'11" (ducted), 7'9" - 10'4" (recirculating)

Transition 6" Round

## **KITS**

Recirculating Kit KIT0141924 Long Chimney Extension KIT0100317 (9' to 12' Ceiling) Charcoal Filter Replacement KIT0141918





















AMRIENT LIGHT



# **MEZZANO**

**WALL MOUNT** 

**Model Numbers** 

- Iouci Ituliio			
Width			30", 36"
Depth			19 11/16"
Color/Materia	<b>al</b> Stai	nless Steel w	ith black glass
Blower Perfo	rmance		speed) with CRS mit CFM amount
Controls	Touc	h Control 3 Sp	eeds + Booster
Lightning	2 LE	D Premium D	immable Lights
Filter Dishwas	her- Safe	, Staineless Ste	el Microhole Filter
Installation T	ype <sub>Rec</sub>	Ducted or Re irculating Kit (	circulating with sold separately)
<b>Height</b> Fo	r ceiling	heights 7'6" -	10'2" (ducted),

EMZ630S3

Transition

6" Round

7'10" - 10'6" (recirculating)

EMZ636S3

#### **KITS**

Recirculating Kit KIT0102875 Long Chimney extension KIT02785 (9' to 12' Ceiling) Recirculating Long Life Filter KIT02199



















# **MAGGIORE**

Model Numbers	EMG636S1	EMG642S1
Width		36", 42"
Depth		27 1/8"
Color/Material	Stainless Steel	with Black Glass
Blower Performance		4-speed) with CRS limit CFM amount
Controls Touch	n Control 3 Spe	eds + Booster

Lightning 4 LED Premium Dimmable Lights

Filter Dishwasher- Safe, Staineless Steel Microhole Filter

Ducted or Recirculating with Installation Type Recirculating Kit (sold separately)

Height For ceiling heights 7'6" - 9'9" (ducted), 7'6" - 10'2" (recirculating)

**Transition** 6" Round

#### **KITS**

KIT02665 Recirculating Kit Long Chimney Extension KIT0100317 (9' to 12' Ceiling) Charcoal Filter KIT02667



















# VARNA

Model Numbers	EVR630S2	EVR636S2
Width		30", 36"
Depth		19 11/16"
Color/Material S	tainless Steel wi	ith Black Glass
Blower Performan		speed) with CRS mit CFM amount
Controls Tou	ch Control 3 Sp	eeds + Booster
Lightning	2 LED Premium D	Dimmable Lights
Filter	Dishwasher-Safe	e, Stainless Steel Microhole Filter
Installation Type	Ducted or Re Recirculating Kit (	ecirculating with (sold separately)
Height	For heights 7´5″ 7'5" - 9'6	' - 9'1" (ducted), " (recirculating)
Transition		6" Round

### **KITS**

Recirculating Kit KIT02766 | KIT02721A Long Chimney Extension KIT02762 (9´ to 12´ Ceiling)



CFM REDUCTION



TOUCH











# VARNA BLACK

**Model Numbers** EVR630BL EVR636BL Width 30", 36" 19 11/16" Depth Color/Material Black Stainless Steel w/black glass **Blower Performance** 600 CFM (4-speed) Touch Control 3 Speeds + Booster **Controls** Lightning 2 LED Premium Dimmable Lights Filter 2 Dishwasher Safe, Stainless Steel Microhole Filter Ducted or Recirculating with Installation Type Recirculating Kit (sold separately) For heights 7'5" - 9'1" (ducted), Height 7'5" - 9'6" (recirculating) Transition 6" Round

### KITS

Recirculating Kit KIT02766 | KIT02721A Long Chimney Extension KIT02762 (9´ to 12´ Ceiling)

















# **FOGLIA**

WALL MOUNT

Model Numbers	EFG630S1 EFG636S1
Width	30", 36"
Depth	19 11/16"
Color/Material	Stainless Steel + Black Glass
Blower Performan	600 CFM (4-speed) with CRS System to limit CFM amount
Controls	Touch control 3 Speed + Booster
Lightning 2	LED Premium Dimmable Lights
Filter	Dishwasher- Safe, Staineless Steel Microhole Filter
Installation Type	Ducted or Recirculating with Recirculating Kit (sold separately)
Height For ce	eiling heights 7′5″ - 9′2″ (ducted), 7′5″ - 9′6″ (recirculating)

### **KITS**

Transition

Recirculating Kit KIT02766 | KIT02721A Long Chimney Extension KIT02784 (9' to 12' Ceiling)













6" Round







# PILATO

WALL MOUNT

Model Numbers	EPL630S1	EPL636S1
Width		30", 36"
Depth		21 1/2"
Color/Material		Stainless Steel
Blower Performan		-speed) with CRS imit CFM amount
Controls Multi-fu	nction electronic	with LCD display
Lightning	2	Halogen Lights
Filter		ishwasher-Safe, Microhole filters
Installation Type		ecirculating with sold separately)
Height		- 9'2" (ducted), " (recirculating)
Transition		6" Round

### **KITS**

KIT02766 y KIT02721 Recirculating Kit KIT02762 Long Chimney Extension (9' to 12' Ceiling)



















CLEAN FILTER ALARM





Model Numbers	I	EAI430SS	EAI436SS
Width			30", 36"
Depth			20"
Color/Material	S	tainless Stee	l with Black Glass
Blower Performa	nce		4-speed) with CRS limit CFM amount
Controls	Tou	ıch control 3	Speed + Booster
Lightning	2 L	.ED Premium	Dimmable Lights
Filter			r-Safe, Stainless Baffle Slot Filters
Installation Type	F		r Recirculating with (it (sold separately)
Transition 3 1/	'4" :	x 10" top / r	ear or 7" round

### **KITS**

Recirculating Kit 30": KIT02178 36": KIT02179 Backdraft Damper 7" Round KIT02723









(top, sold separately)







# **UNDER CABINET**

Model Numbers	EMD530S3	EMD536S3
Width		30", 36"
Depth		19 5/8"
Color/Material	Stainless Steel v	vith Black Glass
Blower Performar		speed) with CRS mit CFM amount
Controls To	uch Control 3 Sp	eed + Booster
Lightning	2 LED Premium D	immable Lights
Filter		Safe, Stainless Iicrohole Filter
Installation Type		Recirculating with (sold separately)
Transition 3 1/4"	x 10" Rectangula and 6" Rour	r (rear outlet) d (top outlet)



Recirculating Kit

KIT02667















# **PALERMO**

INSERT

Model I	Numbers	EPR628S1
Width		28"
Depth		10 3/4"
Color/N	1aterial	Stainless Steel
Blower	Performan	<b>ce</b> 600 CFM (3 speed)
Contro	ls	Stainless Steel Push Button
Lightni	ng	2 LED Premium Lights
Filter	2 Dishwas	her-Safe, Staineless Steel Baffle Slot
Installa	tion Type	Ducted or Recirculating with Recirculating Kit (sold separately)
Transit	ion	6" round (top)



**KITS** 

Recirculating Kit

Hood liner 30"

Hood liner 36"





SEMI BAFFLE FILTER

LED LIGHT

KIT02770

KIT02773

KIT02774



# RISE DOWNDRAFT

Model Num	bers	ERS630S1	ERS636S1
Width			30", 36"
Depth	epth 12		12 1/2"
Color/Mate	erial	ial Stainless St	
Blower Per	formance	600	CFM (4 speed)
Controls		Electronic	Rootating Disc
Lightning			No lightning
Filter		neter Aspiration (Aluminum Mesh nind) + Perimeter Aspiration Plate	
Installation	Туре	Ducted i	nstallation only
<b>Transition</b> 6" round (Multi Direction		ılti Directional)	

Replacement Grease Filter

GRI0107245A









## BELLAGIO UNDER CABINET

Model Nu	mbers	EBL430SS EBL436SS			
Width			30", 36"		
Depth			20"		
Color/Mat	terial		Stainless Steel		
Blower Pe	rforman		speed) with CRS mit CFM amount		
Controls	Multi-	function electronic	with LCD display		
Lightning		2	Halogen Lights		
Filter	Dishwas	her-Safe, Anodized	Aluminum Mesh		
Installatio	n Type	Ducted or R Recirculating Kit (	ecirculating with (sold separately)		
Transition			op / rear or 7" old separately)		
KITS		30"	36"		

Recirculating Kit KIT02178 KIT02179
St Steel Mesh Grease Filter KIT02591 KIT02592
Duct Transition Kit KIT0142872
Non Return Valve Kit KIT02723













For those inspired by the culinary arts and gourmet cooking, **Elica Pro** line range hoods deliver professional style cooking, with bold designs coupled with unparalleled durability, quality and high performance that top chefs desire.



Model Numbers ELN630SS ELN636SS ELN136S2 ELN142S2 ELN148SS Width 30", 36", 42", 48" Depth 24"

Color/Material Stainless Steel

Blower Performance 30", 36": 600 CFM (4-speed) 36", 42", 48": 1200 CFM (4-speed)

Fully retractable rotating Controls knobs with blue backlight

Lightning 2 LED Lights Filter Dishwasher-Safe, Professional

Stainless Steel, Angled baffled filters

**Ducted Installation Only** 

Height For ceiling heights 7'6" - 9'11" (over

electric cooking), 8'0" - 9'11" (over gas cooking) Transition 8" Round (top)

#### **KITS**

**Installation Type** 

Long Chimney Extension KIT02785 (9' to 12' Ceiling) 1200 CFM External Blower KIT0153054 1200 CFM In-Line Blower KIT0154387

















Model	Numbers	ELI136S2	ELI142S2
Width			36", 42"
Depth			27"
Color/	'Material	S	tainless Steel
Blowe	r Performance	1200 C	CFM(4-speed)
Contro	ols		table rotating olue backlight
Lightn	ing	2	LED Lights
Filter	Dishwasher-Safe	e, Professional S	Stainless Steel
Install	ation Type	Ducted Inst	allation Only
<b>Height</b> For ceiling heights 7'9" - 9'10" (over electric cooking), 8'3" - 9'10" (over gas cooking)			

### **KITS**

Transition

Long Chimney Extension for 42" Model (9' to 12' Ceiling) KIT0100317 Long Chimney Extension for 36" Model (9' to 12' Ceiling) KIT02785 1200 CFM External Blower KIT0153054 1200 CFM In-Line Blower KIT0154387











8" Round (top)





# VAVANO WALL MOUNT

Model Numbers	EVV636S1 EVV648S1		
Width		36", 48"	
Depth		24"	
Color/Material		Stainless Steel	
Blower Performance	ce 600 CFM (4 -speed)		
Controls		actable rotating th blue backlight	
Lightning	2 LED Lights (replaceable lamps 1 intensity)		
Filter	Dishwasher-Safe, Professional Stainless Steel		
Installation Type	Ducted	Installation Only	
Height For	or ceiling heights 7'6" - 10'6" (over		

#### **KITS**

Transition

Long Chimney Extension for 48" Model (9' to 12' Ceiling) KIT02785 Long Chimney Extension for 36" Model (9' to 12' Ceiling) KIT0146881 Inline Blower Kit 1200 KIT0154387 External Blower Kit 1200 KIT0153054

electric cooking), 8'0" - 10'6" (over gas cooking)











8" Round (top)





# VAVANO

Model Numbers	EVI642S1	EVI648S1
Width		42", 48"
Depth		24"
Color/Material	Sta	ainless Steel
Blower Performance	600 CFM	(4 -speed)
Controls		table rotating
Lightning (r	replaceable lam	4 LED Lights ps 1 intensity)
Filter		hwasher-Safe, Stainless Steel
Installation Type	Ducted Ins	tallation Only
<b>Height</b> For ce electriccooking), 8	eiling heights 7'6 8'0" - 10'0" (ove	

### **KITS**

Transition

Long Chimney Extension KIT0145610 (9' to 12' Ceiling) Inline Blower Kit 1200 KIT0154387 External Blower Kit 1200 KIT0153054













8" Round (top)





WALL MOUNT

**Model Numbers** ECL630S4 ECL636SS ECL136S4 ECL142S4 **FCI 148S** Width 30", 36", 42", 48" Depth 25" Color/Material Stainless Steel Blower Performance 30", 36": 600 CFM (4-speed) 36", 42", 48": 1200 CFM (4-speed) Controls Fully retractable rotating knobs with blue backlight Lightning 42", 30" & 36": 2 LED Lights 48": 4 LED Lights Filter Dishwasher Safe Professional Stainless Steel Angled Baffle Installation Type **Ducted Installation Only Transition** 10" Round (Top and Rear) **OTHERS** 

## **KITS**

Long Chimney Extension 6"

Stackable Ducts

**30":** KIT2159 42": KIT2622 36": KIT2158 48": KIT2164

Long Chimney Extension 12"

**30":** KIT2160 **36":** KIT2161 48": KIT2165

42": KIT2623

Heat Lamp w/2 75W Bulbs Kit **30":** KIT0155106

36": KIT0155107

42": KIT0155110 48": KITO155111

Stainless Back Splash

**30":** KIT0142864

**42":** KIT0142868 48": KIT0142870

1200 CFM External Blower

KIT0153054 KIT0154387

**36":** KIT0142867

1200 CFM InLine Blower



















WALL MOUNT

Model Numbers	ECV630S3	ECV636S3
Width		30", 36"
Depth		23"
Color/Material	:	Stainless Steel
Blower Performance	600 CF	M (4 -speed)
Controls		ctable rotating blue backlight
Lightning		2 LED Lights
Filter 2 Dishwasher-S	Safe, Professiona	l Stainless Steel
Installation Type	Ducted In	stallation Only
Transition	3 1/4"x10" (	Top and Rear)
OTHERS Stackable Ducts		

### KITS

Long Chimney Extension 6"

30": KIT2159

36": KIT2158

Long Chimney Extension 12"

**30"**: KIT2160 **36"**: KIT2161

Stainless Back Splash

**30":** KIT0142864 **36"**: KIT0142867













# AREZZO **INSERT**

**Model Numbers** EAR628S4 FAR634SS EAR134S4 EAR140S4 EAR146S4 28", 34", 40", 46" Width Depth 22" Stainless Steel Color/Material **Blower Performance** 28", 34": 600 CFM (4-speed) 34", 40", 46": 1200 CFM (4-speed) Fully retractable rotating **Controls** 

knobs with blue backlight 28" & 34": 2 LED Lights Lightning 40" & 46": 4 LED Lights

Filter Dishwasher-Safe, Professional Stainless Steel

Installation Type **Ducted Installation Only** 

**Transition** 10" round (top)

#### **KITS**

Grease Filter Replacement 28": GF09EA 34": GF09GA 40": GF09FA 46": GF09EA Inline Blower Kit 1200 KIT0154387 External Blower Kit 1200 KIT0153054



HUSH SYSTEM





LED REPLACEABLE GREASE COLLECTORS HEAT GUARD





# TRENTO **INSERT**

**Model Numbers** ETR634SS ETR134S1 Width 34" or 36" (using included spacers) Depth 18"

Color/Material Stainless Steel

#### **Blower Performance**

ETR634SS 600 CFM (4 speed) ETR134S1 1200 CFM (4 speed)

Fully retractable rotating Controls knobs with blue backlight

Lightning 2 LED Lights

Filter Dishwasher-Safe, Professional Stainless Steel

Installation Type **Ducted Installation Only Transition** 10" round (top)

### **KITS**

Inline Blower Kit 1200 KIT0154387 External Blower Kit 1200 KIT0153054



















Perfect BBQs are the result of a good combination of a grill and powerful exterior hood. Our **Outdoor** line includes stainless steel Grade 304 weather resistant materials, LED Light and extra depth for better fume capturing even extendable with a spacer.



# WALL MOUNT

Model Numbers	ECP136SS	ECP148SS	
Width		36" or 48"	
Depth		32"	
Color/Material	Stainless Ste	el grade 304	
Blower Performance	Internal or External 1200 CFM (4-speed) sold separately		
Controls	Fully retractable rotating knobs with blue backlight		
Lightning		2 LED LIGHTS 4 LED LIGHTS	
Filter Dishwasher-Sat	fe, Professional	Stainless Steel	
Installation Type	Ducted Inst	tallation Only	
Transition	10'	" round (top)	
OTHERS Stackable Duct Cove	r		

#### **KITS**

External blower KIT 1200 CFM 8" or 10" duct size compatible

KIT0153054

In Line Blower KIT 1200 CFM 8" or 10" duct size compatible 1200 CFM Internal Blower

36": KIT0153304

KIT0154387 KIT0156655

Spacer Kit 3" deep

48": KIT0153305

Duct cover kit 6"

36": KIT0156637 48": KIT0156641

Duct cover kit 12"

36": KIT0156645 48": KIT0156649



GREASE COLLECTORS



LED REPLACEABLE





39



The **Comfort** line of range hoods feature highly popular Italian design equipped with a core set of features that deliver functionality, performance, easy installation system and overall deliver a very high level of value.



# ALLASIO UNDERCABINET

Model N	umbers	EAL330S1	EAL336S
Width			30", 36"
Depth			20"
Color/M	aterial	Stainless Stee	
Blower I	Performance	300 CF	M (3-speed)
Controls	; В	Backlit Electronic Push Buttons	
Lightnin	g		2 LED Lights
Filter	Dishwasher	r-Safe, Anodized Al	uminum Mesh

**KITS** 

**Transition** 

Recirculating Kit

Installation Type

30": KIT02178

36": KITO2179

Ducted or Recirculating with Recirculating Kit (sold separately)

 $3\,1/4"$  x 10" top / rear or 7" round (top, sold separately)

Non return valve

30": KIT02723 36": KIT02723







# NEMI

**UNDERCABINET** 

Model Nu	mbers	ENM230S1	ENM23	36S1
Width			30	", 36"
Depth			18	3/4"
Color/Mat	terial		Stainless	Steel
Blower Pe	erformanc	e 280	) CFM (3-s	speed)
Controls		Electronic	Touch Co	ontrols
Lightning			2 LED	Lights
Filter	Dishwash	ier-Safe, Anodize	ed Aluminur	n Mesh
Installatio		Ducted or Re ecirculating Kit		

 Transition
 3 1/4" x 10" top/rear or 7" round (top)

**KITS** 

Optional Recirculating Kit KIT0140997

No return valve 7" KIT02723

Duct Transition 7" KIT02722







# **TOBLINO**

WALL MOUNT

ETB430S2

Model Nur	nbers	ETB424SS	ETB436S2
Width			24" , 30", 36"
Depth			19 5/8"
Color/Mate	erial		Stainless Steel
Blower Per	rforma	nce 400 C	CFM (3-speed)
Controls		Backlit Electror	nic Push Button
Lightning			2 LED Lights
Filter	Dishwa	asher-Safe, Anodized	Aluminum Mesh
Installation	1 Туре	Ducted or Re Recirculating Kit (	circulating with
Height	For ceiling heights 6'11" - 8'7" (ducted), 7'0" - 8'11" (recirculating)		
Transition			6" round

### **KITS**







# POTENZA

WALL MOUNT

Model Nur	nbers	ETP430S2	EPT436S2
Width			30", 36
Depth			19 5/8'
Color/Mate	erial		Stainless Steel
Blower Per	rformance		400 CFM
Controls		Backlit Electro	nic Push Button
Lightning			2 LED Lights
Filter	Dishwashe	r-Safe, Anodizec	Aluminum Mesh
Installatio			circulating with sold separately)
Height	For ce		" - 8′7" (ducted), 11" (recirculating)
Transition			6" round

## **KITS**

Recirculating Kits KIT0102875 | KIT02721A | KIT02766

Long Chimney Extension KIT0100315
(9' to 12' Ceiling)

CFM Reduction Kit KIT02748







# **ASTI**INSERT

Model Numbers	EAS422SS	EAS428S1
Width		22", 28"
Depth		10 3/4"
Color/Material	Ş	Stainless Steel
Blower Performance 400 CFM (3-speed		CFM (3-speed)
Controls 22	22, 28": Backlit Electronic Push Button	
Lightning		2 LED Lights
Filter	22, 28": Anodized aluminum mesh	
Installation Type Ducted or Recirculating with Recirculating Kit (sold separately)		
Transition		6" round (top)



 Recirculating Kit
 KIT02770

 30" Hood liner for EAS428S1
 KIT02773

 36" Hood liner for EAS428S1
 KIT02774







# ASTI 30 INSERT

30" 10 3/4"
10 3/4"
Stainless Steel
400 CFM (3-speed)
chanical Push Button
2 LED Lights
Stainless Steel Layer
ed or Recirculating with ing Kit (sold separately)
6" round (top)

KIT02770

KIT02748



**KITS** 

Recirculating Kit

CFM Reduction Kit





# TT UNDERCABINET

Model Numbers	ETT430SS	ETT436SS ETT424S1
Width		24" , 30", 36"
Depth		18"
Color/Material Stainless St		ainless Steel
Blower Performanc	e 400 CF	FM (3-speed)
Controls Elect	tronic Touch Cont	rols + Display
Lightning		2 LED Lights
Filter Dishwas	her-Safe, Anodized	Aluminum Mesh
Installation Type Ducted or Recirculating with Recirculating Kit (sold separately)		
Transition		6" round (top)
Electrical		120 V 60 HZ
KITS		
Recirculating Kit		CFC0140075







# VOLTERRA WALL MOUNT

		EVL436S2
Model Numbers	EVL430S2	EVL424SS
Width		24" , 30" , 36"
Depth		19 5/8'
Color/Material	Ş	Stainless Steel
Blower Performa	ance 400 CFM (3 ystem Kit sold separa	speed) with CRS ately to limit CFM
Controls	Backlit Electron	ic Push Button
Lightning		2 LED Lights
Filter Dishwa	sher-Safe, Anodized	Aluminum Mesh
Installation Type	Ducted or Rec Recirculating Kit (	circulating with sold separately)
Height 7'5" - 9'1" (du	For ceiling heigh acted), 7'5" - 9'6" (	
Transition		6" round



Recirculating Kit KIT02766 | KIT02721A
Long Chimney Extension Kit KIT02762
CFM Reduction Kit KIT02748







# SORA UNDERCABINET

Model Numbers	ESR430S1	ESR436S1
Width		30", 36"
Depth		23"
Color/Material		Stainless Steel
Blower Performal syst		speeds) with CRS rately to limit CFM
Controls	Rocker controls	
Lightning		2 LED Lights
Filter Dishwash	ner-Safe, St Steel Baffle Slot Filters	
Installation Type		Recirculating with it (sold separately)
Transition	3 1/4" x 10" top and rear	
KITS		
Recirculating Kit		KIT02770
CFM Reduction Kit		KIT02748





# **ELICA'S EXCLUSIVE PLUS FEATURES**



#### COOKTOP

Switch off all the cooking zones at once.



Exclusive sound deadening technology that effectiveley reduces sound levels.



Auto aspiration system automatically adjusts to the number and power AUTOCAPTURE of cooking zones used.



Offers installation flexibility that will accomodate most construction requirements, plus provided options related to ventilation power and sound generation.



Homogeneous cooking: cooktop surface adapts to the type of pot



An exclusive sound deadening technology that utilizes a patented filter design, which substantially eliminates air turbulence and ultimately reduce sound levels.



#### COOKTOP

Turns off cooktop when zone is not being used and turns on when pot is placed.



ADA compliant Remote Control provides added convinience to the user, as well as full function access for those with limited mobility.



### COOKTOP

The cooktop can be used with three programs (42, 72 or 92 degrees) to always ensure a perfect cooking.



Multi function electronic touch control behind sleek black glass and illuminate soft blue when activated



Once the Airmatic function is activated, the product's intelligent sensor system detects the quantity - but above all the quality - of the fumes produced by the type of cooking and sets the most suitable aspiration power.



The technology draws air through narrowed channed around a face plate, which increases suction, without increasing blower speed or energy consumption.



CFM Reduction System: enables user to reduce directly the maximum blower CFM, to meet local code requirements.



Achieve filtering thresholds of 82% against market average of 60%.



Very high performances for models with aspiration capacity between 600 and 1200 CFM's. The ideal complement of PRO ranges.



Proffessional grade Stainless Steel Baffle Filters designed for high airflow cooking, trap volumes of grease which is collected in trays for easy removal and cleaning.



High fume capturing capacity with an average aspiration range of 600 CFM's with low noise levels (1.2-1.7 sones at working speed).



A baffle shaped stainless steel filter with mesh backing allows air to pass but blocks grease, which drops into the high capacity baffle cavities.

# **ELICA'S EXCLUSIVE PLUS FEATURES**



Air filter that can be regenerated and keeps characteristics for up to 3 years, avoiding unnecessary replacements and waste. It has level of efficiency of around 60%.



Installation of the hood is easier, through an adjustement of the appliance alignment between the cabinets.



Aluminum mesh filters are step above competition, featuring triple layered, anodized aluminum that is woven into a highly dense mesh.



Products designed with special materials and finishes with great aesthetic impact but also with practical and durable characteristics, perfect for the kitchen.



Ambient light not only lights the cooktop, but the entire kitchen space and so the hood is transformed: from a kitchen appliance to a true lightning element.



Heavy gauge stainless steel "seamless" construction that delivers superior quality and Italian craftsmanship.



Choose preferred shade of white to create the right atmosphere. The Kelvin degrees regulation starts from a very warm tone up to a cold color.



When activated, your hood will emit a "beep" signal to let you know when is time to clean your filters. For some models, an intermittent light will remain active until cleaning filter action is completed. See instructions manual to activate feature.



Enables typical homeowners to replace LED lamps in seconds.



When activated, your hood will emit a "beep" signal let you know when is time to replace the carbon filters. See instructions manual to activate feature.



Expected lifetime of over 20,000 hours, represents the most remarkable advantage of LED light bulbs.



Wireless connection ensures constant communication between the induction cooktop and the hood.



Safety feature: when sensing extreme temperatures, will automatically adjust the blower speed to HIGH and then adjust back once temperature drop to a safe level

# **CONTACT INFO**

### TECHNICAL SUPPORT & WARRANTY SERVICE:

## **USA & CANADA - Western Provinces**

888 732 8018 elica@servicepower.com

## **CANADA - Ontario Province**

888 651 2534 service@agintl.qc.ca

## **CANADA - Quebec & Atlantic Provinces**

800 463 0119 service@ateliersgpaquette.com

## PARTS, KITS AND ACCESSORIES:

### For USA and Canada:

Contact: Encompass 800 432 8542 encompass.com/brands/eli/Elica or Repair Clinic 800-269-2609 Repairclinic.com





www.elica.com









