

PLANE NRS

Version

FNPLS36W5SS-R Wall - 36"
(90 cm) 500 CFM

Collection

Silence - NRS

EAN code

8034122345901



Photograph is for information purposes only
May not correspond to the selected version

FEATURES

Scotch brite stainless steel
(AISI 304)
NRS technology for a quieter
kitchen
Electronic control
LED lighting
Air Falmec filter for balanced
suction
Optional charcoal filter
SRS Speed reduction system

Recommended mounting height
from cooking surface to hood
bottom: 24" - 35"

OPTIONAL ACCESSORIES

KACL.400

Silent / Conveyor NRS

KACL.570#I

Extension H700 - Wall

KACL.571#I

Extension H960 - Wall

KACL.815

Protective cleaning cloths for
stainless steel (box 10 pcs)

KACL.921

High Performance Filter

KACL.961

Charcoal and Zeolite filter

TECHNICAL FEATURES

Installation type

Wall

Dimensions

36 / 90 cm

Finish

Scotch brite stainless steel (AISI
304)

Motor

500 CFM

Type of control

Electronic control

Speed settings

4

Lighting

Led 3x1,2 W - 3200 K

Filter

2 x Metallic filter "Air Falmec" -
Wall 278x301 mm

Charcoal filter

Charcoal and Zeolite filter
(optional)

Minimum distance

Gas hob: 25 in

Electric hob: 21 in

PACKAGING:WEIGHTS AND VOLUMES

Gross weight

89 lbs

Net weight

75 lbs

Volumes

19 ft³

Packaging size

Length

41 in

Height

27 in

Depth

30 in

CONSUMPTION AND CONNECTION FEATURES

Maximum consumption

280 W

Plug type

Hood comes standard with Nema
5-15P power cord

MOTOR TECHNICAL SHEET

Maximum capacity

610 m³/h

I.E.C. 61591

Maximum noise level

55 dB(A)re1pW


I.E.C.60704-2-13

Maximum pressure (Pa)

582 Pa

Max. motor power

224 W



PLANE NRS

Version

FNPLS36W5SS-R Wall - 36"
(90 cm) 500 CFM

Collection

Silence - NRS

EAN code

8034122345901

MOTOR TECHNICAL SHEET

Motor Speed	1	2	3	4
Noise level dB(A)re1pW-I.E.C.60704-2-13	37	41	46	55
Capacity (m3/h) I.E.C.61591	190	300	380	610
Maximum pressure (Pa)	490	500	520	582
Motor Power (W)	130	150	178	224
Air outlet	150	150	150	150

CAPACITY / PRESSURE

