FRIGIDAIRE

1.9 Cu. Ft. Over-the Range Microwave with Convection

Over-The-Range Microwave

Available Products: GMOS196CAF

Available Colors: Stainless Steel

Version: 02/23

Product Specifications

Cooking Controls		Oven	
Clock	Yes	Convection	Yes
Convection	Yes	Convection Element	1,350 Watts
Cooking Power	900 Watts	Convection Type	Fan
Defrost Time	Yes		
Defrost Weight	Yes	Ventilation System	
Number of Power Levels	9	Ductless Vent	Yes
		Ducted Vent	Yes
Microwave Cooking		Exhaust Fan Speeds	3
Beverage	Yes	Minimum Air Flow Capacity	105 CFM
Melt / Soften	Yes	Maximum Air Flow Capacity	400 CFM
Popcorn	Yes	Charcoal Filter Included	Yes
Potato	Yes	Grease Filter Included	Yes
Reheat	Yes	Grease Filter Quantity	2
Sensor Cooking	Yes	Grease Filter Dishwasher Safe	Yes
Veggies	Yes	Removable Grease Filter	Yes
Convection Cooking		Microwave Control Features	
Convection Cooking	¥	+ 10 Seconds	37
Keep Warm	Yes	+ 10 Seconds + 30 Seconds	Yes
			Yes - One Touch
Additional Settings		Quick Start	Yes - One Touch
Child Lock	Yes		
Clock Display On / Off	Yes	Display	
Clock Settings	Yes	Control Location	Bottom
Demo On / Off	Yes	Display Interface Color	White
Setting Turntable On / Off	Yes	Display Type	LED
Setting Weight Lb / Kg	Yes		
Surface Cooking Light	Yes	Internal Specifications	
Timer On / Off	Yes	Interior Color	Stainless Steel
Vent Fan	Yes	Interior Light Quantity	1
		Interior Light Type	LED
Exterior		Interior Light Wattage	1.2 Watts
Door Swing	Side-Swing Door	Rack	Yes
· · · · · · · · · · · · · · · · · · ·		Turntable Diameter	14 3/16"
Surface Light System		Turntable Material	Glass
Lighting Type	LED		
Electrical Specifications			
Amps @ 120 Volts	15 Amps		
Connected Load @ 120V	1.5 kW		
Safety Certifications and Approval	s		
cUL Listed	Yes		
	100		

For planning purposes only. We reserve the right to change specifications or discontinue models without notice. Refer to Product Installation Guide for detailed installation instructions on the web at frigidaire.com / frigidaire.ca

Electrolux Major Appliances, N.A.

USA • 10200 David Taylor Drive •Charlotte, NC 28262 • Charlotte, NC 28262 • 1-877-4electrolux (1-877-435-3287) • frigidaire.com CANADA • 5855 Terry Fox Way • Mississauga, ON L5V 3E4 • 1-800-265-8352 • frigidaire.ca



	1.9 Cu.	Ft. Ov	ver-the Ra	nge Micro	owave with	Convection
--	---------	--------	------------	-----------	------------	------------

Available Products: GMOS196CAF

Over-The-Range Microwave

Available Colors: Stainless Steel

Version: 02/23

Dimensions and Volume

Height	17 1/8"		
Width	30"		
Depth	16 5/16"		
Depth With Door 90° Open	44 15/16"		
Microwave Interior Height	10 3/4"		
Microwave Interior Width	21 5/16"		
Microwave Interior Depth	14 3/4"		
Microwave Capacity	1.9 Cu. Ft.		
Included Accessories			
Convection Round Rack	Yes		
Metal Rack	Yes		
General Specifications			
Warranty - Labor	1 Year		
Warranty - Parts	1 Year		

For planning purposes only. We reserve the right to change specifications or discontinue models without notice. Refer to Product Installation Guide for detailed installation instructions on the web at frigidaire.com / frigidaire.ca Electrolux Major Appliances, N.A. USA • 10200 David Taylor Drive •Charlotte, NC 28262 • Charlotte, NC 28262 • 1-877-4electrolux (1-877-435-3287) • frigidaire.com CANADA • 5855 Terry Fox Way • Mississauga, ON L5V 3E4 • 1-800-265-8352 • frigidaire.ca

1.9 Cu. Ft. Over-the Range Microwave with Convection


Over-The-Range Microwave

Available Products: GMOS196CAF

Version: 02/23

Available Colors: Stainless Steel

Installation Diagram



- The space between the cabinets must be 30" (76.2 cm) wide and free of obstructions.
- If you are going to vent your microwave oven to the outside, see Hood Exhaust Section for exhaust duct preparation
- When installing the microwave oven beneath smooth, flat cabinets, be careful to follow the instructions on the top cabinet template for power cord clearance.
- As a guide to installation, see page 25 for Mounting Template Information.
- If the cabinet depth, including the cabinet doors, is more than 13", then the unit must be spaced out from wall using adequate materials supporting 150 lbs to allow proper top vent air exhaust/ intake.

CANADA • 5855 Terry Fox Way • Mississauga, ON L5V 3E4 • 1-800-265-8352 • frigidaire.ca