FRIGIDAIRE.



Drop-In Cooktops

FFEC3025L S/W/B



Signature Features

Ready-Select™ Controls

Select options or control cooking temperature with our easy-to-use controls.

Approved Over Frigidaire® Electric Wall Ovens

Cooktops are approved for installation above any of our Electric Single Wall Ovens.

Extra-Large Element

Our extra-large 12" element gives you space for larger pots and pans.

Ceramic Glass Cooktop

For a more beautiful cooktop that's easy to clean.

30" Electric

Product Dimensions

 Width
 30-3/4"

 Depth
 21-1/2"

 Height
 2-5/8"

More Easy-To-Use Features

Color-Coordinated Control Knobs

White and Black cooktops come with matching knobs—while Stainless Steel models feature our neutral black knobs.

Hot Surface Indicator

Alerts you when your cooktop may be too warm to touch.

Available in:



Elements	Size	Watts
Right Front	9"	2,500
Right Rear	7"	1,500
Left Front	12"	2,700
Left Rear	6"	1,200




Drop-In Cooktops


FFEC3025L S/W/B 30" Electric

Features	
Controls	Ready-Select™
Surface Type	Black Ceramic Glass (S), Color-Coordinated Ceramic Glass (W/B)
Right Front Element (Watts)	9" - 2,500
Right Rear Element (Watts)	7" - 1,500
Left Front Element (Watts)	12" - 2,700
Left Rear Element (Watts)	6" - 1,200
Hot Surface Indicator	Yes
Control Location	Right Side
Knob Color	Black (S), Color-Coordinated (W/B)
Knob Type	Plastic
Specifications	
Power Supply Connection Location	Right Rear
Voltage Rating	240V/208V/60Hz
Connected Load (kW Rating) @ 240/208 Volts¹	7.9/5.9
Amps @ 240/208 Volts	33.0/28.0
Minimum Circuit Required (Amps)	30
Approved for Electric Single Wall Oven Combination Installation ²	Yes
Shipping Weight (Approx.)	45 Lbs.

Single phase 3- or 4-wire cable, 120/240 or 120/208 Volt, 60 Hertz AC only electrical supply with ground required on separate circuit fused on both sides of line.

²Cooktops are approved for installation above any of our Electric Single Wall Ovens.








Product Dimensions	
A - Width	30-3/4"
B-Depth	21-1/2"
C-Height	2-5/8"

Cutout Dimensions	
Width (Min.)	29-5/8"
Width (Max.)	29-3/4"
Depth (Min.)	20-1/4"
Depth (Max.)	20-1/2"
Height	5"

Granite Countertop Installation Kit available.

Accessories information available on the web at frigidaire.com

Electric Cooktop Installation Over 30"/27" Electric Single Wall Oven



30"/27" Electric Single Wall Oven **Under-Counter Installation Specifications**

- Single phase 3- or 4-wire cable, 120/240 or 120/208 Volt, 60 Hertz AC only electrical supply with ground required on separate circuit fused on both sides of line.
- For detailed electrical requirements, refer to model-specific product page and installation guide on web.
- · Always consult local and national electric codes.
- Minimum 21" clearance for oven door depth when open.
- Minimum 23-1/2" deep cutout dimension is critical for proper installation, to ensure that oven's faceplate will fit flush against cabinet front.
- Full oven base of solid plywood or similar material required, capable of supporting 200 Lbs. Install over two runners and flush with toe plate.
- · Base must be level and cabinet front must be square.
- · Allow 5" maximum height from oven base to floor, if NO cooktop is installed directly over wall oven.

Electric Cooktop Installation Over 30"/27" Electric Single Wall Oven Specifications

All Frigidaire® Electric Single Wall Ovens are approved to be used beneath any approved Frigidaire® Electric Cooktop.

For detailed Electric Cooktop installation, refer to model-specific product page and installation guide on web.

- Side filler panels necessary to isolate oven from adjoining cabinets. Panel height may need to be modified to accommodate the depth of approved electric cooktop models.
- To route armored cable to junction box, cut minimum 4" x 4" opening in right cabinet side panel
- Allow 4-1/2" maximum height from oven base to floor, if cooktop is installed directly over wall oven.

Note: For planning purposes only. Refer to Product Installation Guide on the web at frigidaire.com for detailed instructions.