

# DISTINTO MICROWAVE OVEN 24"










CODE ID

24" OVER-THE-RANGE MICROWAVE

**F4OTR24S1**



-  Sensor Cooking
-  Power Selection
-  Touch Controls
-  Presets
-  950 Watts
-  Auto Defrost
-  Child Safety Lock

## SPECIFICATIONS

### FEATURES

10 Power Levels  
White LED Display & Digital Clock  
LED lighting  
Child-Safe Lock-Out Feature  
Display On/Off (controlled via Clock key)  
Removable Glass Turntable for complete, even cooking

### VENTILATION


Ventilation Fan Speed:  
High/Low/Off (Max. 300 CFM)  
1 Charcoal Filter

### MICROWAVE FUNCTIONS

10 Sensor Cook Menu (Baked Potato, Sweet Potato, Fish/Seafood, Brown Rice, White Rice, Vegetables, Ground Meat, Frozen Entrée)  
5 Warm Menu (Syrup, Dessert Toppings, Beverage Reheat, Hot Water, Hot Cereal)  
4 Melt / Soften Menu (Butter, Chocolate / Ice cream, Cream Cheese)  
6 Defrost Menu (Ground Meat, Steaks/Chops, Boneless Poultry, Bone-in Poultry, Roast, Casserole and Soup)

# DISTINTO

24" OVER-THE-RANGE MICROWAVE



CODE ID	24" MICROWAVE OVEN F40TR24S1
MW Types	Turn Table / Recessed Cavity
Finish	Stainless Steel
<b>CONTROL PANEL</b>	
Control System	Electronic - Touch Control
Display & Digital Clock	White LED, 7-segments
<b>CAPACITIES</b>	
Cavity Size ( cu.ft )	1.4
TT Diameter	12.8" ( ø 325mm)
<b>FEATURES</b>	
Timer	•
Power Selection	11 levels
Charcoal Filter	1
Ventilation Fan Speed	High / Low / Off ( max 300 CFM)
Sensor Cook Menu	10 (Baked Potato Sweet Potato, Fish/Seafood, Brown Rice, White Rice, Vegetables, Ground Meat, Frozen Entrée)
Warm Menu	5 (Syrup, Dessert Toppings, Beverage Reheat, Hot Water, Hot Cereal)
Melt / Soften Menu	2+2 (Butter, Chocolate / Ice cream, Cream Cheese)
Defrost Menu	6 (Ground Meat, Steaks/Chops, Boneless Poultry, Bone-in Poultry, Roast, Casserole and Soup)
Chrome Rack	1 ea
Oven Light	LED ( On/Off )
Display On/Off	Clock key
Security	Child-Safe Lock-Out Feature
<b>TECHNICAL FEATURES</b>	
Energy Output	1000 W
Supply Voltage, V/Hz	120 V/60 Hz
Rated Current, A	15 A
Fan, CFM	300 CFM
<b>DIMENSIONS/WEIGHT</b>	
Cavity Dimension ( H x W x D )	10 13/16"(H)× 15 5/16"(W) ×15 1/4"(D)
Exterior Dimension ( H x W x D )	17 1/2"(H) ×23 7/8 "(W) ×16 5/8"(D)
<b>INSTRUCTIONS FOR USE</b>	
Use & Care Manual / Installation Manual	English / French