

# GE® 5.0 cu. ft. Capacity Front Load ENERGY STAR® Steam Washer with SmartDispense™ and UltraFresh Vent System with OdorBlock™

GE® 5.0 cu. ft. Capacity Front Load

ENERGY STAR® Steam Washer with SmartDispense™ and UltraFresh Vent System with OdorBlock™

## DIMENSIONS AND INSTALLATION INFORMATION (IN INCHES)


| ELECTRIC RATING |             |
|-----------------|-------------|
| 120V            | 11.0A, 60Hz |

### INSTALLATION INFORMATION:


For complete information, see installation instructions packed with your washer.

### INCLUDED:

- Power cord - up to 66" length
- Drain hose - up to 60" length



ADA Compliant



\*With leveling legs retracted:  
39-3/4" (101 cm).  
With leveling legs fully extended:  
40-5/8" (103.1 cm).



For answers to your Monogram, GE Café™, GE Profile™ or GE Appliances product questions, visit our website at [geappliances.com](http://geappliances.com) or call GE Answer Center® Service, 800.626.2000.



Specification Revised 6/23

# GE® 5.0 cu. ft. Capacity Front Load ENERGY STAR® Steam Washer with SmartDispense™ and UltraFresh Vent System with OdorBlock™

## SPECIAL INSTALLATION REQUIREMENTS:

### STACKED INSTALLATION:

-Brackets for stacking dryer over washer are not included with the washer. Order part no. GFA28KITN.

### ALCOVE OR CLOSET INSTALLATION:

-If your dryer is approved for installation in an alcove or closet, it will be stated on a label on the dryer back.

-The dryer MUST be exhausted to the outside.

-Minimum clearances between dryer cabinet and adjacent walls or other surfaces are: 0" all sides and top.\*

-Closet doors must be louvered or otherwise ventilated and must contain a minimum of 60 sq. in. of open area equally distributed. If this closet contains both a washer and a dryer, doors must contain a minimum of 120 sq. in. of open area equally distributed.

-No other fuel-burning appliance shall be installed in the same closet with a gas dryer.

### BATHROOM OR BEDROOM INSTALLATION:

-The dryer MUST be exhausted to the outdoors.

-The installation must conform with the local codes, or in the absence of local codes, with the National Electric Code and National Fuel Gas Code, ANSI Z223.

### MINIMUM CLEARANCE OTHER THAN ALCOVE OR CLOSET INSTALLATIONS:

-Minimum clearances to combustible surfaces 0" all sides and top.\*

FOR MORE INFORMATION ON VENTING KITS AND ACCESSORIES, PLEASE CALL 1-800-GE-CARES.

\*For improved performance, a 1/2" clearance is suggested on each side.

\*\*Accessories sold separately.

## WEIGHT

-Carton weight 255.7 lbs.

-Product weight 246 lbs.

## ACCESSORIES\*\*

| GE Part Number | Description                               |
|----------------|-------------------------------------------|
| WR97X27706     | Touch-up Paint (Carbon Graphite) .06 oz.  |
| WB64X5025      | Touch-up Paint (White) .06 oz.            |
| WH49X316       | Drain Hose Extension                      |
| PM7X2          | Universal Low-Profile Floors Tray (White) |
| WX17X10001CA   | Vibration Pads                            |
| WH41X10207     | Fill Hose                                 |
| GFP1528SNWW    | Pedestal Accessory (White)                |
| GFP1528PTDS    | Pedestal Accessory (Carbon Graphite)      |
| GFR0728SNWW    | Riser (White)                             |
| GFR0728PTDS    | Riser (Carbon Graphite)                   |
| GFA28KITN      | Stacking Kit                              |

## WARRANTY

|                |                                                          |
|----------------|----------------------------------------------------------|
| Labor Warranty | Limited 1-year entire appliance                          |
| Parts Warranty | Limited 1-year entire appliance<br>Limited 10-year motor |



For answers to your Monogram, GE Café™, GE Profile™ or GE Appliances product questions, visit our website at [geappliances.com](http://geappliances.com) or call GE Answer Center® Service, 800.626.2000.



Specification Revised 6/23

# GE® 5.0 cu. ft. Capacity Front Load ENERGY STAR® Steam Washer with SmartDispense™ and UltraFresh Vent System with OdorBlock™

GE® 5.0 cu. ft. Capacity Front Load ENERGY STAR® Steam Washer with SmartDispense™ and UltraFresh Vent System with OdorBlock™

## FEATURES AND BENEFITS

**UltraFresh Vent System with OdorBlock™** – The first and only UltraFresh Vent System with OdorBlock™ eliminates excess moisture to help prevent odors ensuring your washer stays fresh and clean.

**Microban® Antimicrobial Technology** – Built into components including the gasket, dispenser and draining system delivers protection that lives on load after load.

**SmartDispense™ Technology** – Save time and make laundry effortless with an intelligent dispenser that holds up to 32 loads of detergent and automatically dispenses the right amount each time.

**Built-in WiFi** – Start, stop and monitor your laundry from anywhere while receiving real-time notifications and updates.

**Dynamic Balancing Technology (dBT™)** – Our patented, time saving technology senses and re-balances uneven loads during the spin cycle, providing a quiet wash.

**Reversible Door** – Easily reverse your washer and dryer door for superior installation flexibility.

**Quick Wash Cycle** – Provides a fast 20 minute wash for lightly soiled items.

**Sanitize + Allergen** – Industry-first cycle sanitizes fabrics to kill 99% of common bacteria and allergens such as dust mites.

**Steam Cycles** – Safely penetrates deep into fabric fibers, loosening stains to deliver enhanced cleaning performance.

**Dryer Control™** – When units are stacked, turn on and control your dryer settings right from your washer's control panel, eliminating the need to reach the dryer's control panel.

**More Water Option** – For bulky items like a king-sized comforter or for heavily soiled loads, this option adds up to an additional 3 gallons of water for a deep water wash and rinse.

**Shallow Depth** – Never compromise on convenience with this 32" shallow depth washer that easily fits into tight spaces like an alcove or closet, making it a suitable solution for homes of any size.

**Time Saver** – When you need to get a full load of clothes clean in only 37 minutes.

**My Settings** – Store preferred dry cycle settings for later use, maximize time and alleviate adjusting cycle preferences with every load.

Model GFW655SSVWW – White

Model GFW655SPVDS – Carbon Graphite



For answers to your Monogram, GE Café™, GE Profile™ or GE Appliances product questions, visit our website at [geappliances.com](http://geappliances.com) or call GE Answer Center® Service, 800.626.2000.



Listed by  
Underwriters  
Laboratories

Specification Revised 6/23