

# RISE™

THE DEFIANT  
EXPRESSION  
BY JENNAIR



JENNAIR®

## CONTENTS

Professional-Style Ranges	6
Wall Ovens	12
Cooktops and Rangetops	18
Ventilation	26
Column Refrigeration	32
Built-In and Freestanding Refrigeration	36
Undercounter Refrigeration	40
Dishwashers	44
Urban Living	48
The JennAir Ownership Experience	54
Lookbook	56

### BOUND BY NOTHING™

It started with a rebel. In 1965, Lou Jenn challenged convention and physics itself to pioneer the idea of downdraft technology. By eliminating the need for an overhead hood, Lou Jenn's invention cleared the way for open concept living, transforming kitchen design forever. His defiance is in our DNA, revolution is our origin story, and this is our altar for progress.

**Join the rebellion.**

SEIZE THE KITCHEN.

# SEIZE THE THRONE.


THE DEFIANT EXPRESSION  
BY JENNAIR

## RISE™

RISE™ Design Expression features warm mixed metals, and dramatic design features that bridge the worlds of professional and posh. This is strength—inextricable from beauty. Forged in the fires of progress, the RISE™ design expression towers over stagnant, uninspired designs that have inherited undeserved standing.

JennAir® offers seemingly endless creativity and design options, including 34 professional-style range configurations, 14 rangetop configurations, 29 wall oven combinations, over 250 column refrigerator configurations, and a full urban living suite to fit smaller luxe spaces.

### HARDCORE CRAFTSMANSHIP



#### DETAILED PERFECTION

Dual-stacked burners, precision-drilled from solid brass. Asymmetric diamond grips etched in solid steel constructions. This is a new standard of excellence.

#### MASTERFUL HANDLE

Smooth, textured, touchable. Wrapped in a riveting reverse knurl, these handles were made to be grasped.

## DEFIANT BEAUTY



### DESIGNED TO RULE

Rise™ features warm mixed metals, and dramatic design features that bridge the worlds of professional and posh. This is strength—inextricable from beauty.

### DARING OBSIDIAN INTERIOR

Illuminated by over 650 LEDs, this dark finish erupts with reflective, high-contrast style. Reject the unfeeling, lifeless vessel of harsh steel. Let fine foods emerge like vibrant art, begging to be devoured.

## EXCEPTIONAL PERFORMANCE



### POTENTIAL UNLEASHED

Seize the kitchen with 360° performance that eclipses every expectation of professional luxury. Master your cooking with precise heat control of dual-stacked gas burners, and steady heat waves around each flat tine of your oven with dual-fan convection. Revel in the trinity of food preservation: three temperature zones, three precision sensors, calibrated every second.

### ABSOLUTE TRANQUILITY

True luxury turns heads at a whisper. From 38 dBA dishwashers across our entire line to drawers and racks that glide serenely closed, JennAir is turning the volume down so provocative design is the only thing that speaks.

## OUTSMART THE PACK



### TRUE CONTROL

Preheat. Check cooking status. Personalize settings. Connect to WiFi for real-time notifications and control your appliance from anywhere. Tap and swipe on both iOS and Android devices.\*

\* Appliance must be set to remote enable. WiFi & App required. Features subject to change. For details and privacy info, visit [jennair.ca/connected](http://jennair.ca/connected).

### CULINARY INTELLIGENCE

With step-by-step support, savour the full culinary experience backed by customized algorithms, featuring full-colour food photography, doneness levels, pan types and menu-specific tips. My Creations enables you to curate recipe presets at will. Bake for 30 minutes, broil for 4 and keep dishes warm until you're ready to dine—all without lifting a finger.\*

\* Professional-style range must be set to remote enable. WiFi & App required. Wall Oven features can be accessed through both the JennAir® App and the oven LCD display. Features subject to change. For details and privacy info, visit [jennair.ca/connected](http://jennair.ca/connected).

## SERVICE

### JENNAIR EPICENTRE—AT YOUR SERVICE

Our crew relentlessly engages with JennAir® appliances day in, day out. Initiated in rigorous product, process and culinary training, this team answers to you—from sales to installation to ownership.

We have also narrowed down our dedicated service network to only the most experienced providers. Armed with extensive access to products and knowledge, their expertise is unmatched.

## SMART INTEGRATION COMING SOON



Easy smart appliance commands are here. Control your select JennAir® appliances\* no matter what you've got on your hands with simple voice commands using a Google Assistant enabled device, like Google Home.† You can simply say:

Hey Google, start "the oven".

Hey Google, run "the oven" for [duration]

Hey Google, preheat "the oven" to [number] degrees

Hey Google, turn off the "the oven".

Hey Google, set "the oven" temperature to [number] degrees

Hey Google, turn on/off "the oven" light.

Hey Google, is "the oven" on?

Hey Google, what's "the oven" temperature set to?

\* JennAir Minerva Wall Ovens, U2 Commercial Ranges, Dishwashers (excluding panel ready models), and Oberon Refrigerators/freezers.

† Google and Google Home are trademarks of Google LLC. Away signal can take up to two hours. Appliance must be set to remote enable. You will assign the appliance a name during the Google Home setup process. WiFi & App required. Features subject to change. For details and privacy info, visit [jennair.ca/connected](http://jennair.ca/connected).

# PROGRESS IGNITED

Bend fire to your will. Grills, griddles, brass burners. Dual fuel or gas. Three widths. Four unique oven combinations. With 34 total configurations, it's up to you.

## GRILL

Grilling knows no season. Our founder's legacy is rekindled as we bring grilling back indoors. Harness 16,000 BTUs of searing, even heat coursing beneath cast iron grates.



## STEAM ASSIST\*

Add steam into the mix and lock in texture, flavour and nutrients as it envelops your meal. Insert dishes one, two, three at a time—flavours don't mingle here.

\* Water line required.



## JENNAIR® CULINARY CENTRE

With step-by-step support, savour the full culinary experience backed by customized algorithms, featuring full-colour food photography, doneness levels, pan types and menu-specific tips.\*

\* Appliance must be set to remote enable. WiFi & App required. Features subject to change. For details and privacy info, visit [jennair.ca/connected](http://jennair.ca/connected)

## CHROME-INFUSED GRIDDLE

Cast off porous, superficially plated options. Go deeper. Infused with chrome, our griddle cleans up well after heavy usage. Underneath, a serpentine element powers our best griddle preheat. With a 1,320-watt element for even, precise heat, chrome lets you cook fast and prevents heat from lingering too long in your kitchen.



## FLAT TINE RACKS

Each rack features dramatic, unexpected flat tines, delivering increased contact with cookware for exceptional heat transfer.



## DUAL-STACKED POWER BURNERS

Two stacked, symmetrical flames bloom and retreat at your inclination, offering total control over heat levels. High-heat searing and wok cooking. Low, slow simmer and melt. Infinite intermediate settings satisfy every appetite.



## HALO-EFFECT KNOBS

A halo of luminary LEDs glows softly when the burner is lit or the oven is on.



# PROFESSIONAL- STYLE GAS RANGES



MODEL #	48" JGRP748HL	48" JGRP648HL	48" JGRP548HL
<b>COOKING SURFACE FEATURES</b>			
Number of Burners	4	6	6
Dual Stacked Burners	•	•	•
BTUs (Natural Gas):			
Left Front	20,000	20,000	20,000
Left Rear	18,000	18,000	18,000
Centre Front	—	20,000	20,000
Centre Rear	—	9,000	9,000
Right Front	20,000	20,000	20,000
Right Rear	9,000	18,000	18,000
Chrome Infused Griddle (1,320 Watts)	•	—	•
Grill (16,000 BTUs)	•	•	—
Electronic Ignition and Flame-Sensing™ Re-ignition System	•	•	•
<b>OVEN FEATURES</b>			
Primary Oven Capacity (cu. ft.)	4.1	4.1	4.1
Dual-Fan True Convection (Primary Oven Only)	•	•	•
Secondary Oven Capacity (cu. ft.)	2.2	2.2	2.2
Cinematic Lighting	•	•	•
Flat Tine Racks	•	•	•
Three Glide Racks	•	•	•
<b>OVEN CONNECTIVITY</b>			
WiFi Connectivity & App	•	•	•
Remote Access	•	•	•
Culinary Centre	•	•	•
Voice Activation†	•	•	•
<b>DESIGN FEATURES</b>			
Cast Iron Grates	•	•	•
Halo-Effect LED Knobs	•	•	•
<b>OPTIONAL ACCESSORIES</b>			
Stainless Steel Backsplash with Two Shelves	W10285449	W10285449	W10285449
Brass Burner Caps, Kit of 4	W11323014	W11323014	W11323014
<b>PRODUCT DIMENSIONS</b>			
Width	47-7/8" (121.6 cm)	47-7/8" (121.6 cm)	47-7/8" (121.6 cm)
Height	37-5/16" (94.8 cm)	37-5/16" (94.8 cm)	37-5/16" (94.8 cm)
Depth	27-11/16" (70.3 cm)	27-11/16" (70.3 cm)	27-11/16" (70.3 cm)

† Coming in 2021.



MODEL #	36" JGRP636HL	36" JGRP536HL	36" JGRP436HL	30" JGRP430HL
<b>COOKING SURFACE FEATURES</b>				
Number of Burners	4	4	6	4
Dual Stacked Burners	•	•	•	•
BTUs (Natural Gas):				
Left Front	20,000	20,000	20,000	20,000
Left Rear	18,000	18,000	18,000	18,000
Centre Front	—	—	20,000	—
Centre Rear	—	—	9,000	—
Right Front	20,000	20,000	20,000	20,000
Right Rear	9,000	9,000	18,000	9,000
Chrome Infused Griddle (1,320 Watts)	—	•	—	—
Grill (16,000 BTUs)	•	—	—	—
Electronic Ignition and Flame-Sensing™ Re-ignition System	•	•	•	•
<b>OVEN FEATURES</b>				
Primary Oven Capacity (cu. ft.)	5.1	5.1	5.1	4.1
Dual-Fan True Convection (Primary Oven Only)	•	•	•	•
Secondary Oven Capacity (cu. ft.)	—	—	—	—
Cinematic Lighting	•	•	•	•
Flat Tine Racks	•	•	•	•
Three Glide Racks	•	•	•	•
<b>OVEN CONNECTIVITY</b>				
WiFi Connectivity & App	•	•	•	•
Remote Access	•	•	•	•
Culinary Centre	•	•	•	•
Voice Activation†	•	•	•	•
<b>DESIGN FEATURES</b>				
Cast Iron Grates	•	•	•	•
Halo-Effect LED Knobs	•	•	•	•
<b>OPTIONAL ACCESSORIES</b>				
Stainless Steel Backsplash with Two Shelves	W10285448	W10285448	W10285448	W10285447
Brass Burner Caps, Kit of 4	W11323014	W11323014	W11323014	W11323014
<b>PRODUCT DIMENSIONS</b>				
Width	35-7/8" (91.1 cm)	35-7/8" (91.1 cm)	35-7/8" (91.1 cm)	29-7/8" (75.9 cm)
Height	37-5/16" (94.8 cm)	37-5/16" (94.8 cm)	37-5/16" (94.8 cm)	37-5/16" (94.8 cm)
Depth	27-11/16" (70.3 cm)	27-11/16" (70.3 cm)	27-11/16" (70.3 cm)	27-11/16" (70.3 cm)

† Coming in 2021.

# PROFESSIONAL- STYLE DUAL-FUEL RANGES



MODEL #	48" JDSP548HL	48" JDRP848HL	48" JDRP748HL	48" JDRP648HL	48" JDRP548HL
<b>COOKING SURFACE FEATURES</b>					
Number of Burners	6	4	4	6	6
Dual Stacked Burners	•	•	•	•	•
BTUs (Natural Gas):					
Left Front	20,000	20,000	20,000	20,000	20,000
Left Rear	18,000	18,000	18,000	18,000	18,000
Centre Front	20,000	-	-	20,000	20,000
Centre Rear	9,000	-	-	9,000	9,000
Right Front	20,000	20,000	20,000	20,000	20,000
Right Rear	18,000	9,000	9,000	18,000	18,000
Chrome Infused Griddle (1,320 Watts)	•	• (x2)	•	—	•
Grill (16,000 BTUs)	—	—	•	•	—
Electronic Ignition and Flame-Sensing™ Re-ignition System	•	•	•	•	•
<b>OVEN FEATURES</b>					
Primary Oven Capacity (cu. ft.)	4.1	4.1	4.1	4.1	4.1
Dual-Fan True Convection (Primary Oven Only)	•	•	•	•	•
Secondary Oven Capacity (cu. ft.)	2.2	2.2	2.2	2.2	2.2
Cinematic Lighting	•	•	•	•	•
Flat Tine Racks	•	•	•	•	•
Three Glide Racks	•	•	•	•	•
Steam Assist†	•	—	—	—	—
<b>OVEN CONNECTIVITY</b>					
WiFi Connectivity & App	•	•	•	•	•
Remote Access	•	•	•	•	•
Culinary Centre	•	•	•	•	•
Voice Activation‡	•	•	•	•	•
<b>DESIGN FEATURES</b>					
Cast Iron Grates	•	•	•	•	•
Halo-Effect LED Knobs	•	•	•	•	•
<b>OPTIONAL ACCESSORIES</b>					
Stainless Steel Backsplash with Two Shelves	W10285449	W10285449	W10285449	W10285449	W10285449
Stainless Steel 9" Backguard	W10115777	W10115777	W10115777	W10115777	W10115777
Brass Burner Caps, Kit of 4	W11323014	W11323014	W11323014	W11323014	W11323014
<b>PRODUCT DIMENSIONS</b>					
Width	47-7/8" (121.6 cm)				
Height	37-5/16" (94.8 cm)				
Depth	27-11/16" (70.3 cm)				

† Water line required.  
‡ Coming in 2021.


Feature list represents a limited number of the features available for each product. For a full list of features & specifications, please visit [www.jennair.ca](http://www.jennair.ca). Dimensions are for planning purposes only. For complete details, see installation instructions packed with product.



MODEL #	36" JDSP536HL	36" JDRP636HL	36" JDRP536HL	36" JDRP436HL	30" JDRP430HL
<b>COOKING SURFACE FEATURES</b>					
Number of Burners	4	4	4	6	4
Dual Stacked Burners	•	•	•	•	•
BTUs (Natural Gas):					
Left Front	20,000	20,000	20,000	20,000	20,000
Left Rear	18,000	18,000	18,000	18,000	18,000
Centre Front	—	—	—	20,000	—
Centre Rear	—	—	—	9,000	—
Right Front	20,000	20,000	20,000	20,000	20,000
Right Rear	9,000	9,000	9,000	18,000	9,000
Chrome Infused Griddle (1,320 Watts)	•	—	•	—	—
Grill (16,000 BTUs)	—	•	—	—	—
Electronic Ignition and Flame-Sensing™ Re-ignition System	•	•	•	•	•
<b>OVEN FEATURES</b>					
Primary Oven Capacity (cu. ft.)	5.1	5.1	5.1	5.1	4.1
Dual-Fan True Convection (Primary Oven Only)	•	•	•	•	•
Cinematic Lighting	•	•	•	•	•
Flat Tine Racks	•	•	•	•	•
Three Glide Racks	•	•	•	•	•
Steam Assist†	•	—	—	—	—
<b>OVEN CONNECTIVITY</b>					
WiFi Connectivity & App	•	•	•	•	•
Remote Access	•	•	•	•	•
Culinary Centre	•	•	•	•	•
Voice Activation‡	•	•	•	•	•
<b>DESIGN FEATURES</b>					
Cast Iron Grates	•	•	•	•	•
Halo-Effect LED Knobs	•	•	•	•	•
<b>OPTIONAL ACCESSORIES</b>					
Stainless Steel Backsplash with Two Shelves	W10285448	W10285448	W10285448	W10285448	W10285447
Stainless Steel 9" Backguard	W10115776	W10115776	W10115776	W10115776	W10115773
Brass Burner Caps, Kit of 4	W11323014	W11323014	W11323014	W11323014	W11323014
<b>PRODUCT DIMENSIONS</b>					
Width	35-7/8" (91.1 cm)	35-7/8" (91.1 cm)	35-7/8" (91.1 cm)	35-7/8" (91.1 cm)	29-7/8" (75.9 cm)
Height	37-5/16" (94.8 cm)				
Depth	27-11/16" (70.3 cm)				

† Water line required.  
‡ Coming in 2021.

Feature list represents a limited number of the features available for each product. For a full list of features & specifications, please visit [www.jennair.ca](http://www.jennair.ca). Dimensions are for planning purposes only. For complete details, see installation instructions packed with product.



Master the incredible. Beyond a veil of dark glass, the staggering power of V2™ Vertical Dual-Fan Convection caresses every morsel with precise, even heat. With curated recipes and full-colour doneness images, an intelligent culinary experience awaits your touch.

# UNTETHERED

## 7-INCH FULL-COLOUR LCD DISPLAY

Visually vibrant. This highly-interactive, full-colour display is packed with dynamic features that allow you to navigate effortlessly through settings and the JennAir® Culinary Centre.



## V2™ VERTICAL DUAL-FAN CONVECTION

Dual counter-rotating vertical fans work in tandem, helping you wield your cooking prowess with everything from mouthwatering fillets to irresistible roasts.



## IRRESISTIBLE INTERIOR

Captivation cloaked in black. Beyond a dark glass expanse, cinematic lighting illuminates smooth glide racks, flat tines, and an enticing jet black interior.



## JENNAIR® CULINARY CENTRE

With step-by-step support, savour the full culinary experience backed by customized algorithms, featuring full-colour food photography, doneness levels, pan types and menu-specific tips.



# WALL OVENS



## DOUBLE WALL OVENS

	30"	30"	27"
MODEL #	JJW3830IL	JJW2830IL	JJW2827IL
<b>OVEN FEATURES</b>			
Oven Capacity (each oven, cu. ft.)	5 (.14 cu. m)	5 (.14 cu. m)	4.3 (.12 cu. m)
V2™ Vertical Dual-Fan Convection System	•	—	—
2-Speed MultiMode® Convection System	—	•	•
Broil Element Output (Watts)	4,000	4,000	4,000
Convection Element(s) Output (Watts)	6,800 Total	3,200	3,200
Cinematic Lighting	•	•	•
Chef's Light	•	—	—
Flat Tine Racks	•	•	•
Glide Rack	•	•	•
<b>CONTROL FEATURES</b>			
7" (17.8 cm) Full-Colour Touch-Anywhere LCD Display	•	—	—
4.3" (10.9 cm) Full-Colour Menu-Driven LCD Display	—	•	•
Culinary Centre	•	—	—
<b>OVEN CONNECTIVITY</b>			
WiFi Connectivity & App	•	—	—
Remote Access (Culinary Centre, Monitoring, Notifications)	•	—	—
Voice Activation†	•	—	—
<b>DESIGN FEATURES</b>			
Flush-to-Cabinet Design	Yes, requires flush install kit	Yes, requires flush install kit	Yes, requires flush install kit
Smooth Close Door	•	•	•
<b>OPTIONAL ACCESSORIES</b>			
Optional Flush Kits	W10837579	W10791229	W10791228
<b>PRODUCT DIMENSIONS</b>			
Width	30" (76.2 cm)	30" (76.2 cm)	27" (68.6 cm)
Height	52-3/8" (133 cm)	52-3/8" (133 cm)	52-3/8" (133 cm)
Depth	25-5/16" (64.3 cm)	25-5/16" (64.3 cm)	25-5/16" (64.3 cm)

† Coming in 2021.



## SINGLE WALL OVENS

	30"	30"	27"	24"
MODEL #	JJW3430IL	JJW2430IL	JJW2427IL	JJW2424HL
<b>OVEN FEATURES</b>				
Oven Capacity (each oven, cu. ft.)	5 (.14 cu. m)	5 (.14 cu. m)	4.3 (.12 cu. m)	2.6 (.07 cu. m)
V2™ Vertical Dual-Fan Convection System	•	—	—	—
2-Speed MultiMode® Convection System	—	•	•	—
True Convection	—	—	—	•
Broil Element Output (Watts)	4,000	4,000	4,000	2,670
Convection Element(s) Output (Watts)	6,800 Total	3,200	3,200	2,180
Cinematic Lighting	•	•	•	•
Chef's Light	•	—	—	—
Flat Tine Racks	•	•	•	—
Glide Rack	•	•	•	•
<b>CONTROL FEATURES</b>				
7" (17.8 cm) Full-Colour Touch-Anywhere LCD Display	•	—	—	—
4.3" (10.9 cm) Full-Colour Menu-Driven LCD Display	—	•	•	—
3.5" (8.9 cm) Full-Colour LCD Display	—	—	—	•
Culinary Centre	•	—	—	—
<b>OVEN CONNECTIVITY</b>				
WiFi Connectivity & App	•	—	—	—
Remote Access (Culinary Centre, Monitoring, Notifications)	•	—	—	—
Voice Activation†	•	—	—	—
<b>DESIGN FEATURES</b>				
Flush-to-Cabinet Design	Yes, requires flush install kit	Yes, requires flush install kit	Yes, requires flush install kit	No flush install kit required
Smooth Close Door	•	•	•	•
<b>OPTIONAL ACCESSORIES</b>				
Optional Flush Kits	W10837579	W10791229	W10791228	—
<b>PRODUCT DIMENSIONS</b>				
Width	30" (76.2 cm)	30" (76.2 cm)	27" (68.6 cm)	23-7/16" (59.5 cm)
Height	29-7/8" (75.9 cm)	29-7/8" (75.9 cm)	29-7/8" (75.9 cm)	23-1/2" (59.7 cm)
Depth	25-5/16" (64.3 cm)	25-5/16" (64.3 cm)	25-5/16" (64.3 cm)	22-7/16" (57 cm)

† Coming in 2021.

## STEAM AND CONVECTION WALL OVEN



BUILT-IN

24"

MODEL #	JJW6024HL
<b>OVEN FEATURES</b>	
Oven Capacity (cu. ft.)	1.3 (.04 cu. m)
Water Reservoir	•
Convection Element	1,200 W
Temperature Probe	•
Steam Cleaning Mode	•
Stainless Steel Interior	•
Halogen Oven Light	•
<b>COOKING MODES</b>	
Steam	•
Convection Bake	•
Steam Plus Convection	•
Steam Reheat	•
JennAir® Assisted Cooking (Preset Modes)	•
<b>SPECIALTY COOKING &amp; FOOD PREPARATION MODES</b>	
Proofing	•
Steam Defrost	•
SousVide Reheating	•
Preservation	•
Yogourt	•
<b>CONTROL FEATURES</b>	
3.5-Inch Full-Colour LCD Display	•
<b>DESIGN FEATURES</b>	
Flush-to-Cabinet Design	•
Trim Kits for 27" (68.6 cm) or 30" (76.2 cm) Installation	Included
<b>PRODUCT DIMENSIONS</b>	
Width	23-7/16" (59.5 cm)
Height	18-5/16" (46.5 cm)
Depth	25-5/16" (64.3 cm)

## BUILT-IN MICROWAVES



MICROWAVE SPEED OVENS

MICROWAVE DRAWERS

MODEL #	30"	27"	24"	30"	24"
	JMC2430IL	JMC2427IL	JMC6224HL	JMDFS30HL	JMDFS24JL
<b>MICROWAVE OVEN FEATURES</b>					
Oven Capacity (cu. ft.)	1.4 (.04 cu. m)	1.4 (.04 cu. m)	1.4 (.04 cu. m)	1.2 (.03 cu. m)	1.2 (.03 cu. m)
Power Output (Watts):					
Microwave	900	900	900	950	950
Convection Element	1,200	1,200	1,100	—	—
Grill Element	1,600	1,600	1,600	—	—
Power Levels	10	10	7	11	11
Speed Cook	•	•	•	—	—
Convection Cooking	•	•	•	—	—
<b>CONTROL FEATURES</b>					
Full-Colour LCD Display	4.3" (10.9 cm)	4.3" (10.9 cm)	3.5" (8.8 cm)	—	—
Menu-Driven LCD Display	—	—	—	•	•
<b>DESIGN FEATURES</b>					
Drop-Down Door	•	•	•	—	—
Drawer Design	—	—	—	•	•
Under Counter Installation	•	•	•	•	•
Flush-to-Cabinet Design	•	•	•	•	•
<b>OPTIONAL ACCESSORIES</b>					
Optional Flush Kits	W10801486	W10801485	—	—	—
<b>PRODUCT DIMENSIONS</b>					
Width	29-3/4" (75.6 cm)	26-3/4" (68 cm)	23-7/16" (59.5 cm)	29-15/16" (76 cm)	23-7/8" (60.6 cm)
Height	19-7/8" (50.5 cm)	19-7/8" (50.5 cm)	18-5/16" (46.5 cm)	16" (40.6 cm)	16" (40.6 cm)
Depth	22-11/16" (57.7 cm)	22-5/8" (57.5 cm)	21-7/8" (55.6 cm)	23-9/16" (58.9 cm)	23-11/16" (60.1 cm)

## WARMING DRAWERS



30"

27"

24"

MODEL #	JJD3030IL JWD3030EX (PANEL READY†)	JJD3027IL JWD3027EX (PANEL READY†)	JJD3024HL
<b>DRAWER FEATURES</b>			
Drawer Capacity (cu. ft.)	1.5 (.04 cu. m)	1.3 (.04 cu. m)	0.6 (.02 cu. m)
Heating Element Wattage	600	600	400
Temperature Range	32° to 121°C (90° to 250°F)	32° to 121°C (90° to 250°F)	32° to 71°C (90° to 160°F)
Full-Extension Drawer	•	•	•
<b>CONTROL FEATURES</b>			
Slow Roast Function	•	•	•
Bread Proofing Function	•	•	•
Concealed Controls	•	•	•
Humidity Slide Control	•	•	—
Sensor Temperature Control	•	•	—
<b>PRODUCT DIMENSIONS (WITHOUT HANDLE)</b>			
Width	29-3/4" (75.6 cm)	26-3/4" (67.9 cm)	23-7/16" (59.5 cm)
Height	10-1/4" (26.1 cm)	10-1/4" (26.1 cm)	5-9/16" (14.1 cm)
Depth	23-1/8" (58.7 cm)	23-1/8" (58.7 cm)	22-3/8" (56.8 cm)

† Requires custom panels and handles, not included.

## BUILT-IN ESPRESSO MACHINE



BUILT-IN

24"

MODEL #	JJB6424HL
<b>ESPRESSO MACHINE FEATURES</b>	
Water Tank Capacity	2.4 Litre
Cups at a Time	2
Whole-Bean Coffee Grinder	•
Frothing System with Integrated Milk Container	•
Cappuccino Option	•
Customizable Strength and Size	•
Auto-Start Mode	•
Auto-Off Mode	•
Descaling Mode	•
Temperature Customization	•
Hot Water Dispenser	•
Concealed Storage	•
<b>DESIGN FEATURES</b>	
Flush-To-Cabinet Installation	•
Electrical Requirements	120v
Capacitive Touch Controls	•
3.5-Inch Full-Colour LCD Display	•
<b>PRODUCT DIMENSIONS</b>	
Width	23-1/2" (59.7 cm)
Height	17-15/16" (45.5 cm)
Depth	19-11/16" (50 cm)

Discover countertop cooktops that integrate seamlessly into your kitchen design. JennAir® cooktops come in styles and configurations that fit your look and culinary preferences.

**GAS COOKTOPS**

A bold look. Commercial-style details. Powerful burners. Offering precise heat control, ideal for many cooking techniques.



**RADIANT COOKTOPS**

Indulge your untamed appetite for more with a radiant cooktop that unleashes heat at your command. Experience a surface that ascends to new levels of power and precision. Potent. Palatable. A force to be reckoned with.



**INDUCTION COOKTOPS**

Combining the precision of gas with the look of electric, induction cooktops are highly responsive as well as energy efficient. Break the confines of traditional elements with dynamic cooking elements. Unfettered by borders, dynamic elements respond to multiple sizes, making the cooktop your place to let loose. Pair with customized cooktops for more flavours to try and more ways to experience a surface that defies the mundane.



**GAS RANGETOPS**

Sealed brass burners. Precise, dual flames. Unmistakable firepower erupting through cast-iron grates. Turn on the heat without the click-click clamour, and seal and simmer to satisfy your deepest hunger.



**MODULAR COOKTOPS**

Design your own destiny. Gas. Induction. Wok. Griddle. Downdraft or updraft ventilation. Pair any module with select gas and induction cooktops.



BESPOKE


## INDUCTION COOKTOPS



MODEL #	36" JIC4736H	36" JIC4536X	30" JIC4730H	30" JIC4430X	24" JIC4724H
<b>COOKING SURFACE FEATURES</b>					
Dynamic Elements	•	—	•	—	•
Element Size and Wattage:					
Left Front	8" (20.32 cm) - 3,700 W	7" (17.78 cm) - 2,500/1,800 W	8" (20.32 cm) - 3,700 W	7" (17.78 cm) - 2,500/1,800 W	8" (20.32 cm) - 3,700 W
Left Rear	8" (20.32 cm) - 3,700 W	7" (17.78 cm) - 2,500/1,800 W	8" (20.32 cm) - 3,700 W	7" (17.78 cm) - 2,500/1,800 W	8" (20.32 cm) - 3,700 W
Centre Front	8" (20.32 cm) - 3,700 W	—	—	—	—
Centre Rear	8" (20.32 cm) - 3,700 W	Dual Zone Element: 12" (30.48 cm) / 7" (17.78 cm) - 5,000/2,800 W	—	—	—
Right Front	8" (20.32 cm) - 3,700 W	7" (17.78 cm) - 2,500/1,800 W	8" (20.32 cm) - 3,700 W	6" (15.24 cm) - 1,800/1,400 W	8" (20.32 cm) - 3,700 W
Right Rear	8" (20.32 cm) - 3,700 W	7" (17.78 cm) - 2,500/1,800 W	8" (20.32 cm) - 3,700 W	11" (27.94 cm) - 3,700/2,300 W	8" (20.32 cm) - 3,700 W
Number of Induction Elements	6 (3 Dynamic Elements)	5	4 (2 Dynamic Elements)	4	4 (2 Dynamic Elements)
Bridge Function	•	•	•	•	•
<b>DESIGN FEATURES</b>					
Tap Touch Controls	•	•	•	•	•
True Flush Installation	•	—	•	—	•
Oblivion Glass-Ceramic Surface	•	•	•	•	•
Trim Colours Available†	S / B	S / B	S / B	S / B	S / B
Can be Paired with Modular Cooktops	• (Stainless Trim Only)	—	• (Stainless Trim Only)	—	• (Stainless Trim Only)
<b>PRODUCT DIMENSIONS</b>					
Width	36" (91.4 cm)	36-5/16" (92.2 cm)	30" (76.2 cm)	30-5/16" (77 cm)	24" (61 cm)
Height	3-11/16" (9.4 cm)	4-1/8" (10.5 cm)	3-11/16" (9.4 cm)	4-1/8" (10.5 cm)	3-11/16" (9.4 cm)
Depth	21" (53.3 cm)	21-5/16" (54.1 cm)	21" (53.3 cm)	21-5/16" (54.1 cm)	21" (53.3 cm)

† Image shown has stainless steel trim.

## GAS COOKTOPS



MODEL #	36" JGC7636B	36" JGC2536E	36" JGC3536G	30" JGC7530B	30" JGC2530E	30" JGC3530G
<b>COOKING SURFACE FEATURES</b>						
Number of Burners	6	5	5	5	5	5
Brass Burners	•	—	•	•	—	•
BTUs (Natural Gas):						
Left Front / Left Rear	18,000 / 15,000	9,000 / 12,000	12,000 / 15,000	18,000 / 12,000	9,000 / 12,000	12,000 / 12,000
Centre Front / Centre Rear	15,000 / 15,000	— / 18,000 (Dual Stacked)	— / 20,000 (Dual Stacked)	— / 15,000	— / 18,000 (Dual Stacked)	— / 20,000 (Dual Stacked)
Right Front / Right Rear	9,000 / 6,000 (Simmer)	6,000 (Simmer) / 12,000	12,000 / 6,000 (Simmer)	9,000 / 6,000 (Simmer)	6,000 (Simmer) / 12,000	9,000 / 6,000 (Simmer)
Single Point Electronic Ignition and Flame-Sensing™ Re-Ignition	•	•	•	•	•	•
<b>DESIGN FEATURES</b>						
White LED Backlit Knob	•	—	•	•	—	•
Low Profile Design	•	—	•	•	—	•
Gas-on-Glass Design	—	•	—	—	•	—
Colours Available	S / P	B	S	S / P	B	S
Can be Paired with Modular Cooktops	—	—	• (Stainless Trim Only)	—	—	• (Stainless Trim Only)
<b>PRODUCT DIMENSIONS</b>						
Width	36" (91.4 cm)	36" (91.4 cm)	36" (91.4 cm)	30" (76.2 cm)	30" (76.2 cm)	30" (76.2 cm)
Height	5-1/4" (13.3 cm)	4-3/16" (10.6 cm)	4-3/16" (10.6 cm)	5-1/4" (13.3 cm)	4-3/16" (10.6 cm)	4-3/16" (10.6 cm)
Depth	21" (53.3 cm)	21" (53.3 cm)	21" (53.3 cm)	21" (53.3 cm)	21" (53.3 cm)	21" (53.3 cm)

COLOURS: S: STAINLESS STEEL B: BLACK P: PRO-STYLE®-STAINLESS-KNOB

Feature list represents a limited number of the features available for each product. For a full list of features & specifications, please visit [www.jennair.ca](http://www.jennair.ca). Dimensions are for planning purposes only. For complete details, see installation instructions packed with product.

## ELECTRIC COOKTOPS



MODEL #	36" JEC3536H	36" JEC4536K COMING SOON	30" JEC3430H	30" JEC4430K COMING SOON	24" JEC4424K COMING SOON
<b>COOKING SURFACE FEATURES</b>					
Number of Radiant Elements	5	5	4	4	4
Element Size and Wattage:					
Left Front	6" (15.24 cm) - 1,300 W	Dual-Choice™ Element: 10/6" (25.4/15.24 cm) - 3,000/1,900 W	6" (15.24 cm) - 1,300 W	Triple-Choice™ Element: 12/9/6" (30.48/22.86/15.24 cm) - 4,500/3,000/1,500 W	6" (15.24 cm) - 1,200 W
Left Rear	Triple-Choice™ Element: 12/9/6" (30.48/22.86/15.24 cm) - 3,000/2,200/1,100 W	6" (15.24 cm) - 1,200 W	Dual-Choice™ Element: 10/6" (25.4/15.24 cm) - 3,000/1,900 W	6" (15.24 cm) - 1,300 W	8" (20.32 cm) - 1,800 W
Centre Rear	Dual-Choice™ Element: 9/6" (22.86/15.24 cm) - 2,000/1,000 W	Triple-Choice™ Element: 12/9/6" (30.48/22.86/15.24 cm) - 4,500/3,000/1,500 W	—	Dual-Choice™ Element: 10/6" (25.4/15.24 cm) - 3,200/2,300 W	—
Right Front	Dual-Choice™ Element: 10/6" (25.4/15.24 cm) - 3,000/1,900 W	Dual-Choice™ Element: 10/6" (25.4/15.24 cm) - 3,000/1,900 W	Triple-Choice™ Element: 12/9/6" (30.48/22.86/15.24 cm) - 3,000/2,200/1,100 W	—	6" (15.24 cm) - 1,300 W
Right Rear	6" (15.24 cm) - 1,200 W	6" (15.24 cm) - 1,200 W	6" (15.24 cm) - 1,200 W	6" (15.24 cm) - 1,300 W	Dual-Choice™ Element: 10/6" (25.4/15.24 cm) - 3,000/1,900 W

### COOKTOP CONNECTIVITY

Wifi Connectivity & App	—	•	—	•	•
Remote Access (Monitoring, Notifications)	—	•	—	•	•

### DESIGN FEATURES

Glass-Touch Electronic Controls	—	•	—	•	•
Halo-Effect LED Knobs	•	—	•	—	—
Oblivion Glass-Ceramic Surface	•	•	•	•	•
Trim Colours Available†	S / B	S / B	S / B	S / B	B
True Flush Installation (Available on black trim model only)	•	•	•	•	•
Can be Paired with Modular Cooktops	• (Stainless Trim Only)	—			

### PRODUCT DIMENSIONS

Width	36-5/16" (92.2 cm)	36-5/16" (92.2 cm)	30-13/16" (78.3 cm)	30-13/16" (78.3 cm)	23-13/16" (60.5 cm)
Height	5-1/4" (13.3 cm)	5-1/4" (13.3 cm)	5-1/4" (13.3 cm)	5-1/4" (13.3 cm)	5-1/4" (13.3 cm)
Depth	S: 22-1/8" (56.2 cm) B: 21-3/4" (55.3 cm)	21-3/4" (55.3 cm)			

† Image shown has stainless steel trim, with the exception of JEC4424KB, shown with black trim.

COLOURS: S: STAINLESS STEEL B: BLACK

Feature list represents a limited number of the features available for each product. For a full list of features & specifications, please visit [www.jennair.ca](http://www.jennair.ca). Dimensions are for planning purposes only. For complete details, see installation instructions packed with product.

## RANGETOPS



MODEL #	48" JGCP748HL	48" JGCP648HL	48" JGCP548HL	36" JGCP636HL	36" JGCP536HL	36" JGCP436HL	30" JGCP430HL
<b>COOKING SURFACE FEATURES</b>							
Number of Burners	4	6	6	4	4	6	4
Dual Stacked Burners	•	•	•	•	•	•	•
BTUs (Natural Gas):							
Left Front	20,000	20,000	20,000	20,000	20,000	20,000	20,000
Left Rear	18,000	18,000	18,000	18,000	18,000	18,000	18,000
Centre Front	—	20,000	20,000	—	—	20,000	—
Centre Rear	—	9,000	9,000	—	—	9,000	—
Right Front	20,000	20,000	20,000	20,000	20,000	20,000	20,000
Right Rear	9,000	18,000	18,000	9,000	9,000	18,000	9,000
Chrome Infused Griddle (1,320 Watts)	•	—	•	—	•	—	—
Grill (16,000 BTUs)	•	•	—	•	—	—	—
Electronic Ignition and Flame-Sensing™ Re-ignition System	•	•	•	•	•	•	•
<b>DESIGN FEATURES</b>							
Cast Iron Grates	•	•	•	•	•	•	•
Halo-Effect LED Knobs	•	•	•	•	•	•	•
<b>OPTIONAL ACCESSORIES</b>							
Stainless Steel Backsplash with Two Shelves	W10285449	W10285449	W10285449	W10285448	W10285448	W10285448	W10285447
Stainless Steel 9" Backguard	W10115777	W10115777	W10115777	W10115776	W10115776	W10115776	W10115773
<b>PRODUCT DIMENSIONS</b>							
Width	47-7/8" (121.6 cm)	47-7/8" (121.6 cm)	47-7/8" (121.6 cm)	35-3/4" (90.8 cm)	35-3/4" (90.8 cm)	35-3/4" (90.8 cm)	29-3/4" (75.6 cm)
Height	9" (22.9 cm)	9" (22.9 cm)	9" (22.9 cm)	9" (22.9 cm)	9" (22.9 cm)	9" (22.9 cm)	9" (22.9 cm)
Depth	27-1/2" (69.9 cm)	27-1/2" (69.9 cm)	27-1/2" (69.9 cm)	27-1/2" (69.9 cm)	27-1/2" (69.9 cm)	27-1/2" (69.9 cm)	27-1/2" (69.9 cm)

## INDUCTION & ELECTRIC MODULES



MODEL #	15" JIC4715GS	15" JIE4115GS	15" JEF3115GS
<b>COOKING SURFACE FEATURES</b>			
Number of Elements	2 (1 Dynamic Element)	1	1
Element Size and Wattage:			
Front	8" (20.32 cm) - 3,700 W	3,700 W	1,800 W
Rear	8" (20.32 cm) - 3,700 W		
Induction Dynamic Element	•	—	—
Induction Wok Element	—	•	—
Bridge Function	•	—	—
Chrome Infused Griddle	—	—	•
<b>DESIGN FEATURES</b>			
Tap Touch Controls	•	•	—
White LED Backlit Knob	—	—	•
True Flush Installation	•	•	•
Oblivion Glass-Ceramic Surface	•	•	—
<b>PRODUCT DIMENSIONS</b>			
Width	15" (38.1 cm)	15" (38.1 cm)	15" (38.1 cm)
Height	3-15/32" (8.8 cm)	5-7/8" (14.9 cm)	5-13/32" (13.7 cm)
Depth	21" (53.3 cm)	21" (53.3 cm)	21" (53.3 cm)

## GAS MODULES



MODEL #	15" JGC3215GS	15" JGC3115GS
<b>COOKING SURFACE FEATURES</b>		
Number of Burners	2	1
Brass Burners	•	•
BTUs (Natural Gas):		
Front	15,000	20,000
Rear	15,000	
Single Point Electronic Ignition and Flame-Sensing™ Re-Ignition	•	•
Wok Ring	—	•
<b>DESIGN FEATURES</b>		
White LED Backlit Knob	•	•
True Flush Installation	•	•
<b>PRODUCT DIMENSIONS</b>		
Width	15" (38.1 cm)	15" (38.1 cm)
Height	4-5/32" (10.6 cm)	4-5/32" (10.6 cm)
Depth	21" (53.3 cm)	21" (53.3 cm)

## DOWNDRAFT VENTILATION



MODEL #	JVD0303GS
<b>VENTILATION FEATURES</b>	
CFM Rating†	310
Dishwasher-Safe Filter	•
Reversible Blower Motor‡	•
Ambient LED Lighting	•
Convertible to Duct-Free Ventilation <sup>Δ</sup>	•
Number of Fan Speed Settings	2
<b>DESIGN FEATURES</b>	
True Flush Installation	•
Tap Touch Control	•
<b>OPTIONAL ACCESSORIES</b>	
Duct-Free Kit (not included)	W10807915
<b>PRODUCT DIMENSIONS</b>	
Width	3-7/8" (9.8 cm)
Height	29-51/64" (75.7 cm)
Depth	21" (53.3 cm)

† Based on ventilation with correctly installed ducting.  
‡ Allows for more installation options.  
Δ Duct-free kit not included.

## ELECTRIC DOWNDRAFT COOKTOPS




MODEL #	JED3536G	JED4536K COMING SOON	JED3430G	JED4430K COMING SOON
<b>COOKING SURFACE FEATURES</b>				
Number of Radiant Elements	5	5	4	4
Element Size and Wattage:				
Left Front	6" (15.24 cm) - 1,300 W	6" (15.24 cm) - 1,300 W	10" (25.4 cm) - 3,200 W	10" (25.4 cm) - 3,200 W
Left Rear	8" (20.32 cm) - 1,800 W	8" (20.32 cm) - 1,800 W	6" (15.24 cm) - 1,300 W	6" (15.24 cm) - 1,300 W
Centre Front	10" (25.4 cm) - 3,200 W	Dual-Choice™ Elements: 10/6" (25.4/15.24 cm) - 3,000/1,400 W	—	—
Centre Rear	6" (15.24 cm) - 1,200 W	6" (15.24 cm) - 1,200 W	—	—
Right Front	—	—	6" (15.24 cm) - 1,200 W	6" (15.24 cm) - 1,200 W
Right Rear	Triple-Choice™ Element: 12/9/6" (30.48/22.9/15.24 cm) - 3,000/1,950/1,050 W	Triple-Choice™ Element: 12/9/6" (30.48/22.9/15.24 cm) - 4,500/3,100/1,550 W	Dual-Choice™ Elements: 10/6" (25.4/15.24 cm) - 3,000/1,400 W	Dual-Choice™ Elements: 10/6" (25.4/15.24 cm) - 3,000/1,400 W
<b>DOWNDRAFT FEATURES</b>				
JX3™ Downdraft Ventilation System with 3-Speed Fan	•	•	•	•
Convertible to Duct-Free Ventilation <sup>Δ</sup>	•	•	•	•
Perimetric Ventilation	•	•	•	•
Blower Capacity	310 CFM	310 CFM	310 CFM	310 CFM
<b>DESIGN FEATURES</b>				
Glass-Touch Electronic Controls	—	•	—	•
Style Options†	S / B	S / B	S / B	S / B
Metal Knobs	•	—	•	—
<b>OPTIONAL ACCESSORIES</b>				
Duct-Free Kit (not included)	JDA7000WX	JDA7000WX	JDA7000WX	JDA7000WX
<b>PRODUCT DIMENSIONS</b>				
Width	36-5/16" (92.3 cm)	36-5/16" (92.3 cm)	30-7/8" (78.4 cm)	30-7/8" (78.4 cm)
Height	17-59/64" (45.5 cm)	17-59/64" (45.5 cm)	17-29/32" (45.5 cm)	17-29/32" (45.5 cm)
Depth	23" (58.5 cm)	23" (58.5 cm)	23" (58.5 cm)	23" (58.5 cm)

† Image shown has stainless steel trim.  
<sup>Δ</sup> Duct-free kit not included.

COLOURS: **S**: STAINLESS STEEL **B**: BLACK

24 Feature list represents a limited number of the features available for each product. For a full list of features & specifications, please visit [www.jennair.ca](http://www.jennair.ca). Dimensions are for planning purposes only. For complete details, see installation instructions packed with product.

## GAS DOWNDRAFT COOKTOPS



MODEL #	JGD3536G	JGD3430G
<b>COOKING SURFACE FEATURES</b>		
Number of Burners	5	4
Brass Burners	•	•
BTUs (Natural Gas):		
Left Front	10,000	17,000
Left Rear	5,000	5,000
Centre Front	15,000	—
Centre Rear	12,500	—
Right Front	—	10,000
Right Rear	17,000	15,000
Clear Coat - DuraFinish™	•	•
Electronic Ignition and Flame-Sensing™ Re-ignition System	•	•
<b>DOWNDRAFT FEATURES</b>		
JX3™ Downdraft Ventilation System with 3-Speed Fan	•	•
Convertible to Duct-Free Ventilation <sup>Δ</sup>	•	•
Blower Capacity	310 CFM	310 CFM
<b>DESIGN FEATURES</b>		
Style Options	S / B	S / B
<b>OPTIONAL ACCESSORIES</b>		
Duct-Free Kit (not included)	JDA7000WX	JDA7000WX
<b>PRODUCT DIMENSIONS</b>		
Width	36" (91.4 cm)	29-59/64" (76 cm)
Height	18-5/16" (46.5 cm)	18-5/16" (46.5 cm)
Depth	21-1/2" (54.6 cm)	21-1/2" (54.6 cm)

<sup>Δ</sup> Duct-free kit not included.

COLOURS: **S**: STAINLESS STEEL **B**: BLACK

25 Feature list represents a limited number of the features available for each product. For a full list of features & specifications, please visit [www.jennair.ca](http://www.jennair.ca). Dimensions are for planning purposes only. For complete details, see installation instructions packed with product.

Take your pick and inspire envy with commercial, wall mount, island mount, or downdraft ventilation.

# HUSHED TONES, SPEAK VOLUMES

## PROFESSIONAL-STYLE VENTILATION

Style prevails with a brushed stainless steel finish that underscores your affairs.



## ISLAND MOUNT VENTILATION

Provides optimal proximity to the cooking surface below, allowing for efficient ventilation.




## WALL MOUNT VENTILATION

The hood will blend seamlessly into your kitchen as a swirling vortex captures, scrubs and recirculates the air quietly.



## DOWNDRAFT VENTILATION

Minimal design meets ventilation power to accommodate precise cooking needs. Pioneered by Lou Jenn, downdraft technology allows the vent to effortlessly appear at the lightest touch to unleash performance.



## UNDER CABINET VENTILATION

Low profile hoods offer a more minimal-looking installation by installing directly underneath the cabinet situated above your cooking surface.



## TRADITIONAL STYLE VENTILATION



	WALL-MOUNT		RECIRCULATING WALL-MOUNT		ISLAND MOUNT
	36"	30"	36"	30"	36"
MODEL #	JXW8536HS	JXW8530HS	JVR0436HS	JVR0430HS	JXI8536HS
<b>VENTILATION FEATURES</b>					
High-Performance Blower CFM Rating †	600	600	550	550	600
Perimetric Extraction	•	•	—	—	•
Dishwasher-Safe Metal Filter	•	•	•	•	•
LED Task Lighting	•	•	•	•	•
LED Ambient Lighting	•	•	—	—	•
Auto Sense Option	•	•	—	•	•
Recirculating Installation Option	•	•	Included	Included	•
Fan Speed Settings	3	3	4	4	3
<b>OPTIONAL ACCESSORIES</b>					
Recirculating Installation Kit (Ceiling Height)	W10692908	W10692908	—	—	W10692909
Chimney Extension Kit	EXTKIT12HS	EXTKIT12HS	—	—	EXTKIT26FS
In-line Smart Blower Kit	W10692945	W10692945	—	—	W10692945
<b>PRODUCT DIMENSIONS</b>					
Width	36" (91.4 cm)	30" (76.2 cm)	35-29/32" (91.2 cm)	29-29/32" (76 cm)	36" (91.4 cm)
Height Minimum	24-5/8" (62.5 cm)	24-5/8" (62.5 cm)	38-19/32" (98 cm)	38-19/32" (98 cm)	32-1/2" (82.6 cm)
Height Maximum	38-3/4" (98.4 cm)	38-3/4" (98.4 cm)	50-13/32" (128 cm)	50-13/32" (128 cm)	52-9/16" (133.5 cm)
Depth	19-11/16" (50 cm)	19-11/16" (50 cm)	18" (45.7 cm)	17-61/64" (45.6 cm)	27" (68.6 cm)

† Based on hoods with correctly installed ducting.

## PROFESSIONAL STYLE VENTILATION



	WALL-MOUNT			LOW PROFILE UNDER CABINET	
	48"	36"	30"	36"	30"
MODEL #	JXW9048HP	JXW9036HP	JXW9030HP	JXU9136HP	JXU9130HP
<b>VENTILATION FEATURES</b>					
CFM Rating †	1,200	600	600	600	600
High-Performance Blower(s)	Dual	•	•	•	•
Dishwasher-Safe Stainless Steel Baffle Filters	•	•	•	•	•
Number of Lights (Bulbs Included)	3	2	2	2	2
Lighting Levels	2	2	2	2	2
Halogen Lighting	•	•	•	•	•
Food Warming Lamps (bulbs included) ‡	2	2	2	—	—
Fan Speed Settings	4	4	4	4	4
<b>OPTIONAL ACCESSORIES</b>					
12" Extension Kits / Duct Cover	EXTKIT06ES	EXTKIT04ES	EXTKIT02ES	EXTKIT04ES	EXTKIT02ES
<b>PRODUCT DIMENSIONS</b>					
Width	48" (122 cm)	36" (91.4 cm)	30" (76.2 cm)	36" (91.4 cm)	30" (76.2 cm)
Height	19-3/8" (49.1 cm)	19-3/8" (49.1 cm)	19-3/8" (49.1 cm)	10-1/2" (26.7 cm)	10-1/2" (26.7 cm)
Depth	25" (63.5 cm)	25" (63.5 cm)	25" (63.5 cm)	23" (58.4 cm)	23" (58.4 cm)

† Based on hoods with correctly installed ducting.

‡ Hood comes with 175-watt PAR-38 infrared bulbs. Hood will also accept 250-watt R40 infrared bulbs.

## DOWNDRAFT VENTILATION



	36"	30"	4"
<b>MODEL #</b>	<b>JXD7036YS</b>	<b>JXD7030YS</b>	<b>JVD0303GS</b>
<b>VENTILATION FEATURES</b>			
CFM Rating†	600	600	310
Retractable System	•	•	—
Extension Height	14" (35.6 cm)	14" (35.6 cm)	—
Dishwasher-Safe Filter	•	•	•
Reversible Blower Motor‡	•	•	•
Ambient LED Lighting	—	—	•
True Flush Installation	—	—	•
Convertible to Duct-Free Ventilation <sup>Δ</sup>	—	—	•
<b>CONTROL FEATURES</b>			
Slide Controls	•	•	—
Tap Touch Control	—	—	•
Remote Control	—	—	—
Number of Fan Speed Settings	4	4	2
<b>OPTIONAL ACCESSORIES</b>			
Duct-Free Kit (not included)	—	—	W10807915
<b>PRODUCT DIMENSIONS</b>			
Width	36" (91.4 cm)	30" (76.2 cm)	3-7/8" (9.8 cm)
Height	42-1/8" (107 cm)	42-1/8" (107 cm)	29-51/64" (75.7 cm)
Depth	12-1/8" (30.8 cm)	12-1/8" (30.8 cm)	21" (53.3 cm)

† Based on ventilation with correctly installed ducting.  
‡ Allows for more installation options.  
Δ Duct-free kit not included.

## CUSTOM HOOD LINER



	48"	36"	36"
<b>MODEL #</b>	<b>UVL6048JSS</b>	<b>JXL6536HSS</b>	<b>UVL6036JSS</b>
<b>VENTILATION FEATURES</b>			
Blower Required (Sold Separately)	•	•	•
4 Halogen Lights w/ Night Light Setting	—	•	—
LED Lights	•	—	•
Dishwasher-Safe Mesh Filters	•	—	•
Dishwasher-Safe, Stainless Steel Baffle Filters	—	•	—
Auto On Heat Sensor	•	•	•
10" (25.4 cm) Round Exterior Duct	•	•	•
Thermal Protector	—	•	—
JennAir Logo	—	•	—
<b>CONTROL FEATURES</b>			
Hidden 3-Speed Slide Control	•	—	•
Robust Control Knobs	—	•	—
3-Speed Fan	•	•	•
<b>OPTIONAL ACCESSORIES</b>			
Internal Blower	UXB0600DYS, UXB1200DYS	UXB0600DYS, UXB1200DYS	UXB0600DYS, UXB1200DYS
In-line Blower	UXI1200DYS	UXI1200DYS	UXI1200DYS
42-Inch Spacer Kit	—	W10646268	—
48-Inch Spacer Kit	—	W10646269	—
<b>PRODUCT DIMENSIONS</b>			
Width	47-7/8" (121.6 cm)	35-7/8" (91.1 cm)	35-7/8" (91.1 cm)
Height	11-1/2" (29.2 cm)	11-1/2" (29.2 cm)	11-1/2" (29.2 cm)
Depth	22" (55.9 cm)	22" (55.9 cm)	22" (55.9 cm)

## BLOWERS



	INTERNAL†		INLINE‡
<b>MODEL #</b>	<b>UXB0600DYS</b>	<b>UXB1200DYS</b>	<b>UXI1200DYS</b>
<b>FEATURES</b>			
CFM Rating	600	1,200	1,200
3-Speed Updraft	•	•	•
6" (15.2 cm) Square Duct - Vertical	•	•	—
6" (15.2 cm) Round Duct - Vertical	—	—	•
Galvanized Steel Construction	•	•	•

† Installed internally to the unit for Downdraft, Hood Liner and Commercial Style Hoods.  
‡ Installed externally from the hood but inside the house, under the floor or under the roof, this represents an ideal solution for noise reduction.

# BREAK THE PLASTIC MOLD

Open your eyes to a column that redefines refrigeration. Daring Obsidian interior, triple-sensor climate, and smart home integration—our most provocative column refrigeration. Satisfy cravings in the quiet cool, which is controlled by precise calibration from three sensors. Revel in the daring Obsidian interior illuminated by light that comes alive as you touch the controls. Go ahead—intoxicate your senses. Open wide.

## DARING OBSIDIAN INTERIOR

Inspired by volcanic glass, this dark finish erupts with reflective, high-contrast style. Stop the whitewashing. Let fine foods emerge like vibrant art, begging to be devoured.



## ADAPTABLE INSTALLATION

New construction. Replacing built-ins. Upgrading from subpar models. Our columns smoothly adapt to installation site situations, thanks to multiple utility areas.

## EMOTIVE CONTROLS

Dominate your domain. This waist-level panel challenges the idea that controls should be out of reach. Customize every zone to your desires.




## SOLID GLASS AND METAL

All-metal bins and shelf frames. Thick, naturally odour-resistant solid glass. A forcefield at the edge that prevents spillovers. To hell with cheap plastic in luxury designs.



## ECLIPTIC LIGHTING

Live beyond the shadow, live beyond puck lighting. Over 650 LEDs frame and fill your column, coming alive at a touch of the controls. Each item illuminates in dramatic glory.



## DIVINITY FREEZING

One provocative air tower. Two precision sensors. Calibrated every second. Keep freezer temperatures from swinging and spirits impeccably chilled.

## HUSHED ACOUSTICS


Unheard of. We're decibel for decibel one of the quietest leading luxury built-in columns out there. Casting off abrupt start and stop cycles, our columns ditch swings in temperature and humidity, running unobtrusively in the background. Brilliance doesn't have to announce itself; it just is.



## TRINITY COOLING

Revel in the trinity of food preservation: three zones, three precision sensors, calibrated every second. Fortified by an exposed air tower, you can conquer humidity levels and customize the temperatures of each zone to your deepest desires.

# COLUMN REFRIGERATORS & FREEZERS



	REFRIGERATORS			FREEZERS		
	36"	30"	24"	30"	24"	18"
<b>MODEL # (BASE UNIT†)</b>	JBRFR36IGX (RIGHT SWING) JBRFL36IGX (LEFT SWING)	JBRFR30IGX (RIGHT SWING) JBRFL30IGX (LEFT SWING)	JBRFR24IGX (RIGHT SWING) JBRFL24IGX (LEFT SWING)	JBZFR30IGX (RIGHT SWING) JBZFL30IGX (LEFT SWING)	JBZFR24IGX (RIGHT SWING) JBZFL24IGX (LEFT SWING)	JBZFR18IGX (RIGHT SWING) JBZFL18IGX (LEFT SWING)
<b>SPECIFICATIONS</b>						
Total Volume (cu. ft. AHAM)	20 (.57 cu. m)	17 (.48 cu. m)	13 (.37 cu. m)	17 (.48 cu. m)	13 (.37 cu. m)	8 (.23 cu. m)
<b>PERFORMANCE FEATURES</b>						
Trinity Cooling	•	•	•	—	—	—
Divinity Freezing	—	—	—	•	•	•
STAR-K Certified	•	•	•	•	•	•
ENERGY STAR® Certified	•	•	•	•	•	•
<b>CONTROL FEATURES</b>						
Light-Guided Electronic Emotive Controls	•	•	•	•	•	•
Max Cool Option	•	•	•	—	—	—
Max Ice Option	—	—	—	•	•	•
<b>INTERIOR FEATURES</b>						
Advanced Climate Control Drawers	•	•	•	•	•	•
Smooth Close Drawers	•	•	•	•	•	•
Ecliptic LED Theatre Lighting	•	•	•	•	•	•
FreshFlow™ Air Filter	•	•	•	•	•	•
Automatic Ice Maker	—	—	—	•	•	•
Internal Water Dispenser	•	•	•	—	—	—
<b>DESIGN FEATURES</b>						
Obsidian Interior Including Hinges	•	•	•	•	•	•
Fully Integrated with Articulated Hinge	•	•	•	•	•	•
Solid Metal Bins and Shelf Frames	•	•	•	•	•	•
<b>COLUMN CONNECTIVITY</b>						
WiFi Connectivity & App	•	•	•	•	•	•
Remote Access (Monitoring, Notifications)	•	•	•	•	•	•
<b>OPTIONAL ACCESSORIES</b>						
Suite-Coordinating Panel Kits (add to Base Unit)	JKCPR361GL (Right Swing) JKCPL361GL (Left Swing)	JKCPR301GL (Right Swing) JKCPL301GL (Left Swing)	JKCPR241GL (Right Swing) JKCPL241GL (Left Swing)	JKCPR301GL (Right Swing) JKCPL301GL (Left Swing)	JKCPR241GL (Right Swing) JKCPL241GL (Left Swing)	JKCPR181GL (Right Swing) JKCPL181GL (Left Swing)
Handle Kit (includes all handles and hardware, for use with Custom Panel application)	W11220303	W11220303	W11220303	W11220303	W11220303	W11220303
Single Black Toe Kick (included in Stainless Steel Panel Kit)	W11368710	W11368709	W11368708	W11368709	W11368708	W11368707
Single Stainless Steel Toe Kick	JAC36HS	JAC30HS	JAC24HS	JAC30HS	JAC24HS	JAC18HS
<b>PRODUCT DIMENSIONS</b>						
Width	35-7/8" (91.1 cm)	29-7/8" (75.9 cm)	23-7/8" (60.6 cm)	29-7/8" (75.9 cm)	23-7/8" (60.6 cm)	17-7/8" (45.4 cm)
Height	83-19/64" (211.6 cm)					
Depth	24-1/2" (62.23 cm)					

† Base unit is panel ready. Stainless steel panels are sold separately.

# COLUMN REFRIGERATORS & FREEZERS ACCESSORIES

COLUMN TOE KICKS			
MODEL #	TYPE	COLOUR	SIZE
JAC18HS	Single Unit Toe Kick	Stainless	18"
JAC24HS	Single Unit Toe Kick	Stainless	24"
JAC30HS	Single Unit Toe Kick	Stainless	30"
JAC36HS	Single Unit Toe Kick	Stainless	36"
JARC1818HB	Dual Unit Toe Kick	Black	18" x 18"
JAC1824HB	Dual Unit Toe Kick	Black	18" x 24"
JAC2418HB	Dual Unit Toe Kick	Black	24" x 18"
JAC1830HB	Dual Unit Toe Kick	Black	18" x 30"
JAC3018HB	Dual Unit Toe Kick	Black	30" x 18"
JAC1836HB	Dual Unit Toe Kick	Black	18" x 36"
JAC3618HB	Dual Unit Toe Kick	Black	36" x 18"
JAC2424HB	Dual Unit Toe Kick	Black	24" x 24"
JAC2430HB	Dual Unit Toe Kick	Black	24" x 30"
JAC3024HB	Dual Unit Toe Kick	Black	30" x 24"
JAC243HB	Dual Unit Toe Kick	Black	24" x 36"
JAC3624HB	Dual Unit Toe Kick	Black	36" x 24"
JAC3030HB	Dual Unit Toe Kick	Black	30" x 30"
JAC3036HB	Dual Unit Toe Kick	Black	30" x 36"
JAC3630HB	Dual Unit Toe Kick	Black	36" x 30"
JAC3636HB	Dual Unit Toe Kick	Black	36" x 36"
JARC1818HS	Dual Unit Toe Kick	Stainless	18" x 18"
JAC1824HS	Dual Unit Toe Kick	Stainless	18" x 24"
JAC2418HS	Dual Unit Toe Kick	Stainless	24" x 18"
JAC1830HS	Dual Unit Toe Kick	Stainless	18" x 30"
JAC3018HS	Dual Unit Toe Kick	Stainless	30" x 18"
JAC1836HS	Dual Unit Toe Kick	Stainless	18" x 36"
JAC3618HS	Dual Unit Toe Kick	Stainless	36" x 18"
JAC2424HS	Dual Unit Toe Kick	Stainless	24" x 24"
JAC2430HS	Dual Unit Toe Kick	Stainless	24" x 30"
JAC3024HS	Dual Unit Toe Kick	Stainless	30" x 24"
JAC243HS	Dual Unit Toe Kick	Stainless	24" x 36"
JAC3624HS	Dual Unit Toe Kick	Stainless	36" x 24"
JAC3030HS	Dual Unit Toe Kick	Stainless	30" x 30"
JAC3036HS	Dual Unit Toe Kick	Stainless	30" x 36"
JAC3630HS	Dual Unit Toe Kick	Stainless	36" x 30"
JAC3636HS	Dual Unit Toe Kick	Stainless	36" x 36"

JOINING KITS		
JAJ11JSS	JAJ12HSS	JAJ13HSS
Handle to Hinge	Hinge to Handle	Handle to Handle

BUILT-IN AND  
FREESTANDING  
REFRIGERATION



Discover the seamless built-in refrigeration with optional custom panels that blend into cabinetry, designed to keep ingredients superbly fresh.

**TWINFRESH™ CLIMATE CONTROL SYSTEM**

This system creates two distinct environments, ideal for both fresh and frozen foods' different preservation needs. It creates cool, humid air in the refrigerator and produces dry, frigid air in the freezer.



**DARING  
OBSIDIAN  
INTERIOR**

Inspired by volcanic glass, this dark finish erupts with reflective, high-contrast style. Stop the whitewashing. Let fine foods emerge like vibrant art, begging to be devoured.



**FULLY FLUSH, FULLY INTEGRATED DESIGN**

This integrated built-in refrigerator fits beautifully into any decor, blending into custom cabinetry with a truly seamless appearance, reflecting your appreciation for the fine details of design. Must be installed in a 25" deep cabinet to achieve the fully flush look.



**FULL HEIGHT  
PANEL**

Clean lines. Elongated silhouettes. No need for a separate panel to conceal the air grille—just sleek styling that melts into its surroundings.



**MULTI-POINT  
LED THEATRE  
LIGHTING**

Multiple LED lights increases visibility and beautifully showcases food items against the Obsidian interior, on both Elegance Shelving and inside refrigerator and freezer drawers.




**LIGHT-GUIDED  
CAPACITIVE  
TOUCH  
CONTROLS**

With the slightest touch, intuitive, light-guided controls easily direct through menu settings by using highlighted portions of the control panel.



OPEN  
YOUR  
EYES

## BUILT-IN REFRIGERATORS WITH OBSIDIAN INTERIOR



	SIDE-BY-SIDE				BOTTOM FREEZER
	48"	48"	42"	42"	36"
MODEL #	JS48NXFXDE	JS48PPDUDE*	JS42NXFXDE	JS42PPDUDE*	JB36NXFXRE (RIGHT SWING) JB36NXFXLE (LEFT SWING)
<b>SPECIFICATIONS</b>					
Total Volume (cu. ft. AHAM)	29 (.82 cu. m)	29.7 (.84 cu. m)	24.6 (.70 cu. m)	25.3 (.72 cu. m)	20.4 (.58 cu. m)
<b>PERFORMANCE FEATURES</b>					
TwinFresh™ Climate Control System with Variable-Speed Compressor	—	—	—	—	•
Integrated Cubed/Crushed Ice and Water Dispenser	—	•	—	•	—
STAR-K Certified	•	•	•	•	•
ENERGY STAR® Certified	—	•	—	•	•
<b>CONTROL FEATURES</b>					
Light-Guided Capacitive Touch Controls	•	•	•	•	•
Max Cold	•	•	•	•	•
Water Filter Status and Reset Filter	•	•	•	•	•
<b>REFRIGERATOR FEATURES</b>					
Precision Temperature Management™ System	•	•	•	•	—
Advanced Climate Control Drawer	•	•	•	•	—
Soft-Close Crisper Drawers	•	•	•	•	•
Multi-Point LED Theatre Lighting	•	•	•	•	•
FreshFlow™ Air Filter	•	•	•	•	•
<b>FREEZER FEATURES</b>					
Automatic Ice Maker with Storage Bin	•	—	•	—	•
<b>DESIGN FEATURES</b>					
Obsidian Interior	•	•	•	•	•
Fully Integrated with Articulated Hinge	•	—	•	—	•
Panel Ready‡	•	—	•	—	•
<b>OPTIONAL ACCESSORIES</b>					
Suite-Coordinating Panel Kit (add to Base Unit)	JBSFS48NHL	—	JBSFS42NHL	—	JBBFR36NHL (Right Swing) JBBFL36NHL (Left Swing)
Handle Kit (includes all handles and hardware)	W11231243	W11367367	W11231243	W11367367	W11231245
<b>PRODUCT DIMENSIONS</b>					
Width	47-3/4" (121.3 cm)	48-3/8" (122.9 cm)	41-3/4" (106 cm)	42-1/2" (121.9 cm)	35-3/4" (90.8 cm)
Height	83-1/8" (211.1 cm)	83-3/8" (211.8 cm)	83-1/8" (211.1 cm)	83-3/8" (211.8 cm)	82-7/8" (210.5 cm)
Depth <sup>Δ</sup>	24-3/4" (62.9 cm)	25-1/8" (63.8 cm)	24-3/4" (62.9 cm)	25-1/8" (63.8 cm)	24-3/4" (62.9 cm)

\* This model includes stainless steel panels and Pro-Style® handle, however the handle can be replaced with a RISE™ handle. The RISE™ handle is sold separately.  
 ‡ Base unit is panel ready. Stainless steel panels are sold separately.  
 Δ Depth dimensions do not include handles and assumes 3/4" (1.9 cm) custom panel for panel ready models.

## BUILT-IN REFRIGERATORS WITH OBSIDIAN INTERIOR



	FRENCH-DOOR	
	42"	36"
MODEL #	JF42NXFXDE	JF36NXFXDE
<b>SPECIFICATIONS</b>		
Total Volume (cu. ft. AHAM)	22.6 (.64 cu. m)	20.8 (.59 cu. m.)
<b>PERFORMANCE FEATURES</b>		
TwinFresh™ Climate Control System with Variable-Speed Compressor	•	•
Integrated Cubed/Crushed Ice and Water Dispenser	—	—
STAR-K Certified	•	•
ENERGY STAR® Certified	—	—
<b>CONTROL FEATURES</b>		
Light-Guided Capacitive Touch Controls	•	•
Max Cold	•	•
Water Filter Status and Reset Filter	•	•
<b>REFRIGERATOR FEATURES</b>		
Precision Temperature Management™ System	—	—
Advanced Climate Control Drawer	—	—
Soft-Close Crisper Drawers	•	•
Multi-Point LED Theatre Lighting	•	•
FreshFlow™ Air Filter	•	•
<b>FREEZER FEATURES</b>		
Automatic Ice Maker with Storage Bin	•	•
<b>DESIGN FEATURES</b>		
Obsidian Interior	•	•
Fully Integrated with Articulated Hinge	•	•
Panel Ready‡	•	•
<b>OPTIONAL ACCESSORIES</b>		
Suite-Coordinating Panel Kit (add to Base Unit)	JBFFS42NHL	JBFFS36NHL
Handle Kit (includes all handles and hardware, for use with Custom Panel application)	W11296021	W11231247
<b>PRODUCT DIMENSIONS</b>		
Width	41-3/4" (106 cm)	35-3/4" (90.8 cm)
Height	82-7/8" (210.5 cm)	82-7/8" (210.5 cm)
Depth	24-3/4" (62.9 cm)	24-3/4" (62.9 cm)

‡ Base unit is panel ready. Stainless steel panels are sold separately.

## FREESTANDING REFRIGERATOR



	FRENCH-DOOR	FRENCH-DOOR
	36"	36"
MODEL #	JFFCC72EHL	JFFCF72DKL
<b>SPECIFICATIONS</b>		
Total Volume (cu. ft. AHAM)	23.6 (.67 cu. m)	21.8 (.61 cu. m)
<b>PERFORMANCE FEATURES</b>		
TriSensor™ Electronic Climate Control	—	•
Twin Fresh™ Climate Control System with Dual Evaporator	•	—
Electronic Controls with LED Display	•	•
Integrated Cabinet LED Strip Lighting with Drawer Lights	•	—
Max Cold	•	•
<b>REFRIGERATOR FEATURES</b>		
Internal Water Dispenser	—	•
Exterior Crushed / Cubed Ice and Water	•	—
Humidiseal™ Adjustable Humidity-Controlled Crisper Drawers	•	—
Temperature-Controlled Gourmet Bay™ Drawer with Self-Opening Lid	•	•
Soft-Close Refrigerator Drawers	•	—
Herb Tender™	•	—
Adjustable Glass Shelves with Spill Shield Technology	•	•
Adjustable Storage Rack	•	•
Produce Preserver	•	•
<b>FREEZER FEATURES</b>		
Automatic Ice Maker	•	•
Glide-Out Freezer Drawers	•	•
Pizza Pocket	•	•
Soft Close Freezer Drawers	•	•
Pure Freeze™ Automatic Defrost	•	—
<b>DESIGN FEATURES</b>		
Obsidian Interior	•	—
Elegance Shelving & Metal Bins	•	•
72" (182.9 cm) Cabinet Depth Design	•	•
<b>CONNECTIVITY</b>		
WiFi Connectivity & App	•	—
Remote Access (Monitoring, Notifications)	•	—
<b>PRODUCT DIMENSIONS (WITHOUT HANDLES)</b>		
Width	35-3/4" (90.8 cm)	35-5/8" (90.5 cm)
Height	71-15/16" (182.7 cm)	71-7/8" (182.6 cm)
Depth	29-5/16" (74.4 cm)	27-5/8" (70.2 cm)

Feature list represents a limited number of the features available for each product. For a full list of features & specifications, please visit [www.jennair.ca](http://www.jennair.ca). Dimensions are for planning purposes only. For complete details, see installation instructions packed with product.



Make room for guilty pleasures. Let temptation flow. You say when the party ends. Undercounter options bring inspiration to life, creating a natural fit—no matter the size.

# ENTERTAINING REDEFINED



## UNDERCOUNTER REFRIGERATOR & BEVERAGE CENTRE

Every delicious morsel is tucked behind a thermal glass door, nearly floating on solid glass and awash in soft LED light. Let refreshments—liquid or otherwise—wait in chilled bliss.



## DARING OBSIDIAN INTERIOR

Inspired by volcanic glass, this dark finish erupts with reflective, high-contrast style. Let the object of your desire emerge like vibrant art, begging to be consumed.



## INDEPENDENT TEMPERATURE ZONES

Compose ideal climates for choice beverages, wines or tempting bites. Two temperature zones and multiple curated presets await your command, whether you have a wine cellar, beverage centre, or refrigerator.

## WINE CELLAR

Let temptation flow. Behind a dark thermal glass door, marquee lighting exposes every label of your private reserve. Up to 45 carefully cradled, precisely chilled bottles wait for the moment you give in. Twist. Pour. Drink deep.



## ARTICULATING HINGE ICE MACHINE

Sip away. A supply of crystalline ice melts slowly for undiluted joy. With the unbroken silhouette of stealth flush design and a system that skims minerals away, you're free to focus on entertaining.



## STEALTH FLUSH DESIGN

Create an unbroken silhouette. Discreet 1/8" reveals envelop every side, without exposed hinges or trim pieces.

## UNDERCOUNTER REFRIGERATION



	WINE CELLAR	BEVERAGE CENTRE	REFRIGERATORS	
MODEL #	JUWFR242HL (RIGHT SWING) JUWFL242HL (LEFT SWING)	JUBFR242HL (RIGHT SWING) JUBFL242HL (LEFT SWING)	JURFR242HL (RIGHT SWING) JURFL242HL (LEFT SWING)	JUGFR242HL (RIGHT SWING) JUGFL242HL (LEFT SWING)
	JUWFR242HX (PANEL READY† RIGHT SWING) JUWFL242HX (PANEL READY† LEFT SWING)	JUBFR242HX (PANEL READY† RIGHT SWING) JUBFL242HX (PANEL READY† LEFT SWING)	JURFR242HX (PANEL READY† RIGHT SWING) JURFL242HX (PANEL READY† LEFT SWING)	JUGFR242HX (PANEL READY† RIGHT SWING) JUGFL242HX (PANEL READY† LEFT SWING)
<b>REFRIGERATION FEATURES</b>				
Total Volume (cu. ft. AHAM)	4.7 (.133 cu. m)	4.7 (.133 cu. m)	4.9 (.139 cu. m)	4.9 (.139 cu. m)
Automatic Defrost	•	•	•	•
Independent Temperature Zones	2	2	1	1
Temperature Range - Zone 1	WINE 6° to 12°C (42° to 54°F)	REFRIGERATOR 0.5° to 4°C (33° to 40°F)	REFRIGERATOR 0° to 6°C (32° to 42°F)	REFRIGERATOR 0° to 6°C (32° to 42°F)
Temperature Range - Zone 2	WINE 6° to 12°C (42° to 54°F)	WINE 6° to 12°C (42° to 54°F)	—	—
Bottles Capacity	24 in Zone 1 / 21 in Zone 2	14 in Zone 2	—	—
Automatic LED Interior Light	•	•	•	•
Glass Shelves	—	2 (1 Adjustable)	3 (2 Adjustable)	3 (2 Adjustable)
Door Bins	—	—	2	2
UltraGlide Soft-Close Racks with Flat Beechwood Tines	6	2	—	—
Temperature Presets	8	6	4	4
ENERGY STAR® Certified	—	•	•	•
Max Cool	—	•	•	•
Star-K Certified	•	•	•	•
<b>CONTROL FEATURES</b>				
Light-Guided Electronic Emotive Controls	•	•	•	•
<b>DESIGN FEATURES</b>				
Obsidian Interior	•	•	•	•
Fully Flush, Built-In Design	•	•	•	•
Soft Close Door	•	•	•	•
Soft Close Drawer Glides	•	•	—	—
UV-Resistant Thermal Glass Door	•	•	—	•
<b>OPTIONAL ACCESSORIES</b>				
Handle Kit (includes all handles and hardware, for use with Custom Panel application)	W11231237	W11231237	W11231237	W11231237
<b>PRODUCT DIMENSIONS</b>				
Width	23-7/8" (60.6 cm)	23-7/8" (60.6 cm)	23-7/8" (60.6 cm)	23-7/8" (60.6 cm)
Height	34-1/8" (86.8 cm)	34-1/8" (86.8 cm)	34-1/8" (86.8 cm)	34-1/8" (86.8 cm)
Depth	23-13/16" (60.4 cm)	23-13/16" (60.4 cm)	23-13/16" (60.4 cm)	23-13/16" (60.4 cm)
Depth (Panel Ready)*	23-7/8" (60.6 cm)	23-7/8" (60.6 cm)	23-7/8" (60.6 cm)	23-7/8" (60.6 cm)

† Requires custom panels and handles, not included.  
\* Depth dimensions do not include handles and assumes 3/4" (1.9 cm) custom panel for panel ready models.

## DRAWER REFRIGERATION



	REFRIGERATOR/FREEZER	DOUBLE-REFRIGERATOR
MODEL #	JUCFP242HL JUCFP242HX (PANEL READY†)	JUDFP242HL JUDFP242HX (PANEL READY†)
<b>REFRIGERATION FEATURES</b>		
Top Drawer Volume (cu. ft.)	2.5 (.07 cu. m)	2.5 (.07 cu. m)
Bottom Drawer Volume (cu. ft.)	2.2 (.06 cu. m)	2.5 (.07 cu. m)
Temperature Range – Upper Drawer	0° to 6°C (32° to 42°F)	0° to 6°C (32° to 42°F)
Temperature Range – Lower Drawer	-22° to -14°C (-8° to 6°F)	0° to 6°C (32° to 42°F)
Temperature Presets	8	8
Automatic Ice Maker	•	—
Automatic Interior LED Lighting	•	•
Fully Extendable Soft-Close Drawers	•	•
Light-Guided Electronic Controls	•	•
STAR-K Certified	•	•
<b>DESIGN FEATURES</b>		
Obsidian Interior	•	•
Removable Base-Grille Water Filter	•	—
Fully Flush, Built-In Design	•	•
<b>OPTIONAL ACCESSORIES</b>		
Handle Kit (includes one handle† and hardware, for use with Custom Panel application)	W11231241	W11231241
<b>PRODUCT DIMENSIONS</b>		
Width	23-7/8" (60.6 cm)	23-7/8" (60.6 cm)
Height	34-1/8" (86.8 cm)	34-1/8" (86.8 cm)
Depth	23-7/8" (60.6 cm)	23-7/8" (60.6 cm)
Depth (Panel Ready)*	23-1/8" (58.8 cm)	23-1/8" (58.8 cm)

† Requires custom panels and handles, not included.  
‡ Must order two handle kits, for the two door models.  
\* Depth dimensions do not include handles and assumes 3/4" (1.9 cm) custom panel.

## ICE MAKERS



	ICE MAKERS	
MODEL # (BASE UNIT†)	JUIFX15HX	JUIFN15HX
<b>ICE MACHINE FEATURES</b>		
Storage Capacity (lb)	25 (11.3 kg)	25 (11.3 kg)
Clear Ice	•	•
LED Lighted Bin	•	•
Capacitive Touch Control	•	•
Water Filter	•	•
Water Pump Included	•	—
<b>CONTROL FEATURES</b>		
Concealed Capacitive Touch Controls	•	•
<b>DESIGN FEATURES</b>		
Fully Flush, Built-In Design	•	•
Soft Close Door	•	•
<b>OPTIONAL ACCESSORIES</b>		
Suite-Coordinating Panel Kits (add to Base Unit)	JKRPR151HL (Right Swing) JKRPL151HL (Left Swing)	JKRPR151HL (Right Swing) JKRPL151HL (Left Swing)
Handle Kit (includes all handle and hardware, for use with Custom Panel application)	W11231235	W11231235
<b>PRODUCT DIMENSIONS</b>		
Width	14-7/8" (37.9 cm)	14-7/8" (37.9 cm)
Height	33-13/16" (85.9 cm)	33-13/16" (85.9 cm)
Depth	24" (61 cm)	24" (61 cm)

† Base unit is panel ready. Stainless steel panels are sold separately.



# DON'T MISTAKE SILENCE FOR WEAKNESS

Inside, a storm rages, as relentless power and technology bring every dish and glass to a state of supreme clean. Outside, tranquility, with sleek lines wrapped in high design. Experiential ease. Tech connected. This is the quietest luxury dishwasher brand — period.

## REMOVABLE THIRD-LEVEL RACK

This removable, adjustable top-most third rack holds unwieldy spatulas, whisks and ladles, or can be used for overflow silverware.



## ULTRAGLIDE LOWER RACK

The strong and stable type. This adjustable lower rack glides smoothly on high-end rails.



## 38 dBA\* TRANQUILITY

Listen to the hush. At 38 dBA\*, JennAir® is the quietest luxury dishwasher brand, all without sacrificing performance.

\* Per I.E.C. standards.



## TRIFECTA™ WASH SYSTEM

No need to choose between brilliant cleaning, water/energy reduction or quiet operation because our dishwashers deliver all three. Three-stage filtration, pressurized wash arms and alternating wash action in two zones yield superlative results.



# DISHWASHERS



	RISE™		PANEL READY		POCKET HANDLE
MODEL #	JDTSS246GL	JDTSS244GL	JDTSS245GX†	JDTSS243GX†	JDTSS247HS
<b>PERFORMANCE FEATURES</b>					
TriFecta™ Wash System	•	•	•	•	•
3-Stage Filtration	•	•	•	•	•
Quiet System	38 dBA‡				
ENERGY STAR® Certified	•	•	•	•	•
Cinematic LED Lighting	•	•	•	•	—
<b>CYCLES AND OPTIONS</b>					
Number of Cycles	7	7	6	6	7
Number of Options	7	7	6	6	6
Capacity (Place Settings)	14	14	14	14	14
Tall Bottle Wash Option	•	—	•	—	—
<b>RACK FEATURES</b>					
Folding Upper/Lower Rack Tines	•	•	•	•	•
Removable 3 <sup>rd</sup> Level Rack	•	—	•	—	•
UltraGlide Rails System	Upper and Lower	Upper	Upper and Lower	Upper	Upper and Lower
<b>DESIGN FEATURES</b>					
Stainless Steel Tall Tub	•	•	•	•	•
Obsidian Racks	•	•	•	•	•
Panel Ready	—	—	•	•	—
<b>DISHWASHER CONNECTIVITY</b>					
WiFi Connectivity & App	•	•	—	—	•
Downloadable Custom Cycles	•	•	—	—	•
Remote Access (Monitoring, Notifications)	•	•	—	—	•
Voice Activation <sup>Δ</sup>	•	•	—	—	•
<b>OPTIONAL ACCESSORIES</b>					
Handle Kits (includes all handles and hardware, for use with Custom Panel applications)	—	—	W11231237	W11231237	—
<b>PRODUCT DIMENSIONS</b>					
Width	23-7/8" (60.6 cm)				
Height	33-1/2" (85.1 cm)				
Depth	24-1/2" (62.2 cm)	24-1/2" (62.2 cm)	24" (61 cm)	24" (61 cm)	24-1/2" (62.2 cm)

† Requires custom panels and handles, not included.  
‡ Per I.E.C. standards, normal cycle.  
Δ Coming in 2021.

# COMPACTORS



MODEL #	15"
MODEL #	TC607X
<b>COMPACTOR FEATURES</b>	
Drawer Capacity (cu. ft.)	1.4 (0.4 cu. m)
Compaction Ratio†	5:01
Heavy-Duty Zinc Coated Frame and Drawer	•
Heavy-Duty Motor	1/3 HP
2-Point Drive System	•
Power Screw-Driven Compactor Ram	•
Sound Insulation	•
<b>CONTROL FEATURES</b>	
Fully Integrated Console	•
Compress Option	•
<b>DESIGN FEATURES</b>	
Drop-Down Side Door	•
Under Counter Installation	•
<b>OPTIONAL ACCESSORIES</b>	
Suite-Coordinating Panel Kits (add to Base Unit)	JKTPX151HL
Handle Kits (includes all handles and hardware, for use with Custom Panel applications)	W11231235
<b>PRODUCT DIMENSIONS</b>	
Width	15" (38 cm)
Height	34-1/8" (86.7 cm)
Depth	26-1/4" (66.7 cm)

† With Compress option selected.

Find a kitchen suite that lets you do more in less space. The JennAir Urban Living collection combines the latest in kitchen décor with cutting edge technology.

Draw no lines. Abandon all barriers. With flexible features and flawless installation, the products in this lineup blend seamlessly into some of the most unexpected places. When it comes to traditional luxury appliances, Urban Living refuses to follow the rules.



# ANYTHING BUT STANDARD

## STEAM OVENS

Up for anything. Whether you want steam, convection, or both, at 24-inch wide and requiring only a 120-volt connection and no plumbing, these ovens can be installed throughout the home. Let your imagination run wild.



## WALL OVENS

Break convention. High-rise studios, home theatres, yachts, you make the call. These 24-inch wall ovens have the features and connectivity of JennAir® full-size products, scaled to suit and ready for curation.




## BUILT-IN COFFEE

Bold flavour. Rich crema. A heavenly aroma. From expertly crafted espresso to frothed milk cappuccino, the JennAir® built-in coffee system is calibrated precisely to prepare coffee on demand, refined to anyone's taste. Brew luscious espresso with customized strength, temperature and grind. Sip. Savour. The perfect cup awaits.




## WARMING DRAWERS

A gentle push of the JennAir® warming drawer reveals a graceful, tempered glass bottom. Designed to pair perfectly with other Urban Living products, the warming drawer expertly keeps coffee cups, plates, and finished dishes toasty.



## SPEED OVENS

What you want, when you want it. The JennAir® speed oven combines true convection with microwave energy. Behind a diamond-brushed stainless steel exterior, broil, bake or warm up anything you dream up.



## SINGLE WALL OVEN



24"

MODEL #	JJW2424HL
<b>OVEN FEATURES</b>	
Oven Capacity (cu. ft.)	2.6 (.07 cu. m)
True Convection	•
Broil Element Output (Watts)	2,670
Convection Element(s) Output (Watts)	2,180
Cinematic Lighting	•
Glide Rack	•
<b>CONTROL FEATURES</b>	
3.5" (8.9 cm) Full-Colour LCD Display	•
<b>DESIGN FEATURES</b>	
Flush-to-Cabinet Design	Yes, No flush install kit required
Smooth Close Door	•
<b>PRODUCT DIMENSIONS</b>	
Width	23-7/16" (59.5 cm)
Height	23-1/2" (59.7 cm)
Depth	22-7/16" (57 cm)

## STEAM AND CONVECTION WALL OVEN



24"

MODEL #	JJW6024HL
<b>OVEN FEATURES</b>	
Oven Capacity (cu. ft.)	1.3 (.04 cu. m)
Water Reservoir	•
Convection Element	1,200 W
Temperature Probe	•
Steam Cleaning Mode	•
Stainless Steel Interior	•
Halogen Oven Light	•
<b>COOKING MODES</b>	
Steam	•
Convection Bake	•
Steam Plus Convection	•
Steam Reheat	•
JennAir® Assisted Cooking (Preset Modes)	•
<b>SPECIALTY COOKING &amp; FOOD PREPARATION MODES</b>	
Proofing	•
Steam Defrost	•
SousVide Reheating	•
Preservation	•
Yogourt	•
<b>CONTROL FEATURES</b>	
3.5-Inch Full-Colour LCD Display	•
<b>DESIGN FEATURES</b>	
Flush-to-Cabinet Design	•
Trim Kits for 27" (68.6 cm) or 30" (76.2 cm) Installation	Included
<b>PRODUCT DIMENSIONS</b>	
Width	23-7/16" (59.5 cm)
Height	18-5/16" (46.5 cm)
Depth	25-5/16" (64.3 cm)

## MICROWAVE SPEED OVEN



24"

MODEL #	JMC6224HL
<b>MICROWAVE OVEN FEATURES</b>	
Oven Capacity (cu. ft.)	1.4 (.04 cu. m)
Power Output (Watts)	
Microwave	900
Convection Element	1,100
Grill Element	1,600
Power Levels	7
Speed Cook	•
Convection Cooking	•
<b>CONTROL FEATURES</b>	
3.5" (8.9 cm) Full-Colour LCD Display	•
<b>DESIGN FEATURES</b>	
Drop-Down Door	•
Under Counter Installation	•
Flush-to-Cabinet Design	•
<b>PRODUCT DIMENSIONS</b>	
Width	23-7/16" (59.5 cm)
Height	18-5/16" (46.5 cm)
Depth	21-7/8" (55.6 cm)

## BUILT-IN ESPRESSO MACHINE



24"

MODEL #	JJB6424HL
<b>ESPRESSO MACHINE FEATURES</b>	
Water Tank Capacity	2.4 Litre
Cups at a Time	2
Whole-Bean Coffee Grinder	•
Frothing System with Integrated Milk Container	•
Cappuccino Option	•
Customizable Strength and Size	•
Auto-Start Mode	•
Auto-Off Mode	•
Descaling Mode	•
Temperature Customization	•
Hot Water Dispenser	•
Concealed Storage	•
<b>DESIGN FEATURES</b>	
Flush-To-Cabinet Installation	•
Electrical Requirements	120v
Capacitive Touch Controls	•
3.5-Inch Full-Colour LCD Display	•
<b>PRODUCT DIMENSIONS</b>	
Width	23-1/2" (59.7 cm)
Height	17-15/16" (45.5 cm)
Depth	19-11/16" (50 cm)

## WARMING DRAWER



24"

MODEL #	JJD3024HL
<b>DRAWER FEATURES</b>	
Drawer Capacity (cu. ft.)	0.6 (.02 cu. m)
Heating Element Wattage	400
Temperature Range	32° to 71°C (90° to 160°F)
Full-Extension Drawer	•
<b>CONTROL FEATURES</b>	
Slow Roast Function	•
Bread Proofing Function	•
Concealed Controls	•
<b>PRODUCT DIMENSIONS (WITHOUT HANDLE)</b>	
Width	23-7/16" (59.5 cm)
Height	5-9/16" (14.1 cm)
Depth	22-3/8" (56.8 cm)

## MICROWAVE DRAWER



24"

MODEL #	JMDFS24JL
<b>MICROWAVE OVEN FEATURES</b>	
Oven Capacity (cu. ft.)	1.2 (.03 cu. m)
Power Output (watts)	950
Power Levels	11
<b>CONTROL FEATURES</b>	
Menu-Driven LCD Display	•
<b>DESIGN FEATURES</b>	
Drawer Design	•
Under Counter Installation	•
Flush-to-Cabinet Design	•
<b>PRODUCT DIMENSIONS</b>	
Width	23-7/8" (60.6 cm)
Height	16" (40.6 cm)
Depth	23-11/16" (60.1 cm)

## COOKTOPS



	INDUCTION 24"	ELECTRIC 24"
<b>MODEL #</b>	JIC4724H	JEC4424K COMING SOON
<b>COOKING SURFACE FEATURES</b>		
Dynamic Elements	•	—
Element Size and Wattage:		
Left Front	8" (20.32 cm) - 3,700 W	6" (15.24 cm) - 1,200 W
Left Rear	8" (20.32 cm) - 3,700 W	8" (20.32 cm) - 1,800 W
Right Front	8" (20.32 cm) - 3,700 W	6" (15.24 cm) - 1,300 W
Right Rear	8" (20.32 cm) - 3,700 W	Dual-Choice™ Element: 10/6" (25.4/15.24 cm) - 3,000/1,900 W
Number of Elements	4 (2 Dynamic Elements)	4
Tap Touch Controls	•	•
Bridge Function	•	—
<b>COOKTOP CONNECTIVITY</b>		
WiFi Connectivity & App	—	•
Remote Access (Monitoring, Notifications)	—	•
<b>DESIGN FEATURES</b>		
Class-Touch Electronic Controls	—	•
True Flush Installation	•	•
Oblivion Glass-Ceramic Surface	•	•
Trim Colours Available†	S / B	B
Can be Paired with Modular Cooktops	• (Stainless Trim Only)	—
<b>PRODUCT DIMENSIONS</b>		
Width	24" (61 cm)	23-13/16" (60.5 cm)
Height	3-11/16" (9.4 cm)	5-1/4" (13.3 cm)
Depth	21" (53.3 cm)	21-3/4" (55.3 cm)

† Image of induction model (JIC4724H) shows stainless trim, with the exception of (JEC4424K), shown with black trim.

## BUILT-IN REFRIGERATOR



MODEL #	JBBFX24NHX (PANEL READY†)
<b>SPECIFICATIONS</b>	
Total Volume (cu. ft. AHAM)	9.8 (.3 cu. m)
<b>REFRIGERATOR FEATURES</b>	
Dual Evaporator	•
Electronic Touch Controls with LED Display	•
Fast Cool	•
Adjustable Door Bins and Glass Shelves	•
Energy Star® Certified	•
<b>FREEZER FEATURES</b>	
Fast Freeze	•
Automatic Defrost	•
<b>DESIGN FEATURES</b>	
Multi-Point LED Theatre Lighting	•
Panel Ready Design	•
Reversible Door Swing	•
<b>PRODUCT DIMENSIONS</b>	
Width	21-1/4" (54 cm)
Height	69-11/16" (177 cm)
Depth	21-1/2" (54.6 cm)

† Requires custom panels and handles, not included.

A LINE-UP  
WITHOUT  
LIMITS



THE JENNAIR

# OWNERSHIP EXPERIENCE

DESIGNED TO MEET THE HIGHEST POSSIBLE STANDARDS. YOURS.

Like you, we have never settled for the ordinary when the extraordinary can be achieved.

## JENNAIR CERTIFIED INSTALLERS

Handpicked for their professionalism, expertise and dedication, JennAir Certified Installers will install your new appliances to our rigorous standards, helping ensure that they deliver optimal performance for years to come. Choosing JennAir Certified Installation includes another valuable benefit:

### YOU WILL RECEIVE A COMPLIMENTARY ONE-YEAR CERTIFIED CARE™ EXTENDED SERVICE PLAN

Together with our standard two-year manufacturer's warranty, your appliance will be protected for a full three years.

1. To find your nearest JennAir Certified Installer, visit [jennair.ca/install](http://jennair.ca/install), or call 1-800-JennAir (536-6247).
2. Upon installation, your installer will provide you with a unique Verification Code, and show you how to register your appliance.
3. Use this Verification Code to register and claim your complimentary extra year of protection.

Find your nearest JennAir Certified Installer at [jennair.ca/install](http://jennair.ca/install) or call 1-800-JennAir (536-6247).

## MYJENNAIR

MyJennAir is your personalized, one-stop source for everything from product information to special offers, and much more. Create an account today and get even more from JennAir® appliance ownership.

### AT MYJENNAIR, YOU WILL ENJOY:

- ▶ **Important product information.** All of your manuals and care guides can be found in one easy-to-access location, so that you can get the most out of your appliances.
- ▶ **Inspirational content.** Culinary tips and home entertaining ideas from renowned chefs and fellow foodies.
- ▶ **Exclusive invitations.** Receive unique promotions from our partner brands and invitations to attend special events in select cities.

Create your account today at [jennair.ca/owner](http://jennair.ca/owner).

## SERVICE FROM A SELECT FEW – JENNAIR EPICENTRE

Our crew relentlessly engages with JennAir® appliances day in, day out. Initiated in rigorous product, process and culinary training, this team answers to you—from sales to installation to ownership.

We have also narrowed down our dedicated service network to only the most experienced providers. Armed with extensive access to products and knowledge, their expertise is unmatched.

### YOUR JENNAIR CUSTOMER CARE EXPERT CAN HELP:

- ▶ Answer any technical questions concerning your JennAir® appliance
- ▶ Find the right accessories and parts for your appliance
- ▶ Schedule a service call with a Qualified JennAir Service Provider at your convenience
- ▶ Register your JennAir® appliances

**CALL US**  
1-800-JennAir (536-6247)

**CHAT WITH US**  
Visit [jennair.ca](http://jennair.ca) – Monday–Friday: 8am–5pm EST

**VISIT US ONLINE**  
[jennair.ca/care](http://jennair.ca/care)

LUXURY SHOULD BE  
**LIMITLESS**

There is nothing more personal than your space. That's why JennAir is committed to creating kitchen designs that feel truly bespoke. Live outside the lines with adaptive pieces you can customize to any space.

The choice is always yours—isn't that the ultimate luxury?





**RISE**™

DESIGN EXPRESSION

DETAILED PERFECTION.

DESIGNED TO RULE.



BOUND BY  
NOTHING™

[JENNAIR.CA](http://JENNAIR.CA)

®/™ © 2020 JennAir. Used under license in Canada. All rights reserved.