
KitchenAid® 30" and 36" Slide-out Vent System

PRODUCT MODEL NUMBERS **OVERALL DIMENSIONS** KWVU205Y KWVU265Y 30" (76.2 cm) model: 8" (20.3 cm) 36" (91.4 cm) model: 11" (27.9 cm) FRONT OF VENT HOOD 4-3/8 Electrical: 120-volt, 60-Hz, AC-only, 15-amp. 3-1/4" (8.3 cm) 30" (76.2 cm) model: 26" (66.0 cm) 36" (91.4 cm) model: 32" (81.3 cm) electrical supply. Use copper wire only. A timedelay fuse or circuit breaker and separate circuit is recommended. (25.4 cm) 2-3/8" 3/8" (9.5 mm) 2" (5.1 cm) 30" (76.2 cm) model: 13" (33.0 cm) 36" (91.4 cm) model: 16" (40.6 cm) 9-1/2" (24.1 cm) 1/4" glass shelf (20.3 cm) mm) extends 7" (17.8 cm) 1-5/8" > (41.3 mm) (31.8 mm) (25.4 mm) BACK OF VENT HOOD 5/8" to 2-1/8" (1.6 cm to 5.4 cm) 30" (76.2 cm) model: 29-7/8" (75.9 cm) 36" (91.4 cm) model: 35-7/8" (91.1 cm) 9-1/8' (23.2 cm) (27.9 cm) (5.1 cm) 66" (167.6 cm) maximum distance from upper cabinet hood mounting surface to floor 24" (61 cm) minimum distance from underside of range hood to cooking surface or countertop

1-7/16

VENTING REQUIREMENTS



Recommended standard fittings

| 3-1/4" x 10" (8.3 cm x 25 cm) 90° elbow = 5 ft. (1.5 m) | |
|--|--|
| 3-1/4" x 10" (8.3 cm x 25 cm) flat elbow = 12 ft. (3.7 m) | |
| 3-1/4" x 10" (8.3 cm x 25 cm) wall cap = 0 ft. (0 m) | |


Recommended vent system length

Use 3 1/4" x 10" (8.3 cm x 25 cm) vent with maximum length of 26 feet (8 m) for vent system. For best performance, use no more than three 90° elbows. To calculate the length of system you need, add the equivalent feet (meters) for each vent piece used in the system. See the following example.

15" (38.1 cm) minimum upper cabinet height

13" (33 cm) upper cabinet depth

3-1/4" x 10" (8.3 cm x 25 cm) vent system



| Maximum length | = 1 | 26 ft. | (8 m) |
|---|-----|--------|-----------------------------|
| 1 — 90° elbow 9 ft. (2.8 m) straight 1 — wall cap | = | 9 ft. | (1.5 m) (2.8 m) (0 m) |
| Length of 3-1/4" x 10" (8.3 cm x 25 cm) system | = | 14 ft. | (4.3 m) |