

# Commercial-Style Range & Rangetop Ventilation Pairings

- Approved
- Not approved

		Commercial-Style												
					Dual Fuel Ranges			Gas Ranges			Gas Rangetops			
		Model No.	Size	CFM Motor Class*	BTU Threshold	KFDC558J	KFDC506J	KFDC500J	KFGC558J	KFGC506J	KFGC500J	KCGC558J	KCGC506J	KCGC500J
						48"	36"	30"	48"	36"	30"	48"	36"	30"
Commercial-Style	KVWC958K	48"	585/1170	90K/105K	•	•	•	•	•	•	•	•	•	•
	KVWC956K	36"	585/1170	90K/105K	—	•	•	—	•	•	—	•	•	•
	KVWC908K	48"	585/1170	90K/105K	•	•	•	•	•	•	•	•	•	•
	KVWC906K	36"	585/1170	90K/105K	—	•	•	—	•	•	—	•	•	•
	KVUC606K	36"	585	90K	—	•	•	—	•	•	—	•	•	•
	KVUC600K	30"	585	75K	—	—	•	—	—	•	—	—	—	•
Island-Mount	KVIB602D	42"	585	65K	—	—	—	—	—	—	—	—	—	—
	KVIB606D	36"	585	65K	—	—	—	—	—	—	—	—	—	—
Wall-Mount	KVWB606D/H	36"	585	65K	—	—	—	—	—	—	—	—	—	—
	KVWB600D/H	30"	585	65K	—	—	—	—	—	—	—	—	—	—
	KVWB406D	36"	400	65K	—	—	—	—	—	—	—	—	—	—
	KVWB400D	30"	400	65K	—	—	—	—	—	—	—	—	—	—
Under-Cabinet	KVUB606D	36"	585	65K	—	—	—	—	—	—	—	—	—	—
	KVUB600D	30"	585	65K	—	—	—	—	—	—	—	—	—	—
	KVUB406G	36"	400	65K	—	—	—	—	—	—	—	—	—	—
	KVUB400G	30"	400	65K	—	—	—	—	—	—	—	—	—	—
Slide-Out	KXU2836J	36"	330	65K	—	—	—	—	—	—	—	—	—	—
	KXU2830J	30"	330	65K	—	—	—	—	—	—	—	—	—	—
Downdraft	KXD4636Y	36"	585	65K	—	—	—	—	—	—	—	—	—	—
	KXD4630Y	30"	585	65K	—	—	—	—	—	—	—	—	—	—
Liners	UVL6048J	48"	585/1170	65K	—	—	—	—	—	—	—	—	—	—
	UVL6036J	36"	585/1170	65K	—	—	—	—	—	—	—	—	—	—

\*Performance varies based on installation. Resources available at AHAM.org. Visit KitchenAid.com for dimension guide.

# Gas Cooktop Ventilation Pairings

- Approved
- Not approved

					Cooktops							
					Gas							
					KCGS956E	KCGS556E	KCGS356E	KGCC566R	KCGS950E	KCGS550E	KCGS350E	KGCC506R
					36"	36"	36"	36"	30"	30"	30"	30"
	Model No.	Size	CFM Motor Class*	BTU Threshold								
Commercial-Style	KVWC958K	48"	585/1170	90K/105K	—	—	—	—	—	—	—	—
	KVWC956K	36"	585/1170	90K/105K	—	—	—	—	—	—	—	—
	KVWC908K	48"	585/1170	90K/105K	—	—	—	—	—	—	—	—
	KVWC906K	36"	585/1170	90K/105K	—	—	—	—	—	—	—	—
	KVUC606K	36"	585	90K	—	—	—	—	—	—	—	—
	KVUC600K	30"	585	75K	—	—	—	—	—	—	—	—
Island-Mount	KVIB602D	42"	585	65K	•	•	•	•	•	•	•	•
	KVIB606D	36"	585	65K	•	•	•	•	•	•	•	•
Wall-Mount	KVWB606D/H	36"	585	65K	•	•	•	•	•	•	•	•
	KVWB600D/H	30"	585	65K	—	—	—	—	•	•	•	•
	KVWB406D	36"	400	65K	•	•	•	•	•	•	•	•
	KVWB400D	30"	400	65K	—	—	—	—	•	•	•	•
Under-Cabinet	KVUB606D	36"	585	65K	•	•	•	•	•	•	•	•
	KVUB600D	30"	585	65K	—	—	—	—	•	•	•	•
	KVUB406G	36"	400	65K	•	•	•	•	•	•	•	•
	KVUB400G	30"	400	65K	—	—	—	—	•	•	•	•
Slide-Out	KXU2836J	36"	330	65K	•	•	•	•	•	•	•	•
	KXU2830J	30"	330	65K	—	—	—	—	•	•	•	•
Downdraft	KXD4636Y	36"	585	65K	•	•	•	•	—	—	—	—
	KXD4630Y	30"	585	65K	—	—	—	—	•	•	•	•
Liners	UVL6048J	48"	585/1170	65K	•	•	•	•	•	•	•	•
	UVL6036J	36"	585/1170	65K	•	•	•	•	•	•	•	•

\*Performance varies based on installation. Resources available at AHAM.org. Visit KitchenAid.com for dimension guide.

# Electric & Induction Cooktop Ventilation Pairings

- Approved
- Not approved

							Cooktops				
		Model No.	Size	CFM Motor Class*	BTU Threshold	Electric			Induction		
						KCES556H	KCES550H	KECC056R	KICU569X	KICU509X	
					36"	30"	15"	36"	30"		
Ventilation	Commercial-Style	KVWC958K	48"	585/1170	90K/105K	—	—	—	—	—	
		KVWC956K	36"	585/1170	90K/105K	—	—	—	—	—	
		KVWC908K	48"	585/1170	90K/105K	—	—	—	—	—	
		KVWC906K	36"	585/1170	90K/105K	—	—	—	—	—	
		KVUC606K	36"	585	90K	—	—	—	—	—	
		KVUC600K	30"	585	75K	—	—	—	—	—	
	Island-Mount	KVIB602D	42"	585	65K	•	•	•	•	•	
		KVIB606D	36"	585	65K	•	•	•	•	•	
	Wall-Mount	KVWB606D/H	36"	585	65K	•	•	•	•	•	
		KVWB600D/H	30"	585	65K	—	•	•	—	•	
		KVWB406D	36"	400	65K	•	•	•	•	•	
		KVWB400D	30"	400	65K	—	•	•	—	•	
	Under-Cabinet	KVUB606D	36"	585	65K	•	•	•	•	•	
		KVUB600D	30"	585	65K	—	•	•	—	•	
		KVUB406G	36"	400	65K	•	•	•	•	•	
		KVUB400G	30"	400	65K	—	•	•	—	•	
	Slide-Out	KXU2836J	36"	330	65K	•	•	•	•	•	
		KXU2830J	30"	330	65K	—	•	•	—	•	
	Downdraft	KXD4636Y	36"	585	65K	•	—	—	•	—	
		KXD4630Y	30"	585	65K	—	•	—	—	•	
Liners	UVL6048J	48"	585/1170	65K	•	•	•	•	•		
	UVL6036J	36"	585/1170	65K	•	•	•	•	•		

\*Performance varies based on installation. Resources available at AHAM.org. Visit KitchenAid.com for dimension guide.

# Slide-In Range Ventilation Pairings

- Approved
- Not approved

					Slide-In Ranges					
					Dual Fuel	Gas		Electric		Induction
					KSDB900E	KSGB900E	KSGG700E	KSEB900E	KSEG700E	KSIB900E
					30"	30"	30"	30"	30"	30"
	Model No.	Size	CFM Motor Class*	BTU Threshold						
Commercial-Style	KVWC958K	48"	585/1170	90K/105K	—	—	—	—	—	—
	KVWC956K	36"	585/1170	90K/105K	—	—	—	—	—	—
	KVWC908K	48"	585/1170	90K/105K	—	—	—	—	—	—
	KVWC906K	36"	585/1170	90K/105K	—	—	—	—	—	—
	KVUC606K	36"	585	90K	—	—	—	—	—	—
	KVUC600K	30"	585	75K	—	—	—	—	—	—
Island-Mount	KVIB602D	42"	585	65K	•	•	•	•	•	•
	KVIB606D	36"	585	65K	•	•	•	•	•	•
Wall-Mount	KVWB606D/H	36"	585	65K	•	•	•	•	•	•
	KVWB600D/H	30"	585	65K	•	•	•	•	•	•
	KVWB406D	36"	400	65K	•	•	•	•	•	•
	KVWB400D	30"	400	65K	•	•	•	•	•	•
Under-Cabinet	KVUB606D	36"	585	65K	•	•	•	•	•	•
	KVUB600D	30"	585	65K	•	•	•	•	•	•
	KVUB406G	36"	400	65K	•	•	•	•	•	•
	KVUB400G	30"	400	65K	•	•	•	•	•	•
Slide-Out	KXU2836J	36"	330	65K	•	•	•	•	•	•
	KXU2830J	30"	330	65K	•	•	•	•	•	•
Downdraft	KXD4636Y	36"	585	65K	—	—	—	—	—	—
	KXD4630Y	30"	585	65K	•	•	•	•	•	•
Liners	UVL6048J	48"	585/1170	65K	•	•	•	•	•	•
	UVL6036J	36"	585/1170	65K	•	•	•	•	•	•

\*Performance varies based on installation. Resources available at AHAM.org. Visit KitchenAid.com for dimension guide.