


**CI90V**  
36" Induction Cooktop

**Porter&Charles**  
2016 SPECIFICATION SHEET

# CI90V

## 36" Induction Cooktop

*Induction cooktops offer fast and responsive cooking; the cookware itself becomes the heat conductor and becomes hot, while the smooth ceramic surface remains safe because it does not produce any heat. When the pot is removed from the surface, the cooking stops. Energy is saved as only the exact amount needed for cooking is used and cleaning is easier because grease and food residues do not "bake" onto the ceramic glass. Made from resilient, high quality ceramic glass it is a beautiful complement to any kitchen style. These cooktops are incredibly quick, have more flexible control than gas, are easier to clean, and extremely safe.*



### COOKTOP PERFORMANCE

- 5 Induction Zones
  - 2 x 16cm Single Zone: 1400 Watts (Boost: 1800 Watts)
  - 2 x 20cm Single Zone: 1800 Watts (Boost: 2500 Watts)
  - 1 x 25cm Single Zone: 2800 Watts (Boost: 3500 Watts)

### ELECTRICAL REQUIREMENTS

- 208/240 Volt, 60 Hz, 40AMP, 10,800W
- Supplied with a 5ft long electrical cable and must be hard wired

### COOKTOP FEATURES

- 5 induction zones
- 9 power levels with Power Boost
- Black ceramic with beveled edges front and back, stainless steel sides
- Touch control panel
- Automatic switch off
- Child safety lock
- Smart Pause
- Count-down timer
- Residual heat indicator
- Shallow depth allows for easy install over drawers or an oven

### COOKTOP DIMENSIONS

D: 20<sup>1/2</sup>" • W: 35<sup>1/4</sup>"

D: 521 mm • W: 895 mm


### CUT-OUT DIMENSIONS

D: 19<sup>3/16</sup>" • W: 33<sup>1/4</sup>"

D: 487 mm • W: 857 mm

# SPECIFICATIONS

CI90V




# SPECIFICATIONS

CI90V


## INSTALLING OVER BUILT-IN OVEN

- There must be a minimum of 20mm (13/16") of space left between the bottom of the cooktop and the oven to allow air to flow.
- There must be a minimum of 5mm (3/16") of space left between the counter top and the door panel of a built-in oven / drawer.
- If insufficient air flow is provided, the life of the appliance will be shortened.

### SIDE VIEW




### UNDERSIDE VIEW



# SPECIFICATIONS

CI90V


## RECOMMENDED CABINET DESIGN



# SPECIFICATIONS


CI90V

## RECOMMENDED CABINET MINIMUM CLEARANCE





# Porter & Charles



A MEAL WITHOUT  
WINE IS CALLED  
BREAKFAST.



WICKED CHICKENS  
LAY DEVILED EGGS!

Porter & Charles Appliances are designed and manufactured to the highest standards. Each appliance is covered by a comprehensive 2-year parts and labour warranty.

Refer to product warranty policy for complete terms and conditions.

## FOR PARTS AND SERVICE

Euro-Parts & Service

39822 Belgrave Road, Belgrave, ON. N0G 1E0  
1 800 678 8352 (Canada) • 1 800 561 4614 (U.S.)

[www.euro-parts.ca](http://www.euro-parts.ca) • [parts@euro-parts.ca](mailto:parts@euro-parts.ca) • [service@euro-parts.ca](mailto:service@euro-parts.ca)

Porter & Charles appliances are imported and distributed in North America by Euro-Line Appliances Inc. For more information, please visit one of our showrooms or

[www.euro-line-appliances.com](http://www.euro-line-appliances.com) / [www.elawest.com](http://www.elawest.com)

## ***EURO-LINE APPLIANCES INC.***

871 Cranberry Court  
Oakville, ON L6L 6J7 Canada  
905 829 3980  
1 800 421 6332

[marketing@euro-line-appliances.com](mailto:marketing@euro-line-appliances.com)

## ***EURO-LINE APPLIANCES WEST INC.***

2912 West 4th Avenue  
Vancouver, BC V6K 1R2 Canada  
604 235 3980  
1 855 ELA WEST (352 9378)

[info@elawest.com](mailto:info@elawest.com)

