

KSEG24XU

Product family Hood Type Design

EAN code Hood width Hood

Integrated hood Fully integrated 8017709296834

60 "



Aesthetics

Aesthetic Colour

Universale Silver

Serigraphy colour

Logo

Black Silk screen

Controls

Control setting

Slider

Programs / Functions

No. of speeds Other options

Recirculating KIT accessory

Technical Features





No. of lights Light type LED

Light Power 5 W Light color temperature 3000 °K

scale (°K)

Free outlet maximum 200 CFM

capacity

Motor power 110 W No. of filters

Anti-grease filters Vent outlet

Minimum distance from

GAS hob

Minimum distance from

ELECTRIC hob

600 "

750 "

Aluminium 4 3/4 "

Non return valve Yes


SMEG SPA 2024-04-04



	Extraction rate IEC 61591 [CFM]	Noise level IEC 60704-2-13 [dB(A)]
Speed 1	90	55
Speed 2	150	64
Speed 3	200	71

Electrical Connection

Plug (A) USA e Messico Frequency (Hz) 60 Hz
Voltage 110-127 V Power supply cable length 1000 "



SMEG SPA 2024-04-04



Not included accessories

KITFC142



Charcoal filters SQUARE Kit 2 pieces

SMEG SPA 2024-04-04



Symbols glossary (TT)



Filters: Model has filters to help remove grease from the steam emanating from the pans during cooking.



Lights: All cooker hoods feature lights to illuminate the cooking area or add to the ambience of the kitchen.

SMEG SPA 2024-04-04