

PGFU30X2



Product Family	Hob
Built-in type	Ultra-low profile
Dimensions	30"
Power supply	Gas
Type	Gas
EAN code	8017709347444

Aesthetics



Aesthetic	Classica
Colour	Stainless steel
Finishing	Satin
Material	Stainless Steel
Type of steel	Brushed
Pan stands	Cast iron
Burners	Standard
Burners Material	Alluminium
Type of control setting	Control knobs
Control knob position	Front
No. of controls	5
Controls colour	Steel effect

Programs / Functions

Total no. of cook zones	5
No. of gas cook zones	5

Options

Worktop Cut-Out	492x700 mm
-----------------	------------

Technical Features

UR

Front-left - Gas - AUX - 1.05 kW

Rear-left - Gas - Semi Rapid - 1.8 kW

Central - Gas - UR - 4 kW

Rear-right - Gas - Semi Rapid - 1.8 kW

Front-right - Gas - AUX - 1.05 kW

Gas safety valves	Yes	Automatic Ignition	Yes
-------------------	-----	--------------------	-----

Accessories Included

Cast iron wok support	1
-----------------------	---

Electrical Connection

Electrical connection rating (W)	1 W	Frequency (Hz)	50/60 Hz
Voltage (V)	100-120 V	Power supply cable length	47 1/4 "
Type of electric cable	Single phase	Plug	B

Gas Connection

Gas Type	G20 Natural gas	Other gas nozzles included	G30 GPL Liquid gas
Gas connection	Cilindrica		

Symbols glossary (TT)



Ultra-low profile: Installation of product with flat edge - height of 1 mm.



Heavy duty cast iron pan stands: for maximum stability and strength.



Knobs control



Ultra rapid burners: Powerful ultra rapid burners offer up to 5kw of power.