

SIMU330D





Product Family Built-in type

Dimensions Power supply Type

EAN code

Hob

Ultra-low profile

70/75 cm Mixed

Induction

8017709328924



Aesthetics







AestheticUniversaleColourBlackFinishingGlassMaterialGlass

Glass type ceramic Eclipse
Glass edge Straight edge
Type of control setting EVO Slider

Slider Yes
LED colours White
Control knob position Front
Serigraphy colour Grey

Programs / Functions



Total no. of cook zones 4
No. of induction cook zones 4

Time-setting options Spegnimento automatico

No. of cooking zones with booster4No. of Flexible zones2Main on/off switchYesPower levels9

Options





























Multizone Option Yes Flexible Zone Type MultiZone Worktop Cut-Out 490x745 mm

Auto Multizone Yes **Double Booster** Yes Keep warm automatic Yes

function

Grill function Yes End cooking timer 4 Pause option Yes Minute minder 1

End of cooking alarm Yes Residual time indicator Yes **Limited Power** Yes

Consumption Mode

Limited Power 2400 a 7400 - step 100 W

Yes

60 Hz

47 1/4 "

5 poles

Consumption Mode in W Showroom Demo Option Yes Control Lock / Child Yes

Safety

Bridge option Yes Quick start Yes Rapid level selection Yes

Technical Features











Front-left - Induction - Multizone - 2.10 kW - Booster 2.50 kW - Double booster 3.00 kW - 24.0x18.0 cm

Rear-left - Induction - Multizone - 2.10 kW - Booster 3.00 kW - Double booster 3.00 kW - 24.0x18.0 cm

Rear-centre - Induction - Single - 2.30 kW - Booster 3.00 kW - Ø 20 cm Front-right - Induction - Single - 1.40 kW - Booster 2.10 kW - Ø 16 cm

Multizone left - Booster 3.70 kW - 38.5x23.0 cm

Automatic setting according to pan

dimension

pan detection Yes, min 9 cm

Permanent Automatic Pot Detection with indication of the relative

control

Automatic switch off

when overheat

Yes

Yes

Yes

7400 W

Automatic switch off when overflow

Residual heat indicator Yes **Protection against** Yes accidental start up

Electrical Connection

Electrical connection

rating (W)


Current 33 A Voltage (V) 240 V

Type of electric cable Single phase Frequency (Hz) Power supply cable

length

Terminal box







Not included accessories



TPK Stainless steel grill plate to cook Teppanyaki dishes



SCRP

Non-scratch hob scraper - suitable for induction and ceramic hobs



Symbols glossary (TT)

1	Ð
/	

Power booster: option allows the zone to work at full power when very intense cooking is necessary.



Ultra-low profile: Installation of product with flat edge - height of 1 mm.



Child lock: some models are fitted with a device to lock the programme/cycle so it cannot be accidentally changed.



The slider control panel allows you to adjust the power simply by passing your finger across the touch device.



ECO-logic: option allows you to restrict the power limit of the appliance real energy saving.



This function allows you to keep cooked food warm without burner it



Overheat protection: The safety system that automatically turns off the hob in case of overheating of the control unit.



Induction: The work of these hobs is based on the principle of electromagnetic induction. The heat is generated directly in the bottom of the pan during its contact with the hob.



Multizone: allows several pans to be used at once, large or small, offering freedom of placement and greater flexibility



Overfill protection: The special overfill protection shuts down the stove in the presence of overflow of liquids.



All cooking zones can be reduced to the minimum power level, so the hob can be left unattended for a short period without food overcooking or burning. Then just press again this function, the previously set power levels can be reactivated.



Quick selection, with one touch cooking begins at the highest level, then automatically reduces after time. Ideal for dishes that require quick boiling and then continued cooking without constant control (eg beef broth).



Quick Start function: the chosen temperature is reached faster. The heating element works at maximum power until the right temperature is reached.



Indication of residual heat: After the glass ceramic hob is switched off the residual heat indicator shows which of the heating zones still remains hot. When the temperature drops below 60 ° C, the indicator goes out.



Time elapsed: shows how long the cooking zone has been in use.



Timer: All ceramic hobs have a timer which automatically ends cooking after a preset time.



TWIN_ZONE_72dpi



Permanent auto pot detection



Grill function



Min diameter pot detection of 9 cm



Additional maximum power level for a better energy consumption



Darkness becomes light



Evolution Slider totally Back-lighted ghost effect



Automatic merge of zones for a bigger area