HMWB36FS WALL HOOD WITH BLOWER (36-INCH WIDTH)











FEATURES & BENEFITS

- 600 CFM Integrated Blower included
- Recirculation possible with kit RECIRC__FS (max 600 CFM)
- Three fan speeds plus 10 minute high-power operation mode
- Built-in 'Clean Filter' reminder light illuminates after 40 hours of operation
- Delayed shut-off tackles lingering odors for up to 10 minutes

ACCESSORIES (OPTIONAL)	
Recirculation Kit	
RECIRC36FS - For 36" Hood Only	
Replacement Charcoal Filter - CHFILT3036	
For Use With Recirculation Kit RECIRC_FS	
36" W, 6" H Stainless Steel Duct Cover	DC36US
36" W, 12" H Stainless Steel Duct Cover	DCT36US
36" W Stainless Steel Backsplash	PA36JBS

GENERAL PROPERTIES		
Operating Mode	Convertible: Ducted / Recirculating	
Maximum CFM	600 CFM	
Number of Speed Settings	3-Stage	
Motor Location	Integrated	
Number Of Lights	Lights Sold Separately - 2	
Bulb Type	50 W - G10 Base	
Total Power Of The Lamps (W)	100 W	
Damper Included	Yes	
Grease Filter Material	Washable Synthetic	
Grease Filter Type	Multilayer Cassette	
TECHNICAL DETAILS		
Watts (W)	550 W	
Current (A)	15 A	
Volts (V)	120 V	
Frequency (Hz)	60 HZ	
Plug Type	Fixed Connection	
DIMENSIONS & WEIGHT		
Overall Appliance Dimensions (Width Of Canopy Included) (HxWxD) (in)	11" x 36" x 23 1/8 "	
Required Distance Above Cooktop / Range Cooking Surface	30" / 30"	
Diameter of Air Duct (in) Top	10"	
Diameter of Air Duct (in) Back	N/A	
Net Weight (lbs)	33 lbs	
ACCESSORIES (REQUIRED)		
Recirculation Kit		
BLOWER OPTIONS		
Remote Blower (Mounted to Roof or External Wall)	N/A	
	N/A	
	N/A	
Inline Blower (Mounted Between Kitchen and External Wall)	N/A	
	N/A	
Integrated Blower (Mounted in Hood)	N/A	
	N/A	

2 Year


WARRANTY

Limited Warranty Parts And Labor

HMWB36FS WALL HOOD WITH BLOWER (36-INCH WIDTH) MASTERPIECE®



HOOD DIMENSIONS



measurements in inches and mm


HMWB36FS WALL HOOD WITH BLOWER (36-INCH WIDTH)

Thermador,
REAL INNOVATIONS FOR REAL COOKS®

OPTIONAL ACCESSORIES


36" WIDE DUCT COVER DC36US 6" HIGH DCT36US 12" HIGH

Stainless steel duct cover for wall hood applications




RECIRCULATION KIT RECIRC36FS 36" WIDE

- Stainless steel finish
- Perfect for hard to duct installations
- Use with 600 CFM blowers only



measurements in inches and mm

STAINLESS STEEL BACKSPLASH PA36JBS 36" WIDE



REPLACEMENT CHARCOAL FILTERS CHFILT3036

For use with Recirculation Kit RECIRC_FS

These warranties give you specific legal rights and you may have other rights that vary from state to state. Full warranty and limited warranty from date of installation. For complete warranty details, refer to your Use & Care manual, or ask your dealer.

Specifications are for planning purposes only. Refer to installation instructions and consult your countertop supplier prior to making counter opening. Consult with a heating and ventilation engineer for your specific ventilation requirements. For the most detailed information, refer to installation instructions accompanying product or write to Thermador indicating the model number. Specifications are correct at time of printing. Thermador reserves the right to change product specifications or design without notice. Some models are certified for use in Canada. Thermador is not responsible for products that are transported from the U.S. for use in Canada.