### T30IR901SP 30-INCH BUILT-IN FRESH FOOD COLUMN FREEDOM® COLLECTION, PANEL-READY





# 

#### FEATURES & BENEFITS

- Freedom® Hinge enables true flush design
- The new Auto Door Opening provides the opening of the door with just a slight push or pull
- Delicate Produce Bins for expanded storage
- ThermaFresh System, Humidity and Temperature controlled drawers
- $\mathsf{SoftClose}^{\circledast}$  Drawers and Produce Bins for easy and controlled storage
- Sleek clean design for the perfect symmetry when paired with additional columns
- TFT control panel managing all your columns functions

TEMPERATURE RANGES		
Refrigerator	36°F (2°C) to 46°F (8°C)	
Temperature Controlled Drawer	32°F (0°C) to 46°F (8°C)	
Deli Drawer	Just above 32°F (0°C)	
SuperCool	35.5°F (2°C) for approximately 6 hours	
Energy Saving (Economy) Mode	45°F (7°C)	

GENERAL PROPERTIES		
Home Connect <sup>™</sup> (Wi-Fi Enabled)	Yes	
	Yes	
Panel Ready		
Reversible Door Swing	Yes	
SoftClose® Drawers	Yes	
Carbon Air Filter	Yes	
Lighting	Bar ALL LED Sidewall and Theater Lighting	
Full Width Shelves	4	
Adjustable Shelves	3	
Shelf Material	Glass w/Aluminum Profile	
Full Extension Drawers @ 115° Door Opening Angle	Yes	
Full Extension Drawers @ 90° Door Opening Angle	Yes	
Temperature and Humidity Controlled Drawer	1	
General Use Drawer	1	
Door Bins	2	
Gallon Door Bins	1	
Delicate Produce Bins	2 Large	
Door Open Alarm	Yes	
Open Door Assist	Yes	
Special Modes	Sabbath Economy	
	Sabbath, Economy, Vacation	
CAPACITY		
CAPACITY	Vacation	
CAPACITY Total Capacity (cu. ft.)	Vacation	
CAPACITY Total Capacity (cu. ft.) PERFORMANCE	Vacation 16.8 cu. ft.	
CAPACITY Total Capacity (cu. ft.) PERFORMANCE Dedicated Evaporator & Compressor System	Vacation 16.8 cu. ft. Yes	
CAPACITY Total Capacity (cu. ft.) PERFORMANCE Dedicated Evaporator & Compressor System Freeflow® Cold Air System	Vacation 16.8 cu. ft. Yes Yes	
CAPACITY Total Capacity (cu. ft.) PERFORMANCE Dedicated Evaporator & Compressor System Freeflow® Cold Air System SuperCool	Vacation 16.8 cu. ft. Yes Yes	
CAPACITY Total Capacity (cu. ft.) PERFORMANCE Dedicated Evaporator & Compressor System Freeflow® Cold Air System SuperCool TECHNICAL DETAILS	Vacation 16.8 cu. ft. Yes Yes Yes	
CAPACITY Total Capacity (cu. ft.) PERFORMANCE Dedicated Evaporator & Compressor System Freeflow® Cold Air System SuperCool TECHNICAL DETAILS Watts (W)	Vacation 16.8 cu. ft. Yes Yes Yes 350 W	
CAPACITY Total Capacity (cu. ft.) PERFORMANCE Dedicated Evaporator & Compressor System Freeflow® Cold Air System SuperCool TECHNICAL DETAILS Watts (W) Current (A)	Vacation 16.8 cu. ft. Yes Yes Yes 350 W 15 A	
CAPACITY Total Capacity (cu. ft.) PERFORMANCE Dedicated Evaporator & Compressor System Freeflow® Cold Air System SuperCool TECHNICAL DETAILS Watts (W) Current (A) Volts (V)	Vacation 16.8 cu. ft. Yes Yes Yes 350 W 15 A 120V-3 Prong	
CAPACITY Total Capacity (cu. ft.) PERFORMANCE Dedicated Evaporator & Compressor System Freeflow® Cold Air System SuperCool TECHNICAL DETAILS Watts (W) Current (A) Volts (V) Frequency (Hz)	Vacation 16.8 cu. ft. Yes Yes Yes 350 W 15 A 120V-3 Prong 60 Hz	
CAPACITY Total Capacity (cu. ft.) PERFORMANCE Dedicated Evaporator & Compressor System Freeflow® Cold Air System SuperCool TECHNICAL DETAILS Watts (W) Current (A) Volts (V) Frequency (Hz) Power Cord Length (in.)	Vacation 16.8 cu. ft. Yes Yes Yes 350 W 15 A 120V-3 Prong 60 Hz 118	
CAPACITY Total Capacity (cu. ft.) PERFORMANCE Dedicated Evaporator & Compressor System Freeflow® Cold Air System SuperCool TECHNICAL DETAILS Watts (W) Current (A) Volts (V) Frequency (Hz) Power Cord Length (in.) Plug Type	Vacation 16.8 cu. ft. Yes Yes Yes 350 W 15 A 120V-3 Prong 60 Hz 118	
CAPACITY Total Capacity (cu. ft.) PERFORMANCE Dedicated Evaporator & Compressor System Freeflow® Cold Air System SuperCool TECHNICAL DETAILS Watts (W) Current (A) Volts (V) Frequency (Hz) Power Cord Length (in.) Plug Type DIMENSIONS & WEIGHT	Vacation 16.8 cu. ft. Yes Yes Yes 350 W 15 A 120V-3 Prong 60 Hz 118 120V-3 Prong	
CAPACITY Total Capacity (cu. ft.) PERFORMANCE Dedicated Evaporator & Compressor System Freeflow® Cold Air System SuperCool TECHNICAL DETAILS Watts (W) Current (A) Volts (V) Frequency (Hz) Power Cord Length (in.) Plug Type DIMENSIONS & WEIGHT Appliance Dimensions (H x W x D) (in.)	Vacation 16.8 cu. ft. Yes Yes Yes 350 W 15 A 120V-3 Prong 60 Hz 118 120V-3 Prong 83 <b>3/4</b> "* x 29 <b>3/4</b> " x 24"	
CAPACITYTotal Capacity (cu. ft.)PERFORMANCEDedicated Evaporator & Compressor SystemFreeflow® Cold Air SystemSuperCoolTECHNICAL DETAILSWatts (W)Current (A)Volts (V)Frequency (Hz)Power Cord Length (in.)Plug TypeDIMENSIONS & WEIGHTAppliance Dimensions (H x W x D) (in.)Required Cutout Size (H x W x D) (in.)	Vacation 16.8 cu. ft. Yes Yes Yes 350 W 15 A 120V-3 Prong 60 Hz 118 120V-3 Prong 83 <b>3/4</b> "* x 29 <b>3/4</b> " x 24" 84" x 30" x 25"	
CAPACITYTotal Capacity (cu. ft.)PERFORMANCEDedicated Evaporator & Compressor SystemFreeflow® Cold Air SystemSuperCoolTECHNICAL DETAILSWatts (W)Current (A)Volts (W)Frequency (Hz)Power Cord Length (in.)Plug TypeDIMENSIONS & WEIGHTAppliance Dimensions (H x W x D) (in.)Required Cutout Size (H x W x D) (in.)Net / Gross Weight (lbs)	Vacation 16.8 cu. ft. Yes Yes Yes 350 W 15 A 120V-3 Prong 60 Hz 118 120V-3 Prong 83 <b>3/4</b> "* x 29 <b>3/4</b> " x 24" 84" x 30" x 25"	
CAPACITYTotal Capacity (cu. ft.)PERFORMANCEDedicated Evaporator & Compressor SystemFreeflow® Cold Air SystemSuperCoolTECHNICAL DETAILSWatts (W)Current (A)Volts (V)Frequency (Hz)Power Cord Length (in.)Plug TypeDIMENSIONS & WEIGHTAppliance Dimensions (H x W x D) (in.)Required Cutout Size (H x W x D) (in.)Net / Gross Weight (lbs)EFFICIENCY	Vacation 16.8 cu. ft. 16.8 cu. ft. Yes Yes Yes Yes 350 W 15 A 120V-3 Prong 60 Hz 118 120V-3 Prong 83 <b>3/4</b> " x 29 <b>3/4</b> " x 24" 84" x 30" x 25" 344 / 368 lbs	

\*Height adjustable + / -**1/2**" (+ / -13 mm)

# T301R901SP **30-INCH BUILT-IN FRESH FOOD COLUMN**


Thermador

FREEDOM® COLLECTION, PANEL-READY


WARRANTY	
Limited, Entire Appliance, Parts and Labor on Any Part of the Refrigerator that Fails Because of a Manufacturing Defect	2 Year
Limited Warranty for Sealed Refrigeration System**; Parts and Labor	3rd to 6th Year
Limited Warranty for Sealed Refrigeration System**; Parts Only	7th to 12th Year
Limited Warranty for Stainless Steel Rust-Through	Lifetime

\*\*Sealed refrigeration system includes compressor, evaporator, condenser, dryer / strainer and connection tubing

#### **CUTOUT DIMENSIONS**



#### **TOP VIEW CLEARANCE**




# T301R901SP **30-INCH BUILT-IN FRESH FOOD COLUMN**



FREEDOM® COLLECTION, PANEL-READY

#### **PRODUCT AND PANEL DIMENSIONS**



#### **ACCESSORIES (OPTIONAL)**

#### FLAT STAINLESS STEEL DOOR PANELS

TFL30IR800 **30-Inch Flat Stainless** Steel Door Panel

NOTE: Handleless Panels should not be installed on units without the Soft-Close capability. If you are uncertain if you have a refrigeration unit with Soft-Close capability please contact our customer team by calling 1-800-735-4328.

#### **STORAGE**



SPRODBIN10 Small Produce Bin



LPRODBIN10 Large Produce Bin



30PRODRAIL 30-Inch Produce Railing

## HANDLES

NOTE: Choose one handle for each column, choose 2 handles for each 2-door bottom freezer and choose 3 handles for each French Door bottom freezer.

PR36HNDL20 36-Inch Professional Series Handle PR30HNDL20 30-Inch Professional Series Handle

MS36HNDL20

36-Inch Masterpiece® Series Handle MS30HNDL20 30-Inch Masterpiece® Series Handle

## MS36HNDL10

AVAILABLE WHILE SUPPLIES LAST:

36-Inch Masterpiece® Series Classic Handle MS30HNDL10 30-Inch Masterpiece® Series Classic Handle

#### HEATRKIT20 - 13W @ 120V

#### Freedom<sup>®</sup> Heater Kit

When two appliances are installed side-by-side a sealing kit must be used. For combinations that involve a freezer column, this kit is included. For all other (non-traditional, i.e. two wine columns, two bottom freezers, etc.) side-by-side combinations or instances where any appliances are installed less than 6-inches (152 mm) apart from one another but not connected side-by-side, purchase this kit. This kit is recommended for use with any installation in areas that are subject to humidity, or located next to an outside wall.



30HFGALBIN 30-Inch Half Gallon Bin

These warranties give you specific legal rights and you may have other rights that vary from state to state. Full warranty and limited warranty from date of installation. For complete warranty details, refer to your Use & Care manual, or ask your dealer.

Specifications are for planning purposes only. Refer to installation instructions and consult your countertop supplier prior to making counter opening. Consult with a heating and ventilation engineer for your specific ventilation requirements. For the most detailed information, refer to installation instructions accompanying product or write to Thermador indicating the model number. Specifications are correct at time of printing. Thermador reserves the right to change product specifications or design without notice. Some models are certified for use in Canada Thermador is not responsible for products that are transported from the U.S. for use in Canada

1 800 735 4328 | USA THERMADOR.COM | CANADA THERMADOR.CA | ©2018 BSH HOME APPLIANCES CORPORATION. ALL RIGHTS RESERVED.