

THOR
K I T C H E N[®]

**Thor Kitchen Product Line
2019**



About Thor Kitchen

- CHALLENGING THE STATUS QUO



You like to shake things up in the kitchen. So do we. We're Thor Kitchen, and we think you deserve the pro-style culinary workshop of your dreams, but without the nightmare of a premium price tag.

Thor Kitchen is the first and only brand that can give you an entire pro-style stainless steel kitchen suite for what other brands charge for just one range! You get all of the power and performance of a top-notch appliance, yet at a practical price—We thought it was about time, too.

Why settle for just a pro-style range when you can have a pro-style kitchen?

We make big, bold, pro-style gas ranges, dual-fuel ranges, gas cooktops, stylish and powerful ventilation hoods, stainless steel dishwashers, premium wine coolers (with dual zones for your whites and reds), and impressive French door refrigerators. All built to the highest standards of quality, style, and energy efficiency.

We're based in California. Our products are distributed nationwide. We back everything we make with an iron-clad, two-year warranty. It's because we think you deserve the best. And because we want you to get cooking—without compromising.

Thor Kitchen Appliances





Italian-Made Single Burners

Single-ring, sealed burners are made in Italy and can reach 18,000 BTU for high-heat searing - designed to accommodate even the largest cookware.




Single Point Ignition System

Each of our burners features its own ignition, instead of the traditional multi-point model of using one ignitor for all burners. This offers a quieter cooking experience while also extending the lifetime of the burner system.



Heavy Duty Grates

Each heavy-duty cast-iron cooking grate will fit your Pro-style range design and handle any size of your cookware, providing a luxury cooking experience.



Convection Fan

Convection cooking provides controlled heat distribution for delicate baking and roasting.




Heavy-Duty Knobs

Zinc alloy, commercial knobs allow you to infinitely adjust the temperature to fit your cooking needs. Also, The knobs light up with a brilliant blue whenever the burner is on as a constant safety reminder.




Spain Sourced Burner Valve

Providing precise control on top burner flames to provide a professional cooking experience for your Thor Kitchen Cooking.



US Sourced Thermostat

Mechanical Thermostat Control offering everlasting temperature sensing function and maintaining the cooking temperature you desired.



US Sourced Hot Surface Ignitor

Supporting your Thor Kitchen Gas Range's bake/ broil function with enduring hot surface ignition system, providing high-performance radiating heat to sear your food and seal in the juices so you can enjoy the juiciest meats, poultry and fish.

Model# HRG3080U
Thor Kitchen 30-inch Professional Gas Range



DIMENSION & WEIGHT

Product Dimension		
	Product width	30"
	Product height (from bottom to top of back splash)	38.39"-39.37"
	Product height (from bottom to top of side panel)	35.57"-36.56"
	Product depth (from back panel to bullnose)	27.94"
	Product depth (from back panel to control board)	26.54"
	Product depth (from back panel to side panel front)	24.84"
	Depth of control panel (minimum)	1.7"
	Depth of control panel (bullnose)	3.1"
	Cast iron cooking grate (W x L)	10 3/4" * 23"
	Adjustable legs	not to exceed 1"
Required Cutout Size (W x D x H)		30 1/8" x 24.84" x 35.57(+1)"
	Oven Cavity Dimension	24"W * 15 1/4"H * 18"D
	Oven Rack Dimension	22 3/4" * 15 1/2"
	Distance between Oven Rack	2 1/8"

FEATURES

- Black Porcelain Drip Pan On Cook Top
- Heavy Duty Continuous Cast Iron Cooking Grates
- Automatic Re-Ignition Safety Feature
- Blue LED Light up the knobs
- Zinc Alloy black Controller Knobs
- Heavy Duty handle with Zinc Alloy holder
- Stainless-Steel Professional Style
- Blue porcelain oven interior
- 2 x Halogen Lights
- Commercial convection fan

12K	12K
18K	15K (650 BTU Simmer)

BURNER PERFORMANCE



Total Number of Range Top Burners	4 Burners
Front Right (Dual Burner with simmer function)	15,000 BTU (650 BTU for Simmer)
Front Left (Single)	18,000 BTU
Rear Right (Single)	12,000 BTU
Rear Left (Single)	12,000 BTU
Tube Broil burner	13,000 BTU
U-shape Bake burner	22,000 BTU

TECHNICAL DETAILS



Fuel Type	Natural Gas / LP Convertible
Electrical Requirements	120V
Circuit Breaker (A)	15 or 20 A
Frequency (Hz)	60 Hz

ACCESSORIES (NOT INCLUDED)

LPKHRG3080U	Liquid Propane Gas Conversion Kit
TR30SS	30-inch Telescopic Rack
ITHRG3080U	30-inch Island Trim
RG1022	Cast Iron Reversible Griddle
RG1032	Cast Iron Range Griddle



NG: Input Pressure: 7 inches, Output Pressure: 5 inches
LP: Input Pressure: 11 inches Output Pressure: 10 inches
Size of Regulator: ½ inch



Model# HRG3618U

Thor Kitchen 36-inch Professional Gas Range



DIMENSION & WEIGHT

Product Dimension

Product width	36"
Product height (from bottom to top of back splash)	38.48"-39.48"
Product height (from bottom to top of side panel)	35.67"-36.67"
Product depth (from back panel to bullnose)	27.94"
Product depth (from back panel to control board)	26.52"
Product depth (from back panel to side panel front)	24.82"
Depth of control panel (minimum)	1.7"
Depth of control panel (bullnose)	3.12"
Cast iron cooking grate (W x L)	10 3/4" * 23"
Adjustable legs	not to exceed 1"
Required Cutout Size (W x D x H)	36 1/8" x 24.82" x 35.67(+1)"
Oven Cavity Dimension	30"W * 15 1/4"H * 18"D
Oven Rack Dimension	28 3/4" * 15 1/2"
Distance between Oven Rack	2 1/8"

FEATURES

- Black Porcelain Drip Pan On Cook Top
- Heavy Duty Continuous Cast Iron Cooking Grates
- Automatic Re-Ignition Safety Feature
- Blue LED Light up the knobs
- Zinc Alloy black Controller Knobs
- Heavy Duty handle with Zinc Alloy holder
- Stainless-Steel Professional Style
- Blue porcelain oven interior
- 2 x Halogen Lights
- Commercial convection fan

12K	12K	12K
15K (650 BTU Simmer)	18K	15K (650 BTU Simmer)

BURNER PERFORMANCE



Total Number of Range Top Burners	6 Burners
Front Right (Dual Burner with simmer function)	15,000 BTU (650 BTU for Simmer)
Front Left (Dual Burner with simmer function)	15,000 BTU (650 BTU for Simmer)
Front Middle (Single)	18,000 BTU
Rear Right (Single)	12,000 BTU
Rear Left (Single)	12,000 BTU
Rear Middle (Single)	12,000 BTU
Infrared Broil burner	16,500 BTU
U-shape Bake burner	22,000 BTU

TECHNICAL DETAILS



Fuel Type	Natural Gas / LP Convertible
Electrical Requirements	120V
Circuit Breaker (A)	15 or 20 A
Frequency (Hz)	60 Hz

ACCESSORIES (NOT INCLUDED)

LPKHRG3618U	Liquid Propane Gas Conversion Kit
TR36SS	36-inch Telescopic Rack
ITHRG3618U	36-inch Island Trim
RG1022	Cast Iron Reversible Griddle
RG1032	Cast Iron Range Griddle



NG: Input Pressure: 7 inches, Output Pressure: 5 inches
LP: Input Pressure: 11 inches Output Pressure: 10 inches
Size of Regulator: ½ inch



Model# HRG4808U

Thor Kitchen 48-inch Professional Gas Range



DIMENSION & WEIGHT

Product Dimension

Product width	47.9"
Product height (from bottom to top of back splash)	38.48"-39.48"
Product height (from bottom to top of side panel)	35.67"-36.67"
Product depth (from back panel to bullnose)	27.94"
Product depth (from back panel to control board)	26.52"
Product depth (from back panel to side panel front)	24.82"
Depth of control panel (minimum)	1.7"
Depth of control panel (bullnose)	3.12"
Cast iron cooking grate (W x L)	10 3/4" * 23"
Adjustable legs	not to exceed 1"

Required Cutout Size (W x D x H)

	48 1/8" x 24.82" x 35.67(+1)"
30" Oven Cavity Dimension	24"W * 15 1/4"H * 18"D
30" Oven Rack Dimension	22 3/4" * 15 1/2"
Distance between Oven Rack	2 1/8"

FEATURES

- Black Porcelain Drip Pan On Cook Top
- Heavy Duty Continuous Cast Iron Cooking Grates
- Automatic Re-Ignition Safety Feature
- Blue LED Light up the knobs
- Zinc Alloy black Controller Knobs
- Heavy Duty handle with Zinc Alloy holder
- Stainless-Steel Professional Style
- Blue porcelain oven interior
- 2 x Halogen Lights
- Commercial convection fan

15K (650 BTU Simmer)	15K Griddle	15K (650 BTU Simmer)	15K (650 BTU Simmer)
18K		18K	18K

BURNER PERFORMANCE



Total Number of Range Top Burners	6 Burners
Front Right (Dual)	18,000 BTU
Front Left (Dual)	18,000 BTU
Front Middle (Single)	18,000 BTU
Rear Right (Dual Burner with simmer function)	15,000 BTU (650 BTU for Simmer)
Rear Left (Dual Burner with simmer function)	15,000 BTU (650 BTU for Simmer)
Rear Middle (Dual Burner with simmer function)	15,000 BTU (650 BTU for Simmer)
Griddle Burner	15,000 BTU
Infrared Broil burner	16,500 BTU
U-shape Bake burner	22,000 BTU
Tube Bake burner (18-inch oven)	14,000 BTU

TECHNICAL DETAILS



Fuel Type	Natural Gas / LP Convertible
Electrical Requirements	120V
Circuit Breaker (A)	15 or 20 A
Frequency (Hz)	60 Hz

ACCESSORIES (NOT INCLUDED)

LPKHRG4808U	Liquid Propane Gas Conversion Kit
TR30SS	30-inch Telescopic Rack
ITHRG4808U	48-inch Island Trim
RG1022	Cast Iron Reversible Griddle
RG1032	Cast Iron Range Griddle



NG: Input Pressure: 7 inches, Output Pressure: 5 inches
LP: Input Pressure: 11 inches Output Pressure: 10 inches
Size of Regulator: 3/4 inch



Model# HRD3088U

Thor Kitchen 30-inch Professional Dual Fuel Range



DIMENSION & WEIGHT

Product Dimension		
	Product width	30"
	Product height (from bottom to top of back splash)	38.47" - 39.47"
	Product height (from bottom to top of side panel)	35.91" - 36.91"
	Product depth (from back panel to bullnose)	27.86"
	Product depth (from back panel to control panel)	26.47"
	Product depth (from back panel to front of side panel)	24.19"
	Depth of control panel (to the control panel face)	2.28"
	Depth of control panel (to the bullnose)	3.67"
	Cast iron cooking grate (W x L)	10 3/4" * 23"
	Adjustable legs	Recommend not to exceed 1"
Required Cutout Size (W x D x H)		30 1/8" x 24.19" x 35.91(+1)"
	Oven Cavity Dimension	24" W * 15 1/4" H * 18" D
	Oven Rack Dimension	22 3/4" * 15 1/2"
	Distance between Oven Rack	2 1/8"

FEATURES

- Black Porcelain Drip Pan On Cook Top
- Heavy Duty Continuous Cast Iron Cooking Grates
- Automatic Re-Ignition Safety Feature
- Blue LED Light up the knobs
- Zinc Alloy black Controller Knobs
- Heavy Duty handle with Zinc Alloy holder
- Stainless-Steel Professional Style
- Blue porcelain oven interior
- 2 x Halogen Lights
- Commercial convection fan

12K	12K
18K	15K (650 BTU Simmer)

BURNER PERFORMANCE

Total Number of Range Top Burners	4 Burners
Front Right (Dual Burner with simmer function)	15,000 BTU (650 BTU for Simmer)
Front Left (Single)	18,000 BTU
Rear Right (Single)	12,000 BTU
Rear Left (Single)	12,000 BTU

OVEN PERFORMANCE



Oven Capacity	4.2 cu. Ft
Bake Power	850 W (Top) / 3,000 W (Bottom)
Broil Power	3,500 W

TECHNICAL DETAILS


Fuel Type	Natural Gas / LP Convertible
Electrical Requirements	240V, 4-Prong 14-50R Power Outlet
Circuit Breaker (A)	30A
Frequency (Hz)	60 Hz

ACCESSORIES (NOT INCLUDED)


LPKHRD3088U	Liquid Propane Gas Conversion Kit
TR30SS	30-inch Telescopic Rack
ITHRD3088U	30-inch Island Trim
RG1022	Cast Iron Reversible Griddle



NG: Input Pressure: 7 inches, Output Pressure: 5 inches
LP: Input Pressure: 11 inches Output Pressure: 10 inches
Regulator Location: Inside the kick Panel – Bottom Right
Size of Regulator: ½ inch



*No 240V, 4-Prong 14-50R Power Outlet
 Is provided with the product



**Installation clearance
 available behind range
 Height: 7.32"
 Depth: 2.91"**

Model# HRD3606U

Thor Kitchen 36-inch Professional Dual Fuel Range



DIMENSION & WEIGHT

Product Dimension		
	Product width	36"
	Product height (from bottom to top of back splash)	38.47"- 39.47"
	Product height (from bottom to top of side panel)	35.91"- 36.91"
	Product depth (from back panel to bullnose)	27.86"
	Product depth (from back panel to control panel)	26.47"
	Product depth (from back panel to front of side panel)	24.19"
	Depth of control panel (to the control panel face)	2.28"
	Depth of control panel (to the bullnose)	3.67"
	Cast iron cooking grate (W x L)	10 3/4" * 23"
	Adjustable legs	Recommend not to exceed 1"
Required Cutout Size (W x D x H)		36 1/8" x 24.19" x 35.91(+1)"
	Oven Cavity Dimension	30" W * 15 1/4" H * 18" D
	Oven Rack Dimension	28 3/4" * 15 1/2"
	Distance between Oven Rack	2 1/8"

FEATURES

Black Porcelain Drip Pan On Cook Top
 Heavy Duty Continuous Cast Iron Cooking Grates
 Automatic Re-Ignition Safety Feature
 Blue LED Light up the knobs
 Zinc Alloy black Controller Knobs
 Heavy Duty handle with Zinc Alloy holder
 Stainless-Steel Professional style
 Blue porcelain oven interior
 2 x Halogen Lights
 Commercial convection fan

15K (650 BTU Simmer)	12K	15K (650 BTU Simmer)
18K	18K	18K

BURNER PERFORMANCE

Total Number of Range Top Burners	6 Burners
Front Right (Single)	18,000 BTU
Front Left (Single)	18,000 BTU
Front Middle (Single)	18,000 BTU
Rear Right (Dual Burner with simmer function)	15,000 BTU (650 BTU for Simmer)
Rear Left (Dual Burner with simmer function)	15,000 BTU (650 BTU for Simmer)
Rear Middle (Single)	12,000 BTU

OVEN PERFORMANCE



Oven Capacity	5.2 cu. Ft
Bake Power	850 W (Top) / 3,000 W (Bottom)
Broil Power	3,500 W

TECHNICAL DETAILS


Fuel Type	Natural Gas / LP Convertible
Electrical Requirements	240V, 4-Prong 14-50R Power Outlet
Circuit Breaker (A)	30A
Frequency (Hz)	60 Hz

ACCESSORIES (NOT INCLUDED)


LPKHRD3606U	Liquid Propane Gas Conversion Kit
TR36SS	36-inch Telescopic Rack
ITHRD3606U	36-inch Island Trim
RG1022	Cast Iron Reversible Griddle



NG: Input Pressure: 7 inches, Output Pressure: 5 inches
LP: Input Pressure: 11 inches Output Pressure: 10 inches
Regulator Location: Inside the kick Panel – Bottom Right
Size of Regulator: ½ inch



*No 240V, 4-Prong 14-50R Power Outlet
 Is provided with the product



Model# HRD4803U
Thor Kitchen 48-inch Professional Dual Fuel Range



DIMENSION & WEIGHT

Product Dimension		
	Product width	47.9"
	Product height (from bottom to top of back splash)	38.47" - 39.47"
	Product height (from bottom to top of side panel)	35.91" - 36.91"
	Product depth (from back panel to bullnose)	27.86"
	Product depth (from back panel to control panel)	26.47"
	Product depth (from back panel to front of side panel)	24.19"
	Depth of control panel (to the control panel face)	2.28"
	Depth of control panel (to the bullnose)	3.67"
	Cast iron cooking grate (W x L)	10 3/4" * 23"
	Adjustable legs	Recommend not to exceed 1"
Required Cutout Size (W x D x H)		48 1/8" x 24.19" x 35.91(+1)"
	30" Oven Cavity Dimension	24"W * 15 1/4"H * 18"D
	30" Oven Rack Dimension	22 3/4" * 15 1/2"
	Distance between Oven Rack	2 1/8"

FEATURES

- Black Porcelain Drip Pan On Cook Top
- Heavy Duty Continuous Cast Iron Cooking Grates
- Automatic Re-Ignition Safety Feature
- Blue LED Light up the knobs
- Zinc Alloy black Controller Knobs
- Heavy Duty handle with Zinc Alloy holder
- Stainless-Steel Professional Style
- Blue porcelain oven interior
- 2 x Halogen Lights
- Commercial convection fan

12K	15K Griddle	12K	15K (650 BTU Simmer)
18K		15K (650 BTU Simmer)	18K

BURNER PERFORMANCE

Total Number of Range Top Burners	6 Burners
Front Right (Single)	18,000 BTU
Front Left (Single)	18,000 BTU
Front Middle (Dual Burner with simmer function)	15,000 BTU (650 BTU for Simmer)
Rear Right (Dual Burner with simmer function)	15,000 BTU (650 BTU for Simmer)
Rear Left (Single)	12,000 BTU
Rear Middle (Single)	12,000 BTU
Stainless Steel Griddle	15,000 BTU

OVEN AND PERFORMANCE



Oven Capacity	6.7 cu. Ft. (4.2 cu. Ft. for 30-inch oven) (2.5 cu. Ft. for 18-inch oven)
Bake Power (30-inch oven)	850 W (Top) / 3,000 W (Bottom)
Bake Power (18-inch oven)	2,500 W (Bottom)
Broil Power (30-inch oven)	3,500 W

TECHNICAL DETAILS


Fuel Type	Natural Gas / LP Convertible
Electrical Requirements	240V, 4-Prong 14-50R Power Outlet
Circuit Breaker (A)	40A
Frequency (Hz)	60 Hz

ACCESSORIES (NOT INCLUDED)


LPKHRD4803U	Liquid Propane Gas Conversion Kit
TR30SS	30-inch Telescopic Rack (for 30-inch oven)
ITHRD4803U	48-inch Island Trim
RG1022	Cast Iron Reversible Griddle



NG: Input Pressure: 7 inches, Output Pressure: 5 inches
LP: Input Pressure: 11 inches Output Pressure: 10 inches
Regulator Location: Inside the kick Panel – Bottom Right
Size of Regulator: ½ inch



*No 240V, 4-Prong 14-50R Power Outlet
 Is provided with the product



Model# HRG3080-BS
Thor Kitchen 30-inch Professional Gas Range



DIMENSION & WEIGHT

Product Dimension		
	Product width	30"
	Product height (from bottom to top of back splash)	38.39"-39.37"
	Product height (from bottom to top of side panel)	35.57"-36.56"
	Product depth (from back panel to bullnose)	27.94"
	Product depth (from back panel to control board)	26.54"
	Product depth (from back panel to side panel front)	24.84"
	Depth of control panel (minimum)	1.7"
	Depth of control panel (bullnose)	3.1"
	Cast iron cooking grate (W x L)	10 3/4" * 23"
	Adjustable legs	not to exceed 1"
Required Cutout Size (W x D x H)		30 1/8" x 24.84" x 35.57(+1)"
	Oven Cavity Dimension	24"W * 15 1/4"H * 18"D
	Oven Rack Dimension	22 3/4" * 15 1/2"
	Distance between Oven Rack	2 1/8"

FEATURES

- Black Porcelain Drip Pan On Cook Top
- Heavy Duty Continuous Cast Iron Cooking Grates
- Automatic Re-Ignition Safety Feature
- Blue LED Light up the knobs
- Zinc Alloy black Controller Knobs
- Heavy Duty handle with Zinc Alloy holder
- Black Stainless-Steel Professional style
- Blue porcelain oven interior
- 2 x Halogen Lights
- Commercial convection fan

12K	12K
18K	15K (650 BTU Simmer)

BURNER PERFORMANCE



Total Number of Range Top Burners	4 Burners
Front Right (Dual burner with simmer function)	15,000 BTU (650 BTU for Simmer)
Front Left (Single)	18,000 BTU
Rear Right (Single)	12,000 BTU
Rear Left (Single)	12,000 BTU
Tube Broiler burner	13,000BTU
U-shape Bake Burner	22,000 BTU

TECHNICAL DETAILS



Fuel Type	Natural Gas / LP Convertible
Electrical Requirements	120V
Circuit Breaker (A)	15 or 20 A
Frequency (Hz)	60 Hz

ACCESSORIES (NOT INCLUDED)

LPKHRG3080U(-BS)	Liquid Propane Gas Conversion Kit
TR30SS	30-inch Telescopic Rack
ITHRG3080-BS	30-inch Island Trim
RG1022	Cast Iron Reversible Griddle
RG1032	Cast Iron Range Griddle



NG: Input Pressure: 7 inches, Output Pressure: 5 inches
LP: Input Pressure: 11 inches Output Pressure: 10 inches
Size of Regulator: ½ inch



Model# **HRG3618-BS**

Thor Kitchen 36-inch Professional Gas Range



DIMENSION & WEIGHT

Product Dimension

Product width	36"
Product height (from bottom to top of back splash)	38.48"-39.48"
Product height (from bottom to top of side panel)	35.67"-36.67"
Product depth (from back panel to bullnose)	27.94"
Product depth (from back panel to control board)	26.52"
Product depth (from back panel to side panel front)	24.82"
Depth of control panel (minimum)	1.7"
Depth of control panel (bullnose)	3.12"
Cast iron cooking grate (W x L)	10 3/4" * 23"
Adjustable legs	not to exceed 1"

Required Cutout Size (W x D x H)

Oven Cavity Dimension	30"W * 15 1/4"H * 18"D
Oven Rack Dimension	28 3/4" * 15 1/2"
Distance between Oven Rack	2 1/8"

FEATURES

Black Porcelain Drip Pan On Cook Top
 Heavy Duty Continuous Cast Iron Cooking Grates
 Automatic Re-Ignition Safety Feature
 Blue LED Light up the knobs
 Zinc Alloy black Controller Knobs
 Heavy Duty handle with Zinc Alloy holder
 Black Stainless-Steel Professional style
 Blue porcelain oven interior
 2 x Halogen Lights
 Commercial convection fan

12K	12K	12K
15K (650 BTU Simmer)	18K	15K (650 BTU Simmer)

BURNER PERFORMANCE



Total Number of Range Top Burners	6 Burners
Front Right (Dual burner with simmer function)	15,000 BTU (650 BTU for Simmer)
Front Left (Dual burner with simmer function)	15,000 BTU (650 BTU for Simmer)
Front Middle (Single)	18,000 BTU
Rear Right (Single)	12,000 BTU
Rear Left (Single)	12,000 BTU
Rear Middle (Single)	12,000 BTU
Infrared Broil burner	16,500 BTU
U-shape Bake burner	22,000 BTU

TECHNICAL DETAILS



Fuel Type	Natural Gas / LP Convertible
Electrical Requirements	120V
Circuit Breaker (A)	15 or 20 A
Frequency (Hz)	60 Hz

ACCESSORIES (NOT INCLUDED)

LPKHRG3618U(-BS)	Liquid Propane Gas Conversion Kit
TR36SS	36-inch Telescopic Rack
ITHRG3618-BS	36-inch Island Trim
RG1022	Cast Iron Reversible Griddle
RG1032	Cast Iron Range Griddle



NG: Input Pressure: 7 inches, Output Pressure: 5 inches
LP: Input Pressure: 11 inches Output Pressure: 10 inches
Size of Regulator: ½ inch



Model# HRG4808-BS

Thor Kitchen 48-inch Professional Gas Range



DIMENSION & WEIGHT

Product Dimension

Product width	47.9"
Product height (from bottom to top of back splash)	38.48"-39.48"
Product height (from bottom to top of side panel)	35.67"-36.67"
Product depth (from back panel to bullnose)	27.94"
Product depth (from back panel to control board)	26.52"
Product depth (from back panel to side panel front)	24.82"
Depth of control panel (minimum)	1.7"
Depth of control panel (bullnose)	3.12"
Cast iron cooking grate (W x L)	10 3/4" * 23"
Adjustable legs	not to exceed 1"

Required Cutout Size (W x D x H)

30" Oven Cavity Dimension	48 1/8" x 24.82" x 35.67(+1)"
30" Oven Rack Dimension	24"W * 15 1/4"H * 18"D
Distance between Oven Rack	22 3/4" * 15 1/2"
	2 1/8"

FEATURES

- Black Porcelain Drip Pan On Cook Top
- Heavy Duty Continuous Cast Iron Cooking Grates
- Automatic Re-Ignition Safety Feature
- Blue LED Light up the knobs
- Bamboo Cutting Board fitting Griddle Design
- Zinc Alloy black Controller Knobs
- Heavy Duty handle with Zinc Alloy holder
- Black Stainless-Steel Professional style
- Blue porcelain oven interior
- 2 x Halogen Lights
- Commercial convection fan

15K (650 BTU Simmer)	15K Griddle	15K (650 BTU Simmer)	15K (650 BTU Simmer)
18K		18K	18K

BURNER PERFORMANCE



Total Number of Range Top Burners	6 Burners
Front Right (Single)	18,000 BTU
Front Left (Single)	18,000 BTU
Front Middle (Single)	18,000 BTU
Rear Right (Dual burner with simmer function)	15,000 BTU (650 BTU for Simmer)
Rear Left (Dual burner with simmer function)	15,000 BTU (650 BTU for Simmer)
Rear Middle (Dual burner with simmer function)	15,000 BTU (650 BTU for Simmer)
Griddle Burner	15000 BTU
Infrared Broil burner	16500 BTU
U-shape Bake burner	22000 BTU

TECHNICAL DETAILS



Fuel Type	Natural Gas / LP Convertible
Electrical Requirements	120V
Circuit Breaker (A)	15 or 20 A
Frequency (Hz)	60 Hz

ACCESSORIES (NOT INCLUDED)


LPKHRG4808U(-BS)	Liquid Propane Gas Conversion Kit
TR30SS	30-inch Telescopic Rack
ITHRG4808-BS	48-inch Island Trim
RG1022	Cast Iron Reversible Griddle
RG1032	Cast Iron Range Griddle



NG: Input Pressure: 7 inches, Output Pressure: 5 inches
LP: Input Pressure: 11 inches Output Pressure: 10 inches
Size of Regulator: 3/4 inch



**NG: Input Pressure: 7 inches,
Output Pressure: 5 inches
LP: Input Pressure: 11 inches
Output Pressure: 10 inches
Size of Regulator: ½ inch**



Model# LRG3601U

Thor Kitchen 36-inch Professional Gas Range



DIMENSION & WEIGHT

Product Dimension

Product width	36"
Product height (from bottom to top of back splash)	36.29"-37.29"
Product height (from bottom to top of side panel)	35.6"-36.6"
Product depth (from back panel to bullnose)	28.31"
Product depth (from back panel to control board)	27.04"
Product depth (from back panel to side panel front)	24.77"
Depth of control panel (minimum)	2.27"
Depth of control panel (bullnose)	3.54"
Adjustable legs	not to exceed 1"

Required Cutout Size (W x D x H) (in) 36 1/8" x 24.77" x 35.6(+1)"

FEATURES

- Black Porcelain Drip Pan for easy surface cleaning
- Heavy Duty Continuous Cast Iron Cooking Grates
- Black ABS Knobs
- 6.0 cu.ft Oven Capacity
- Gray Porcelain Oven Interior with White Flakes
- 1 x Halogen Lights
- Commercial Convection Fan
- Three layers glass window
- Storage drawer at bottom

9K	12K	9K
18K	12K	18K

BURNER PERFORMANCE



Total Number of Range Top Burners	6 Burners
Front Right (Single)	18,000 BTU
Front Left (Single)	18,000 BTU
Front Middle (Single)	12,000 BTU
Rear Right (Single)	9,000 BTU
Rear Left (Single)	9,000 BTU
Rear Middle (Single)	12,000 BTU
Tube Broil burner	10,000 BTU
U-shape burner (30" Oven)	18,500 BTU

TECHNICAL DETAILS


Fuel Type	Natural Gas / LP Convertible
Electrical Requirements	120V
Circuit Breaker (A)	15 or 20 A
Frequency (Hz)	60 Hz

ACCESSORIES (NOT INCLUDED)

LPKLRG3601U	Liquid Propane Gas Conversion Kit
RG1022	Cast Iron Reversible Griddle



**NG: Input Pressure: 7 inches,
Output Pressure: 5 inches
LP: Input Pressure: 11 inches
Output Pressure: 10 inches
Size of Regulator: ½ inch**



Model# LRG4801U
Thor Kitchen 48-inch Professional Gas Range



DIMENSION & WEIGHT

Product Dimension		
Product width		47.9"
Product height (from bottom to top of back splash)		37.3"-38.3"
Product height (from bottom to top of side panel)		35.66"-36.66"
Product depth (from back panel to bullnose)		28.07"
Product depth (from back panel to control board)		26.85"
Product depth (from back panel to side panel front)		25.14"
Depth of control panel (minimum)		1.71"
Depth of control panel (bullnose)		2.93"
Adjustable legs		not to exceed 1"
Required Cutout Size (W x D x H) (in)		48 1/8" x 25.14" x 35.66(+1)"

FEATURES

- Black Porcelain Drip Pan for easy surface cleaning
- Heavy Duty Continuous Cast Iron Cooking Grates
- Automatic Re-Ignition Safety Feature
- Black ABS Knobs
- 30" Oven with 4.6 cu.ft. Oven Capacity
- 2 x Halogen Lights
- Commercial Convection Fan
- 18" Oven with 2.2 cu.ft. Oven Capacity
- Gray Porcelain Oven Interior with White Flakes
- 1 x Halogen Light

9K	15K Griddle	12K	9K
18K		12K	18K

BURNER PERFORMANCE



Total Number of Range Top Burners	6 Burners
Front Right (Single)	18,000 BTU
Front Left (Single)	18,000 BTU
Front Middle (Single)	12,000 BTU
Rear Right (Single)	9,000 BTU
Rear Left (Single)	9,000 BTU
Rear Middle (Single)	12,000 BTU
Griddle Burner	15,000 BTU
Tube Broil burner	10,000 BTU
U-shape burner (30" Oven)	22,000 BTU
Tube burner (18" Oven)	14,000BTU

TECHNICAL DETAILS


Fuel Type	Natural Gas / LP Convertible
Electrical Requirements	120V
Circuit Breaker (A)	15 or 20 A
Frequency (Hz)	60 Hz

ACCESSORIES (NOT INCLUDED)

LPKLRG3001U	Liquid Propane Gas Conversion Kit
TR30SS	30-inch Telescopic Rack
RG1022	Cast Iron Reversible Griddle



**NG: Input Pressure: 7 inches,
Output Pressure: 5 inches
LP: Input Pressure: 11 inches
Output Pressure: 10 inches
Size of Regulator: 3/4 inch**



Model# HRT3003U

Thor Kitchen 30-inch Professional Range Top



FEATURES

Black Porcelain Drip Pan On Cook Top
 Heavy Duty Continuous Cast Iron Cooking Grates
 Automatic Re-Ignition Safety Feature
 Blue LED Control Panel Light
 Zinc Alloy Controller Knobs
 304 Stainless Steel Control Panel

15K <small>(650 BTU Simmer)</small>	12K
18K	18K

BURNER PERFORMANCE

Total Number of Range Top Burners	4 Burners
Front Right (Single)	18,000 BTU
Front Left (Single)	18,000 BTU
Rear Right (Single)	12,000 BTU
Rear Left (Dual burner with simmer function)	15,000 BTU (650 BTU for Simmer)

TECHNICAL DETAILS





Fuel Type	Natural Gas / LP Convertible
Electrical Requirements	120V
Circuit Breaker (A)	15 or 20 A
Frequency (Hz)	60 Hz

DIMENSION & WEIGHT

Product Dimension (W x D x H)	30"W x 28.38"D x 8.72"H
Required Cutout Size (W x D x H)	30 1/8"W x 24.77"D x 7.3"H
Product Net Weight	70 lbs.
Adjustable Range Legs	1/2"

ACCESSORIES (NOT INCLUDED)





LPKHRT3003U	Liquid Propane Gas Conversion Kit
RG1022	Cast Iron Reversible Griddle
RG1032	Cast Iron Range Griddle



Model# HRT3618U
Thor Kitchen 36-inch Professional Range Top



FEATURES			
Black Porcelain Drip Pan On Cook Top	12K	12K	12K
Heavy Duty Continuous Cast Iron Cooking Grates			
Automatic Re-Ignition Safety Feature			
Blue LED Control Panel Light	18K	15K (650 BTU Simmer)	18K
Zinc Alloy Controller Knobs			
304 Stainless Steel Control Panel			
BURNER PERFORMANCE			
Total Number of Range Top Burners	6 Burners		
Front Right (Single)	18,000 BTU		
Front Middle (Dual burner with simmer function)	15,000 BTU (650 BTU for Simmer)		
Front Left (Single)	18,000 BTU		
3 Rear Burners (Single)	12,000 BTU		
TECHNICAL DETAILS			
Fuel Type	Natural Gas / LP Convertible		
Electrical Requirements	120V		
Circuit Breaker (A)	15 or 20 A		
Frequency (Hz)	60 Hz		
DIMENSION & WEIGHT			
Product Dimension (W x D x H) (in)	36"W x 28.38"D x 8.72"H		
Required Cutout Size (W x D x H) (in)	36 1/8"W x 24.77"D x 7.3"H		
Product Net Weight	90 lbs.		
Adjustable Range Legs	1/2"		
ACCESSORIES (NOT INCLUDED)			
LPKHRT3618U	Liquid Propane Gas Conversion Kit		
RG1022	Cast Iron Reversible Griddle		
RG1032	Cast Iron Range Griddle		



Model# HRT4806U

Thor Kitchen 48-inch Professional Range Top



FEATURES

Black Porcelain Drip Pan On Cook Top	15K (650 BTU Simmer)	15K Griddle	15K (650 BTU Simmer)	15K (650 BTU Simmer)
Heavy Duty Continuous Cast Iron Cooking Grates				
Automatic Re-Ignition Safety Feature				
Blue LED Control Panel Light				
Zinc Alloy Controller Knobs	18K		18K	18K
304 Stainless Steel Control Panel				

BURNER PERFORMANCE

Total Number of Range Top Burners	6 Burners
3 Front Burners (Single)	18,000 BTU
3 Rear Burners (Dual burner with simmer function)	15,000 BTU (650 BTU for Simmer)
Stainless Steel Griddle	15,000 BTU

TECHNICAL DETAILS





Fuel Type	Natural Gas / LP Convertible
Electrical Requirements	120V
Circuit Breaker (A)	15 or 20 A
Frequency (Hz)	60 Hz

DIMENSION

Product Dimension (W x D x H) (in)	47.9"W x 28.38"D x 8.72"H
Required Cutout Size (W x D x H) (in)	48 1/8"W x 24.77"D x 7.3"H
Adjustable Range Legs	1/2"

ACCESSORIES (NOT INCLUDED)

LPKHRT4806U	Liquid Propane Gas Conversion Kit
RG1022	Cast Iron Reversible Griddle
RG1032	Cast Iron Range Griddle



Model#

HRH3006U/ HRH3606U/ HRH4806U

(06 SERIES RANGE HOOD)

THOR Kitchen Under Cabinet Canopy Pro Style

Range Hood in Stainless Steel with Anti-Fingerprint Finish
(30" / 36" / 48")



FEATURES

Controls	3 Speed Fan Touch Control Buttons		
Installation Type	Ducted (Top)		
Illumination	30" / 36"	Two (2) 1.5W LED Light	
	48"	Three (3) 1.5W Long Life LED Light	
Blower	30" / 36"	900 CFM	One (1) 6 7/8" Round Duct
	48"	900 CFM	One (2) 6 7/8" Round Duct
Filter Type	Baffle Filters / Stainless Steel / Dishwasher Safe		
Special Function	15 Minutes Pre-Programmed Auto Shut-Off		

SPECIFICATION

Size	30", 36", 48"		
Models	HRH3006U	29 3/4"(W) x 21 5/8"(D) x 9 7/8"(H)	
	HRH3606U	35 3/4"(W) x 21 5/8"(D) x 9 7/8"(H)	
	HRH4806U	47 3/4"(W) x 21 5/8"(D) x 9 7/8"(H)	
Type / Finish	Under Cabinet Range Hood / Stainless Steel Anti-Fingerprint with Luster		
Electrical	15 Amps at 120 Volts		
Certification	CSA Certified		

Product Description:
**Thor 30" Black Stainless Steel
 Under Cabinet Range Hood**
 Model#: **HRH3009-BS**



THOR
 K I T C H E N[®]

Range Hood Size	30"*21.7"*17.7"	Voltage	110V-120V
Product Width(in)	30"	Wattage	325W
Product Depth(in)	21.7"	Color/Finish	Black Stainless Steel
Product Height(in)	9 7/8"		
Amperage	2.46A	Certifications	CSA
Gross Weight	29kg		
Net Weight	25kg	Shipping Dimension	33.4"L*25.6"W*15"H
Appliance Type	Under Cabinet Range Hood	Features	<ol style="list-style-type: none"> 1. Black stainless steel 2. Bright LED lighting 3. Sensitive button 4. With decoration cover
CFM	600 CFM		
Filter type	Stainless steel baffle filters (dishwasher-friendly 304SS)	Ceiling Height (Max)	30"
Blower type	Two squirrel cage ultra quiet motor	Ceiling Height (Min.)	27"
Control type	Push Button Control	Installation type	Under Cabinet
Fan Speeds	Not test before	Power	110V-120V
Noise level (Max.)	Not test before	Frequency	60HZ
Lighting	2*1.5w LED Lights	Hood Cover size	30"*12"*7.9"
Duct size	7 inch	Loading Information (20' / 40' / 40HQ)	336pcs / 40HQ

Product Description:
**Thor 36" Black Stainless Steel
 Under Cabinet Range Hood**
 Model#: **HRH3609-BS**



THOR
 K I T C H E N[®]

Range Hood Size	36"*21.7"*17.7"	Voltage	110V-120V
Product Width(in)	36"	Wattage	325W
Product Depth(in)	21.7"	Color/Finish	Black Stainless Steel
Product Height(in)	9 7/8"		
Amperage	2.48A	Certifications	CSA
Gross Weight	31kg		
Net Weight	26kg	Shipping Dimension	40.4"L*25.6"W*15"H
Appliance Type	Under Cabinet Range Hood	Features	1. Black stainless steel 2. Bright LED lighting 3. Sensitive button 4. With decoration cover
CFM	600C FM		
Filter type	Stainless steel baffle filters (dishwasher-friendly 304SS)	Ceiling Height (Max)	30"
Blower type	Two squirrel cage ultra quiet motor	Ceiling Height (Min.)	27"
Control type	Push Button Control	Installation type	Under Cabinet
Fan Speeds	Not test before	Power	110V-120V
Noise level (Max.)	Not test before	Frequency	60HZ
Lighting	2*1.5w LED Lights	Hood Cover size	36"*12"*7.9"
Duct size	7 inch	Loading Information (20' / 40' / 40HQ)	280pcs/40HQ

Product Description:
**Thor 48" Black Stainless Steel
 Under Cabinet Range Hood**
 Model#: **HRH4809-BS**



THOR
 K I T C H E N[®]

Range Hood Size	48"*21.7"*17.7"	Voltage	110V-120V
Product Width(in)	48"	Wattage	325W
Product Depth(in)	21.7"	Color/Finish	Black Stainless Steel
Product Height(in)	9 7/8"		
Amperage	3.32A	Certifications	CSA
Gross Weight	39kg		
Net Weight	32kg	Shipping Dimension	53.4"L*25.6"W*15"H
Appliance Type	Under Cabinet Range Hood	Features	1. Black stainless steel 2. Bright LED lighting 3. Sensitive button 4. With decoration cover
CFM	900 CFM		
Filter type	Stainless steel baffle filters (dishwasher-friendly 304SS)	Ceiling Height (Max)	30"
Blower type	Two squirrel cage ultra quiet motor	Ceiling Height (Min.)	27"
Control type	Push Button Control	Installation type	Under Cabinet
Fan Speeds	Not test before	Power	110V-120V
Noise level (Max.)	Not test before	Frequency	60HZ
Lighting	2*1.5w LED Lights	Hood Cover size	48"*12"*7.9"
Duct size	7 inch	Loading Information (20' / 40' / 40HQ)	216pcs/40HQ

Model# **HRH3007**

Product Description: 30-in Wall Mount Chimney Range Hood in Stainless Steel with LED Lights, Touch Control with Display and Remote Control


THOR
K I T C H E N[®]



Range Hood Size	30in	Appliance Type	Wall Mount / touch control with display
Product Width(in)	30in	CFM	600
Product Depth(in)	19in	Voltage	120V
Product Height(in)	11 7/8" (without duct covers) 45.5" (including duct covers)	Wattage	337W
Duct Length(in)	34 in	Color/Finish	Stainless steel
Duct Width(in)	Diameter:6in	Certifications	ETL
Duct Shape	Round	UPC #	6926697001233
Amperage	/	Filter type	430SS Baffle filter
Gross Weight (lbs.)	38.4	Blower type	/
Net Weight (lbs.)	28.3	Control type	Remote control
Fan Speeds	3 speed	Ceiling Height (Min.)	8 feet
Noise level (Max.)	60 dB	Installation type	Wall mount
Lighting	Dual 3.5W GU10 LED light	Power	/

Model# **HRH3007**

Product Description: 30-in Wall Mount Chimney Range Hood in Stainless Steel with LED Lights, Touch Control with Display and Remote Control



Duct size	Diameter: 6 in	Loading Information	40'HQ: 310 pcs
Duct Discharge	/	Features	<ul style="list-style-type: none"> - Wall mount design - Touch control with display - 3 speed with Max. 600CFM - Clean canopy design - Durable brushed stainless steel - Easy lamp replacement without tools - Extension chimney included - Dual 3.5W GU10 LED light - Large, full 430SS baffle filter - Remote control - Clock shown, delay off, filter clean reminder <p>Vertical vent diameter 6" round</p>
Hood Cover size	/		
Ceiling Height (Max)	9 feet		
Frequency	60HZ		

Model# **HRH3607**

Product Description: 36-in Wall Mount Chimney Range Hood in Stainless Steel with LED Lights, Touch Control with Display and Remote Control


THOR
K I T C H E N[®]



Range Hood Size	36in	Appliance Type	Wall Mount、 Touch control with display
Product Width(in)	36in	CFM	600
Product Depth(in)	19in	Voltage	120V
Product Height(in)	11 7/8" (without duct covers) 45.5" (including duct covers)	Wattage	337W
Duct Length(in)	34 in	Color/Finish	Stainless steel
Duct Width(in)	Diameter:6 in	Certifications	ETL
Duct Shape	Round	UPC #	6926697011119
Amperage	/	Filter type	430SS Baffle filter
Gross Weight (lbs.)	41.8	Noise level (Max.)	60 dB
Net Weight (lbs.)	30.2	Control type	Remote control
Fan Speeds	3 speed	Ceiling Height (Min.)	8 feet
Lighting	Dual 3.5W GU10 LED light	Installation type	Wall mounted

Model# **HRH3607**

Product Description: 36-in Wall Mount Chimney Range Hood in Stainless Steel with LED Lights, Touch Control with Display and Remote Control



Duct size	Diameter: 6in	Loading Information	40'HQ: 260 pcs
Duct Discharge	/	Features	<ul style="list-style-type: none"> - Wall mount design - Touch control with display - Speed with Max.600CFM - Clean canopy design - Durable brushed stainless steel - Easy lamp replacement without tools - Extension chimney included Dual 3.5W GU10 LED light - Large, full 430SS baffle filter - Remote control - Clock shown, delay off, filter clean reminder - Vertical vent diameter 6" round
Hood Cover size	/		
Ceiling Height (Max)	9 feet		
Frequency	60HZ		



Model# TBC2401DI

**Product Description: 24-inch
Indoor Dual Zone Beverage
Center**



Wine Cooler Size	24"	Number of Shelves	Left zone: 6pcs Right zone: 3pcs
Product Width(in)	23.43	Wine Cooler Shelf Material	Left zone: Beech wood Right zone: Metal with plastic dipping
Product Depth(in)	23.82	Number of Doors	2
Product Height(in)	34.25	Temperature Range (F)	Left zone: 41-65°F Right zone: 38-65°F
Depth Excluding Handles(in)	23.82	Color/Finish	Black housing and S.S. door trims
Depth Including Handles	25.39	Type of Cooling Unit	No Frost
Depth without Door	22.05	Voltage(volts)	110V-120V/60Hz
Depth with Door Open 90 Degrees	34.25	Gross Weight(lbs.)	142.85
Height to Top of Door Hinge	34.25	Net Weight(lbs.)	121.25
Wine Cooler Type	Built-in or Freestanding, indoor use	Certifications	ETL/CEC
Adjustable Racks	Only for right zone, 3 black wire shelves	UPC #	<u>6926697044445</u>
Bottle Capacity	21 bottle and 95 cans	Shipping Dimension	H39.69*W29.72*D30.16in
Defrost Type	Automatic	Features	See next page



Features:

- 21 bottle for left zone and 95 can for right zone (5.24 cu.ft)
- Indoor use wine cooler
- Independent dual zone (**Left zone: 41-65°F, Right zone: 38-65°F**)
- Fan assisted cooling
- Seamless S.S door frame (45mm) with S.S. handle
- Non-reversible door
- Black painting exterior housing and rear plate
- S.S. vent kickplate
- 6pcs beech wood shelves with rolling slideways+3pcs wire shelves with wooden front
- LCD display with 2pcs **blue** lightings on top and 3pcs on each side
- Adjustable electronic touch control C° or F°
- Door opening alarm
- Temperature alarm
- Humidity display
- Activated charcoal filter (2pcs)
- Heating elements for winter function
- 4pcs adjustable feet
- Auto-defrost function with an interior circulating
- 2pcs evaporators for accurate temperature control
- Self contained condenser



Model# TWC2401DO
Product Description: 24-inch
Outdoor Dual Zone Wine
Cooler



Wine Cooler Size	24"	Number of Shelves	5+1
Product Width(in)	23.43	Wine Cooler Shelf Material	Beech wood
Product Depth(in)	23.82	Number of Doors	1
Product Height(in)	34.25	Temperature Range (F)	41-64°F / 5-18°C
Depth Excluding Handles(in)	23.82	Color/Finish	S.S housing and S.S. door trims
Depth Including Handles	25.39	Type of Cooling Unit	No Frost
Depth without Door	22.05	Voltage(volts)	110V-120V/60Hz
Depth with Door Open 90 Degrees	46.06	Gross Weight (lb.)	152
Height to Top of Door Hinge	34.25	Net Weight (lb.)	130
Wine Cooler Type	Built-in or Freestanding, indoor or outdoor use	Certifications	Residential ETL/CEC
Adjustable Racks	No (with rolling slideways)	UPC #	<u>6926697022221</u>
Bottle Capacity	46	Shipping Dimension	H39.69*W29.72*D30.16in
Defrost Type	Automatic	Features	See next page



Features:

- 46 bottles capacity (5.43 cu.ft.)
- Indoor or outdoor use wine cooler
- Thunder proof and waterproof
- Independent dual zone (each zone reach 41°F - 64°F)
- Fan assisted cooling
- Seamless S.S door frame (60mm) with S.S. handle(304SS)
- SS Compressor Rear Cover (304SS)
- Dual pane of Low-E glass to filter UV rays**
- Reversible door (180° flip-over)
- S.S. exterior housing and rear plate (304SS)
- S.S. vent kickplate
- 5+1 beech wood rolling shelves with rolling slideways(Full Extension)
- LCD display with 2pcs **blue** lightings on top
- Adjustable electronic touch control C° or F°
- Door opening alarm
- Temperature alarm
- Activated charcoal filters (2pcs)
- Heating elements for winter function
- 4pcs adjustable feet
- 4pcs casters available for an additional cost
- No frost
- 2pcs evaporators for accurate temperature control
- Self contained condenser
- Refrigerant: R600a

HWC2404U (discontinued)

Product Description: 30-inch three zone built-in Wine Cooler



Wine Cooler Size	Upper wine cooler: 10.6 cu. ft Bottom drawer: 9.9 cu. ft	Wine Cooler Shelf Material	Beech
Product Width(in)	29.5 "	Number of Doors	One of wine storage, Two doors of beer storage
Product Depth(in)	27"	Temperature Range (F)	Upper chamber: 46-55°F (8-13°C); Lower chamber:55-64°F (13-18°C); Bottom Drawer:34-46°F (1-8°C)
Product Height(in)	74"	Color/Finish	Black cabinet and stainless-steel door frame
Depth Excluding Handles(in)	27"	Type of Cooling Unit	Compressor and air-cooling style
Depth Including Handles	29"	Voltage(volts)	110-120V
Depth without Door	24.8"	Gross Weight(lbs.)	373 Lbs
Depth with Door Open 90 Degrees	55.1"	Net Weight(lbs.)	338 Lbs
Height to Top of Door Hinge	74"	Certifications	ETL
Wine Cooler Type	Built in or freestanding	UPC #	6926697011126
Adjustable Racks	Yes		
Bottle Capacity	128 wine bottles and 80 beer cans	Features	<ul style="list-style-type: none"> - Adjustable handcrafted natural beech wooden shelves without chemical aromas influence to wines flavors and looks attractive - Touch pad digital control with LED readout; - No frost Design with interior circulating; - LED interior lighting enhances visibility; - Full extension drawer slides; - 304 stainless steel drawer interiors, ideal for food storage.
Defrost Type	Auto		
Number of Doors	One of wine storage, Two doors of beer storage		
Number of Shelves	9 Wood shelves		

Model# **HWC2405U**

THOR Kitchen 18-inch 40 Bottle Single Zone Built-in/Freestanding Wine Cooler

Features

Type	Built-in installation or Freestanding
Temperature Zone	40-65°F
Capacity	40 Bottles (Standard Bordeaux 750 ml bottles / 2.75" in diameter)
Exterior Finish	Stainless Steel
Noise Level	41db
Cooling System	Compressor Powered Cooling No Frost Air Circulating Design
Lighting	White LED Interior Light
Door/Window	Double Tampered Glass Window with Stainless Steel Door Frame

Specification

Certifications	ETL, CSA, UL
Shelves	6 Wooden Shelves
Refrigerant	R600a
Rated Current Amps	1.4 A
Input power	100 W
Ambient Temperature	46-100°F
Rated Voltage/Frequency	115V/60Hz
Product Dimension	17.75 x 22.75 x 34.25 in. (W/D/H)
RoHS Compatible Unit	Energy Class: A, DOE



Model# HWC2408U (discontinued soon)
24" Wide 133-Bottle Built-In Dual Zone Wine Cooler

Features

Type	Built-in / Freestanding installation
Temperature Zone	Upper Zone 5-12°C / 41-54°F Lower Zone 12-18°C / 54-65°F
Capacity	Wine storage : 133 bottles / 380 L. (Standard Bordeaux 750 ml bottles / 2.75" in diameter)
Exterior Finish	Stainless steel trimmed glass door with tempered double pane smoked glass
Noise Level	45 db.
Cooling System	Compressor Powered Cooling No Frost Air Circulating Design
Lighting	White LED Interior Light / Blue LED Touch Control
Wine Rack	Wooden Racks With Ball Bearing Slides

Specification

Certifications	ETL Certified
Shelves	13 Ball Bearing Sliding Wooden Shelves
Refrigerant	R600a
Input power	130 W / 1.8 Amps
Rated Voltage/Frequency	110V-120V/60Hz
Power Plug	65 inch
Product Width	23 3/8"
Product Depth	24 3/8" (Exclude door) 26 1/2" (with Door) 28 1/4" (with handle) 49" (with door open)
Product Height	62 1/2" (exclude hinge) 62 3/4" (with hinge)



Product Weight and Load QTY information

Product Net / Gross Weight	201 lbs. / 210 lbs.
UPC Code	6926697024089

Product Description:
**THOR Kitchen 42 Bottle
 Dual Zone French Door
 Built-in Wine Cooler**
 Model# **TWC2402**



Wine Cooler Size	42 bottles wine cooler	Wine Cooler Shelf Material	Metal
Product Width(in)	23 1/2"	Number of Doors	Two
Product Depth(in)	23"	Temperature Range (F)	41-68°F both two sides
Product Height(in)	34 1/4"	Color/Finish	Black cabinet and stainless-steel door frame
Depth Excluding Handles(in)	23"	Type of Cooling Unit	Compressor and air-cooling style
Depth Including Handles	26 1/8"	Voltage(volts)	110-120V
Depth without Door	21 1/2"	Gross Weight(lb.)	108 Lbs
Depth with Door Open 90 Degrees	34"	Net Weight(lb.)	99 Lbs
Height to Top of Door Hinge	34 1/4"	Certifications	ETL
Wine Cooler Type	Built- in or freestanding	UPC #	6926697057568
Adjustable Racks	Yes		
Bottle Capacity	42 wine bottles	Features Shipping Dimensions 25.2"x36.2"x24.6"	1.Seamless stainless-steel door; 2.Touch pad digital control with LED readout; 3.No frost function 4.LED interior lighting ;
Defrost Type	Auto		
Number of Doors	Two door		
Number of Shelves	10 Metal shelves		

Model# **TWC1501**

15-inch 33 bottles wine cooler



Wine Cooler Size	33 bottles wine cooler	Wine Cooler Shelf Material	Beech wood
Product Width(in)	15"	Number of Doors	One door
Product Depth(in)	22 13/16"	Temperature Range	41-68°F
Product Height(in)	34 1/4"	Color/Finish	Black cabinet and stainless-steel door frame
Depth Excluding Handles(in)	22 13/16"	Type of Cooling Unit	Compressor and air-cooling style
Depth Including Handles	24 19/32"	Voltage(volts)	110-120V
Depth without Door	20 13/16"	Gross Weight(lbs.)	84 Lbs
Depth with Door Open 90 Degrees	36 19/32"	Net Weight(lbs.)	74 Lbs
Height to Top of Door Hinge	34 1/4"	Certifications	ETL
Wine Cooler Type	Built- in or freestanding	UPC #	6926697058923
Adjustable Racks	Yes	Features	1.Adjustable handcrafted natural beech wooden shelves without chemical aromas influence to wines flavors and looks attractive; 2.Touch pad digital control with LED readout; 3.No frost with an interior circulating; 4.LED interior lighting; 5.Security lock; 6.Door open alarm; 7. Sabbath Mode
Bottle Capacity	33 wine bottles		
Defrost Type	Auto		
Number of Doors	One door		
Number of Shelves	6 Wood shelves		


Picture		
Model name	HWC2402U	TWC2402
Volume Total (l)	116L	126L
Noise Level dB(A)	43db	41db
Product Dimension	24"W x 22½"D x 32½"H	23½" W x 22 ½ " D x 34¹/₄"H
Capacity Bottle	36	42
Door	45° Seam S.S. Door Frame	<ul style="list-style-type: none"> • Non-fingerprint Seamless Stainless steel • Pro-style handle with Thor logo • increased width on Seamless SS Door Frame
LED color	white	blue
shelve	Twelve wavy Chromed metal shelves	Ten straight Chromed metal shelves
SS ventilation bottom panel	reticular	window-shades



**Thor Exclusive
Pro-style handle with Thor logo**



More Pro-Style Look with increased width on seamless SS panel



Model# TWC2403DI (available on 2020 1st quarter)

24-inch built-in Dual zone Wine Cooler




DESCRIPTION	HIGHLIGHTED SPECIFICATIONS	
24-inch 191 Bottle Professional Series Dual Zone Wine Cooler with Sabbath Mode	Dual Zone Temperatures	3-color LED Interior Lighting
	SS Door/Handle	Auto-Defrost Design
	Built-In or Freestanding	Seamless SS Double Pane Glass Door

Model # TEC3001i-C1

Product Description: 30-inch Elite Series Built-in Touch Control Induction Cooktop

-Using **NEG (Japanese Schott) Nippon Electric Glass**



Cooktop Size (in)	30 * 21 * 2 5/32	Shipping Dimension(in)	33 1/4*24 1/4*5 1/2
Product Width(in)	30	Amperage(amps)	31
Product Depth(in)	21	Voltage(volts)	240V
Product Height(in)	2 5/32	Cord Length	64.96in
Cut-Out Left to Right Width(in)	28 1/2	exposure	59in
Cut-Out Front to Back Depth(in)	19 3/8	Gross Weight (lb.)	37
Cut-Out Height(in)	2 3/4	Net Weight (lb.)	30.9
Appliance Type		Certifications	ETL FCC
Element #1 size(in) & Power (W) & Boost (W)	2400W/Boost 3700W 10"	UPC #	6926697058626
Element #2 size(in) & Power (W) & Boost (W)	2400W/Boost 3200W 8"		
Element #3 size(in) & Power (W) & Boost (W)	1800W/Boost 2600W 7"	20'/40'/40HQ Loading Capacity	318/648/859
Element #4 size(in) & Power (W) & Boost (W)	1400W/Boost 1800W 6.5"	Features:	- NEG Nippon Electric Glass Design for Induction cooktop surface
		Automatic safety shut-off design	- 4 induction heating zones
		- Auto Turned-off in 10 s without the cooking pot or Voltage is too low/high	- Touch Control Design
		- Auto Turned-off after 2 hours of non-operation	- Child-Lock, Timer, Pause Function
			- Boost, Power Adjustment and Independent Count-down Timer for each heating zone
			- Max. Boost Time: 10 minutes
			- 9 power levels adjustment
			- 1-99 minutes timer
			- Residual heat indicator

Model # **TEC3601i-C1**

Product Description: 36-inch Elite Series Built-in Touch Control Induction Cooktop

- Using **NEG (Japanese Schott) Nippon Electric Glass**



Cooktop Size (in)	36 * 21 * 2 ⁵ / ₃₂	Shipping Dimension(in)	39*24 1/4*5 1/2
Product Width(in)	36	Amperage(amps)	40
Product Depth(in)	21	Voltage(volts)	240V
Product Height(in)	2 5/32	Cord Length	64.96in
Cut-Out Left to Right Width(in)	34 7/16	exposure	54.33in
Cut-Out Front to Back Depth(in)	19 7/16	Gross Weight (lb.)	46.3
Cut-Out Height(in)	2 3/4	Net Weight (lb.)	37.5
Appliance Type		Certifications	ETL FCC
Element #1 size(in) & Power (W) & Boost (W)	2400W/Boost 3700W 11"	UPC #	6926697045848
Element #2 size(in) & Power (W) & Boost (W)	2200W/Boost 3200W 9"		
Element #3 size(in) & Power (W) & Boost (W)	1400W/Boost 1800W 6.5"	20'/40'/40HQ Loading Capacity	240/558/733
Element #4 size(in) & Power (W) & Boost (W)	1800W/Boost 2600W 7"	Features: Automatic safety shut-off design - Auto Turned-off in 10 s without the cooking pot or Voltage is too low/high - Auto Turned-off after 2 hours of non-operation	- NEG Nippon Electric Glass Design for Induction cooktop surface - 5 induction heating zones - Touch Control Design - Child-Lock, Timer, Pause Function - Boost, Power Adjustment and Independent Count-down Timer for each heating zone - Max. Boost Time: 10 minutes - 9 power levels adjustment - 1-99 minutes timer - Residual heat indicator
Element #5 size(in) & Power (W) & Boost (W)	1800W/Boost 2600W 7"		

Model # HIC3001


Product Description: 30-inch Built-in Touch Control Induction Cooktop (Using Schott Glass-Ceramic)



Cooktop Size (in)	30 * 21 * 2 5/32	Shipping Dimension (in)	33 1/4*24 1/4*5 1/2
Product Width(in)	30	Amperage(amps)	31
Product Depth(in)	21	Voltage(volts)	240V
Product Height(in)	2 5/32	Cord Length	64.96in
Cut-Out Left to Right Width(in)	28 1/2	exposure	59in
Cut-Out Front to Back Depth(in)	19 3/8	Gross Weight (lb.)	37
Cut-Out Height(in)	2 3/4	Net Weight (lb.)	30.9
Appliance Type		Certifications	ETL FCC
Element #1 size(in) & Power (W) & Boost (W)	2400W/Boost 3700W 10"	UPC #	6926697059630
Element #2 size(in) & Power (W) & Boost (W)	1800W/Boost 2500W 7"		
Element #3 size(in) & Power (W) & Boost (W)	1800W/Boost 2500W 7"	20'/40'/40HQ Loading Capacity	318/648/859
Element #4 size(in) & Power (W) & Boost (W)	1400W/Boost 1800W 6.5"	Features:	- Schott Glass Ceramic Design for Induction cooktop surface
		Automatic safety shut-off design	- 4 induction heating zones
		- Auto Turned-off in 10 s without the cooking pot or Voltage is too low/high	- Touch Control Design
		- Auto Turned-off after 2 hours of non-operation	- Child-Lock, Timer, Pause Function
			- Boost, Power Adjustment and Independent Count-down Timer for each heating zone
			- Max. Boost Time: 10 minutes
			- 9 power levels adjustment
			- 1-99 minutes timer
			- Residual heat indicator



Model # **HIC3601**

Product Description: 36-inch Built-in Touch Control Induction Cooktop (Using Schott Glass-Ceramic)



Cooktop Size (in)	36 * 21 * 2 5/32	Shipping Dimension	39*24 1/4*5 1/2
Product Width(in)	36	Amperage(amps)	40
Product Depth(in)	21	Voltage(volts)	240V
Product Height(in)	2 5/32	Cord Length	64.96in
Cut-Out Left to Right Width(in)	34 7/16	Exposure	54.33in
Cut-Out Front to Back Depth(in)	19 7/16	Gross Weight (lb.)	46.3
Cut-Out Height(in)	2 3/4	Net Weight (lb.)	37.5
Appliance Type		Certifications	ETL FCC
Element #1 size(in) & Power (W) & Boost (W)	2400W/Boost 3700W 11"	UPC #	6926697059463
Element #2 size(in) & Power (W) & Boost (W)	1600W/Boost 2000W 7"		
Element #3 size(in) & Power (W) & Boost (W)	1400W/Boost 1800W 6.5"	20'/40'/40HQ Loading Capacity	240/558/733
Element #4 size(in) & Power (W) & Boost (W)	1800W/Boost 2500W 8"	Features: Automatic safety shut-off design - Auto Turned-off in 10 s without the cooking pot or Voltage is too low/high - Auto Turned-off after 2 hours of non-operation	- Schott Glass Ceramic Design for Induction cooktop surface - 5 induction heating zones - Touch Control Design - Child-Lock, Timer, Pause Function - Boost, Power Adjustment and Independent Count-down Timer for each heating zone - Max. Boost Time: 10 minutes - 9 power levels adjustment - 1-99 minutes timer - Residual heat indicator
Element #5 size(in) & Power (W) & Boost (W)	1800W/Boost 2500W 8"		

Thor Induction Cooktops

Model #	TEC3001i-C1	TEC3601i-C1	HIC3001	HIC3601
Product Layout				
Rating Power	<p>240V/8000W</p> <ul style="list-style-type: none"> 1 * 2400W/ Boost 3700W 10" 1 * 2400W/ Boost 3200W 8" 1 * 1800W/ Boost 2600W 7" 1 * 1400W/ Boost 1800W 6" 	<p>240V/9600W</p> <ul style="list-style-type: none"> 1 * 2400W/ Boost 3700W 10" 1 * 2200W/ Boost 3200W 9" 2 * 1800W/ Boost 2600W 7" 1 * 1400W/ Boost 1800W 6" 	<p>240V/7400W</p> <ul style="list-style-type: none"> 1 * 2400W/ Boost 3700W 10" 2 * 1800W/ Boost 2500W 7" 1 * 1400W/ Boost 1800W 6" 	<p>240V/9000W</p> <ul style="list-style-type: none"> 1 * 2400W/ Boost 3700W 10" 2 * 1800W/ Boost 2500W 8" 1 * 1600W/ Boost 2000W 7" 1 * 1400W/ Boost 1800W 6"

Model # HDW2401SS
24in Built-in Pro Style Dishwasher
in Black Stainless Steel



Features:

- Delayed Start (Pre-programmed 1 - 24 hrs)
- Multiple Filter System
- 45 dB Noise Level
- Smart Wash System
- 3 Spray Arms
- Removable Utensil Basket
- 3 racks
- Control-Lock (Same as child lock)

Specification:

Size	24-inch built-In dishwasher
Depth with door open	50 inch
Product Weight	91lb (41kg)
Power Supply	120volts, 60Hz
Rated Power Usage	Wash motor 95W Heater 840W
Power of Heating Element	120V / 840W
Inlet Water Temperature Minimum	120°F (49°C)
Water Feed Pressure	20 ~ 120 psi (138~ 828kPa)
Water Consumption	3.5 gallons (by DOE)
System Outlet Hose Length	59"
Washing Performance	80 Plus Certified
Water Consumption	≤ 13.31L (3.1gal)
Energy Saving Class At A++	CSA Certificated

Model # HDW2401BS
24in Built-in Pro Style Dishwasher
in Black Stainless Steel



Features:


Delayed Start (Pre-programmed 1 - 24 hrs)
Multiple Filter System
45 dB Noise Level
Smart Wash System
3 Spray Arms
Removable Utensil Basket
Control-Lock (Same as child lock)
3 racks
Black Stainless-Steel Front Door Surface

Specification:

Size	24-inch built-In dishwasher
Depth with door open	50 inch
Product Weight	91lb (41kg)
Power Supply	120volts, 60Hz
Rated Power Usage	Wash motor 95W Heater 840W
Power of Heating Element	120V / 840W
Inlet Water Temperature Minimum	120°F (49°C)
Water Feed Pressure	20 ~ 120 psi (138~ 828kPa)
Water Consumption	3.5 gallons (by DOE)
System Outlet Hose Length	59"
Washing Performance	80 Plus Certified
Water Consumption	≤ 13.31L (3.1gal)
Energy Saving Class At A++	CSA Certificated

Model# **HIM1555BLK**

Product Description: 15-inch Built-in 50lbs Ice Maker in Stainless Steel



Ice Maker Size	15"	Ice Production per Day(lbs.)	50
Product Width(in)	14.6	Ice Storage Capacity(lbs.)	26.5
Product Depth(in)	23.6	Ice Shape	cube
Product Height(in)	33.1	Gross Weight(lbs.)	90
Cut-Out Front to Back Width(in)	27.6	Net Weight(lbs.)	84
Cut-Out Left to Right Length(in)	16.6	Refrigerant	R134a, 3.88 oz
Cut-Out Height(in)	34.1	Power Plug	76in
Appliance Type	Ice maker	Accessories	Water Supply Hose: 71in Drain Hose: 59in Ice Scoop: White
Color/Finish	Black painting+stainless	Certifications	UL
Drain Required	Pump Drain	UPC#	6926697045688
Input Power	12.2kWh/100lbs of ice	Features	Automatic Ice Level Control/Shutoff, Removable Basket, White LED Interior Light, Reversible door (for right or left swing)
Rated Voltage/Frequency	115VAC/60Hz		

Model# :TRF2401U

Product Description: THOR
Kitchen 24 inch Indoor/Outdoor
Undercounter Refrigerator Drawer



Refrigerator Size	24"	Number of Drawer	2
Product Width(in)	23.5 inch	Minimum Side Air Clearance (In)	0.8 inch
Product Depth(in)	23.4 inch	Minimum Back Air Clearance (In)	2 inch
Product Height(in)	34.2 inch	Gross Weight(lb)	126 lb
Depth Excluding Handles(in)	25.9 inch	Net Weight(lb)	114 lb
Depth Including Handles	23.4 inch	Temperature Range	34-46°F
Depth without Door	21.4 inch	Color/Finish	Black cabinet, stainless steel door
Depth with Door Open 90 Degrees	NA	Certifications	ETL
Height to Top of Door Hinge	34.2 inch	UPC #	6926697015643
Height to Top of Case	34.2 inch	Refrigerator Capacity	152 L
Refrigerator Type	R600A	Features	Next Page

Model# :TRF2401U

Features	<ul style="list-style-type: none"> • Convection cooling system provides a quick cool down and consistent temperature • Digital touch pad control with blue LED display • Stainless steel cabinet • Bright white LED light for both drawers • Two full-extension stainless steel drawer • Built-in or freestanding • Four adjustable leveling legs • Available for both Indoor/Outdoor • Noise Level:41db • Anti-fingerprint surface • Stainless-steel basket and Silicone pad available
----------	--

Temp range	34-46°F	Outdoor or indoor	Indoor and Outdoor
LED light	white led light	Shipping Dimension	25.3"(W)X26"(D)X35.5"(H)



Picture		
Model name	HRF2401U (Discontinued Design)	TRF2401U (New Design)
Control panel		
Volume Total (l)	150L	152L
Noise Level dB(A)	45db	41db
Product Dimension	23.6"Wx23.6"Dx34"H	23.5"Wx23.4"Dx34.2"H
Drawer panel	Stainless steel	Non-finger print Stainless steel
LED	White (only upper drawer is having LED light)	White (both upper and lower drawers are having white LED)
Handle	Normal Pro-Style Handle	Pro-Style Handle with Thor Logo 
Add accessories	NA	Stainless Steel Fruit basket*1, Silicone pad*1, 
SS ventilation plinth	reticular	Blade

Model # **HRF3601F**

THOR Kitchen 36in Counter Depth French Door
Freestanding Refrigerator with Automatic Ice Maker in
Stainless Steel



CAPACITY

Total Unit Gross Capacity	20.85 cu. ft.
Refrigerator Gross Capacity	15.16 cu. ft.
Freezer Gross Capacity	5.69 cu. ft.

FEATURES

Counter Depth French Door
2-Drawer Freezer
Full-Width Chiller Drawer
Retractable Shelf
Dual Cycle and Dual Air-Cooled Refrigeration System
2 Large Humidity Controlled Fresh Food Drawers
Automatic Ice-Maker

TECHNICAL DETAILS

Rated Current (A)	2.7 A
Defrost Current (A)	3.5 A
Volts (V)	115 V
Frequency (Hz)	60 Hz
Plug Type	120V-3 Prong
Refrigerant	R134a, 6.35 oz.

REFRIGERATOR

Lighting	High-Efficiency LED
Number of Shelves - Refrigerator	5
Adjustable Shelves - Refrigerator	4 Half-Width
Shelf Material - Refrigerator	Tempered Glass
Type of Shelves - Refrigerator	Tempered Glass
Gallon Storage Bins	4
Humidity Control Drawer	2
Defrost Process Freezer	Automatic
Defrost Process Refrigerator	Frost-Free



Model# **HRF3602**

Thor Kitchen - 22.5 cu. ft. 4-Door French Door Refrigerator with Recessed Handle in Stainless Steel, Counter Depth

Counter Depth	Yes	Water Dispenser	No
Shelf material	glass+stainless	Water Filter	No
Ice maker	Automatic	Loading Information (20' / 40' / 40HQ)	18/36/48

Refrigerator Size	36-inch	Number of Doors	4
Product Width(in)	35.98	Number of Shelves	6
Product Depth(in)	29.02	Number of Freezer Baskets/Bins	4
Product Height(n)	69.88	Refrigerator Shelf Material	Plastic
Depth Excluding Handles(in)	29.02	Freezer Bin/Shelf Material	Plastic
Depth Including Handles	No Handle	Color/Finish	Black Stainless
Depth without Door (in)	24.4	Gross Weight(lbs.)	297.6
Depth with Door Open 90 Degrees (in)	43.15	Net Weight(lbs.)	284.4
Height to Top of Door Hinge (in)	69.72	Certifications	UL
Height to Top of Refrigerator (in)	68.62	UPC #	SS:6926697052037
Refrigerator Capacity	16 cu.ft.	Refrigerator Features	<ul style="list-style-type: none"> - Counter Depth, - Door Alarm / Interior LED Light /6-gallon bins /super cool/child lock - Double crispers with humidity control - Hidden handle - Fingerprint Resistant
Freezer Capacity	6.5 cu.ft.	Freezer Features	<ul style="list-style-type: none"> - Automatic Ice Maker - Automatic frosting - Door alarm /child lock/super freeze - Slide-out drawer and Slow closing drawer - Fingerprint Resistant



Model# **HRF3602BS**

Thor Kitchen 22.5 cu. ft. 4-Door French Door Refrigerator with Recessed Handle in Black Stainless Steel, Counter Depth



Counter Depth	Yes	Water Dispenser	No
Shelf material	glass+stainless	Water Filter	No
Ice maker	Automatic	Loading Information (20' / 40' / 40HQ)	18/36/48

Refrigerator Size	36-inch	Number of Doors	4
Product Width(in)	35.98	Number of Shelves	6
Product Depth(in)	29.02	Number of Freezer Baskets/Bins	4
Product Height(n)	69.88	Refrigerator Shelf Material	Plastic
Depth Excluding Handles(in)	29.02	Freezer Bin/Shelf Material	Plastic
Depth Including Handles	No Handle	Color/Finish	Black Stainless
Depth without Door (in)	24.4	Gross Weight(lbs.)	297.6
Depth with Door Open 90 Degrees (in)	43.15	Net Weight(lbs.)	284.4
Height to Top of Door Hinge (in)	69.72	Certifications	UL
Height to Top of Refrigerator (in)	68.62	UPC #	BS:6926697058961
Refrigerator Capacity	16 cu.ft.	Refrigerator Features	<ul style="list-style-type: none"> - Counter Depth, - Door Alarm / Interior LED Light /6-gallon bins /super cool/child lock - Double crispers with humidity control - Hidden handle - Fingerprint Resistant
Freezer Capacity	6.5 cu.ft.	Freezer Features	<ul style="list-style-type: none"> - Automatic Ice Maker - Automatic frosting - Door alarm /child lock/super freeze - Slide-out drawer and Slow closing drawer - Fingerprint Resistant


HRF3602 / HRF3602BS

Product Description: 36-inch 4-door French Door Refrigerator with Recessed Handle in Stainless Steel (HRF3602) or Black Stainless Steel (HRF3602BS)



Dimension (in)	W 35.8 X H 69.9 X D 28.7
Capacity (cu. ft.)	22.5 (R:16, F:6.5)
Climate	T
Energy	E-Star
Ice-maker	Automatic
Ice capacity	4.0 lbs./24h
Loading	48 pcs/ 40 HQ
Display	Digital
Gallon size	6-gallon bins
Lighting	LED (Top and sides)
C/D	24inch
Noise	42dB
ADA design	Yes
Cooling system	Single
Humidity control	Yes

- Compared to HRF3601F**
- 24.4 inches Depth, designed to meet the most efficient requirement for customer's cabinet
 - E-Star Energy with R600a Refrigeration
 - Enlarged refrigeration storage space
 - New Drawer Design with more space
 - Black Stainless Steel Available
 - Recessed Handle Design



HRF3602 / HRF3602BS



Large Door Bin Cabinets providing additional storage with convenience for customers



Model# **HRF3603F**

THOR Kitchen 36-inch
Counter-Depth 4 Door
French Door Refrigerator
with Ice Maker



Refrigerator Size	22.6cu.ft(14.2+4.19+4.19)	Freezer Capacity	4.19+4.19 cu.ft
Product Width(in)	35.9	Number of Doors	4
Product Depth(in)	30.6	Number of Shelves	2
Product Height(in)	71.3	Number of Freezer Baskets/Bins	6
Depth Excluding Handles(in)	30.6	Refrigerator Shelf Material	Glass
Depth Including Handles	No Handle	Freezer Bin/Shelf Material	Plastic
Depth without Door	26	Gross Weight(lb)	326.3
Depth with Door Open 90 Degrees	44.5	Net Weight(lb)	302
Height to Top of Door Hinge	71.3	Certifications	UL
Height to Top of Refrigerator	69.9	UPC #	6926697055885
Refrigerator Type	Recessed Handle No frost	Refrigerator Features	No frost, Multi Airflow, Recessed handle, LED light, Adjustable shelf, French pantry, XXL door balcony, Organized drawers, Electronical touch control
Refrigerator Capacity	14.2 cu.ft	Freezer Features	Automatic icemaker in Freezer, Soft freeze compartment
Counter Depth?	No	Water Dispenser?	No
Shelf material?	Glass	Water Filter?	No
Ice maker?	Yes	Shipping Dims(in)	38.66 x 33.66 x 76.18

Thor Kitchen Outdoor Appliances and Tool Cabinets



Model# **HPO01SS** Outdoor Pizza Oven

Spec:

- Carton Size: 33.46"W * 33.46"D * 23.62"H
- G.W.:218.3 Lbs. N.W.:178.6 Lbs.
- Wooden frame size:35.03 "W * 35.03 "D * 27.56"H
- 1 Year Limited Warranty on Parts
- UPC# 6926697001011

Features:

- Wood Burning Design, Firebricks included
- Stainless Steel Arch and Cart (SS#430)
- Solid Weld Construction with Doors and Wheels
- Must be used with the cart
- Temperatures of 500-700 Degrees with built-in Thermometer
- Dimension: 32.3"W *28.75"D * 47.25"H
- Cooking Area: 0.48m² (25.2" × 29.5")

Accessories available

- Brush, Pizza Cutter, Pizza Peel and Pizza/Pie Server



Model # **HTC7215W**

Thor 72-inc 15-Drawers Stainless Steel Tool Cabinet



Feature

- Ball Bearing Drawer Slides
- Anti-Fingerprint Finish
- 1.5 in. Thickness Rubber Wood Top
- Flat Key Internal Locking System (2 Keys)
- Precut Drawer Liners available
- Heavy Duty Stainless Steel Side Handles

Specification

- 15 Heavy Duty Drawers
- Ball Bearing Slides for each Drawer
- Weight Capacity (Drawer) -100 Lbs.
- Weight Capacity (Bottom Drawer)- 220 Lbs.
- Weight Capacity (the Whole Unit)- 2200 Lbs.
- Heavy Duty 6 in. *1 5/8 in. Casters
- Product Dimension: 72 1/4" W * 19 1/4" D * 38" H
- Product Weight: 254 Lbs.



Model # **HTC9624W**

Thor 96-inc 24-Drawers Stainless Steel Tool Cabinet



Feature

- Ball Bearing Drawer Slides
- Anti-Fingerprint Finish
- 1.5 in. Thickness Rubber Wood Top
- Flat Key Internal Locking System (2 Keys)
- Precut Drawer Liners available
- Heavy-Duty Stainless-Steel Side Handles

Specification

- 24 Heavy Duty Drawers
- Ball Bearing Slides for each Drawer
- Weight Capacity (Drawer) -100 Lbs.
- Weight Capacity (Bottom Drawer)- 220 Lbs.
- Weight Capacity (the Whole Unit)- 3000 Lbs.
- Heavy Duty 6 in. *1 5/8 in. Casters
- Product Dimension: 96 ¼" W * 19 ¼" D *37 ¼" H
- Product Weight: 408 Lbs.






THOR
K I T C H E N[®]

**Pro-Style Modular
Outdoor Kitchen Suite**
(available on 2020 1st quarter)



Type	Model Number	Product Name
Sink Cabinet	MK01SS304	THOR Kitchen Pro Style Modular Outdoor Kitchen Bar Center
Appliance Cabinet	MK02SS304	THOR Kitchen Pro Style Modular Outdoor Kitchen Refrigerator Cabinet Module
Grill Cabinet	MK03SS304	THOR Kitchen Pro Style Modular Outdoor Kitchen Grilling Prep Station
Outdoor BBQ Grill	MK04SS304	THOR Kitchen Pro Style 31 inch 4-Burner Built-in Propane Gas Island Grill in 304 Stainless Steel with Infrared Rotisserie Burner
Side Griddle Burner Cabinet	MK05SS304	THOR Kitchen Pro Style Modular Outdoor Kitchen Propane Gas Griddle Module
Corner Cabinet	MK06SS304	THOR Kitchen Pro Style Modular Outdoor Kitchen Corner Cabinet Module
Pizza Oven	MK07SS304	THOR Kitchen Pro Style Modular Outdoor Kitchen Wood Burning Pizza Oven Module

20 gauge steel / 0.8 mm





Sink Cabinet – Model # **MK01SS304**

THOR Kitchen Pro Style Modular Outdoor Kitchen Bar Center

- Storage tray
- Bottle opener
- Storage cabinet
- Kitchen sink including drain hose and water pipe
- **Sink Dimension**
- 2*3” Fixed Casters and 2*3” Locking Swivel Casters
- Product Dimension: 32” W * 26” D * 37.8” H



Appliance Cabinet – Model # **MK02SS304**

THOR Kitchen Pro Style Modular Outdoor Kitchen Refrigerator Cabinet Module

- Provide outdoor appliances with a flush built-in look
- Provide additional prepping space
- 2*3” Fixed Casters and 2*3” Locking Swivel Casters
- Product Dimension: 35” W * 26” D * 37.8” H



Thor Under-Counter Outdoor Refrigerator

HRF2401U


- Soft close Drawer
- White LED light
- Pro handle
- 304 ss drawer panel
- ETL listed for outdoor use



Thor Outdoor Wine Cooler

TWC2401DO

- Dual-zone design
- 46 bottle capacity
- Blue LED light
- Door alarm
- Security lock
- Low-E coated glass
- 304 ss drawer panel
- ETL listed for outdoor use



Appliance Cabinet – Model # **MK03SS304**

THOR Kitchen Pro-Style Modular Outdoor Kitchen Prep Station

- 2 storage drawer
- Bottom storage cabinet
- Bottle opener
- Storage tray
- Product Dimension: 49" W * 26" D * 37.8" H

Outdoor BBQ Grill – Model # **MK04SS304**

THOR Kitchen Pro-Style 31 inch 4-Burner Built-in Propane Gas Island Grill in 304 Stainless Steel with Infrared Rotisserie Burner

- 1 x 15,000 BTU Infrared burner
- 3 x 12,000 BTU tube burner
- 1 x 10,000 BTU Rear Infrared Rotisserie Burner
- Total BTU: 61,000 BTU
- LED Lights for Knobs
- 2 * Halogen light inside BBQ
- Product Dimension: 30" W * 23" D * 20" H
- Cut-out Dimension: 31.1" W * 23" D * 9.6" H



Outdoor BBQ Design **MK03SS304**



Side Griddle Burner Cabinet – Model # MK05SS304

**THOR Kitchen Pro Style Modular Outdoor Kitchen
Propane Gas 2 burner Griddle Module**

- Including a stainless-steel lid
- 2 x 10,000 burner
- 2 x storage drawer
- Product Dimension: 35" W * 29" D * 40" H



Corner Cabinet – Model # MK06SS304

**THOR Kitchen Pro Style Modular Outdoor
Kitchen Corner Cabinet Module**

- Extra large storage cabinet
- Provide additional prepping space
- Product Dimension: 33.5" W * 33.5" D * 13.8" H



Pizza Oven – Model # **MK07SS304**

THOR Kitchen Pro-Style Modular Outdoor Kitchen Wood Burning Pizza Oven Module

- Classic wood burning oven
- Ceramic pizza stone
- Not just for pizza
- Storage tray
- Extra large bottom storage cabinet
- Additional Accessories Rack
- Product Dimension 33.5" W * 29" D * 27.8" H
- Accessories: Brush, Pizza Cutter, Pizza Peel and Pizza/Pie Server
- Firebrick Dimensions(mm): 4 pcs of 12.58"*9.2"*6.25, 2 pcs of 8.46"*42.52*6.25"
- Cooking Areas: 3.3 Sq. Ft.



Thor Kitchen Parts Accessories



Telescopic Rack



THOR KITCHEN Telescopic Racks		
MODEL#	UPC#	Part#
TR30SS	6926697012987	21.99.000155-000-A0
DESCRIPTION	HIGHLIGHTED SPECIFICATIONS	
Thor Kitchen 30-inch Telescopic Rack for HRG/HRD models (1 pc)	Ball-bearing, stainless steel backing rack, smoothly gliding to full extension	Fitting on model# shown below: HRG3080U, HRG3026U HRG3080-BS, HRD3088U HRD4803U (30-inch oven) HRG4808U (30-inch oven) HRG4808-BS (30-inch oven)
MODEL#	UPC#:	Part#
TR36SS	6926697087633	21.99.000154-000-A0
DESCRIPTION	HIGHLIGHTED SPECIFICATIONS	
Thor Kitchen 36-inch Telescopic Rack for HRG/HRD models (1 pc)	Ball-bearing, stainless steel backing rack, smoothly gliding to full extension	Fitting on model# shown below: HRG3617U, HRG3618U HRD3606U, HRG3618-BS

Black Stainless-Steel Knob Kits



THOR KITCHEN BS Knob Kits (only on HRG models)	
Model # or part #	Model # is needed for Island Trim orders for parts verification
HRG3080U BS Knob Kits (5 pcs)	
HRG3618U BS Knob Kits (7 pcs)	
HRG4808U BS Knob Kits (9 pcs)	
Single BS Knob is available for purchase as well	

Island Trim



THOR KITCHEN Island Trim (only on HRG/HRD models)	
Model # or part #	Model # is needed for Island Trim orders for parts verification
IT-HRG3080U	
IT-HRG3618U	
IT-HRG4808U	
IT-HRG3080-BS	
IT-HRG3618-BS	
IT-HRG4808-BS	
IT-HRD3088U	
IT-HRD3606U	
IT-HRD4803U	

LP Conversion Kits



THOR KITCHEN LP Conversion Kits	
Model # or part #	Model # is needed for Island Trim orders for parts verification
LPK HRG3080U (or -BS)	
LPK HRG3618U (or -BS)	
LPK HRG4808U (or -BS)	
LPK HRD3088U	
LPK HRD3606U	
LPK HRD4803U	
LPK LRG3001U	
LPK LRG3601U	
LPK LRG4801U	
LPK HRT3003U	
LPK HRT3618U	
LPK HRT4806U	

Cast Iron Reversible Griddle/Grill



Model# **RG1022**

Material : Cast Iron

UPC Code: 6926697015421

Product Dimension: 21.6in * 9.5in

Packing Dimension : 24.8in * 12.6in * 3.5in

Gross Weight: 16.5lbs

Fitting on HRG/HRD/HRT Design

Cast Iron Double Burner Griddle



Model# **RG1032**

Material : Cast Iron

UPC Code: 6926697024850

Product Dimension: 22.6"*11.1"*2.8"


Packing Dimension : 23.6"*12.1"*3.8"

Gross Weight: 17.64 Lbs.

Fitting on HRG/HRG-BS/HRT Design

Product Description:
 Lycan – 24in Induction Cooktop
 in Black with 4 Elements

Model# **NEC2401I**



Cooktop Size	20.47 "x 23.23" x 2.17"	Shipping Dimension	26 1/2*24 1/4*5 1/2
Product Width(in)	23.23"	Amperage(amps)	31
Product Depth(in)	20.47"	Voltage(volts)	240V-208V
Product Height(in)	2.17"	Cord Length	64.96in
Cut-Out Left to Right Width(in)	22	exposure	53.15in
Cut-Out Front to Back Depth(in)	19	Gross Weight(lbs.)	30.9
Cut-Out Height(in)	2 3/4	Net Weight(lbs.)	24.3
Appliance Type		Certifications	ETL,FCC
Element #1 size(in) & Power (W) & Boost (W)	1x 1600W/ 2000W7"	UPC #	6926697058565
Element #2 size(in) & Power (W) & Boost (W)	1x 2200W/ 2700W 7"	Element #3 size(in) & Power (W) & Boost (W)	1x 2200W/ 2700W 8"
Element #4 size(in) & Power (W) & Boost (W)	1x 1400W/ 1800W 6"	Features	4 induction Elements Touch control Boost, Lock, Timer, Boost and Timer on all elements Boost is up to 10 minutes 9 power levels adjustment 1-99-minute timer Each Element has an Independent CountDown Timer Automatic safety switch off Residual heat indicator

Model# **LRF3001SS**



31-in. Freestanding Counter Depth 4-Door French Door Refrigerator

Specification:

- Net capacity - 15.3 cu. ft.
 - Freezer: 5.38 cu. ft
 - Refrigerator: 9.92 cu. ft
- Energy / Certification: DOE/CSA
- LED display with touch-electronic
- Refrigerant: R134a
- Automatic defrosting
- 2 adjustable glass Shelves
- 1 full width drawer
- Frost free design
- Multi-flow cooling with LECO air refreshing system
- Fast freezing function
- White LED interior lighting

Product Dimension:

- Width: 30.70in
- Width with door open 32.68in
- Depth: 28.15in
- Depth without door 24.61in
- Depth with door open 40.94in
- Height: 71.46in
- Height without hinge 70.87in

Packaging Dimension:

- 33.7"W x 30.51"D x 75.39"H

GW/NW: 231.49lbs / 213.85lbs

UPC Code: 6926697031018

Product Description:
**Lycan - 30in Wall Mount
 Chimney Range Hood in
 Stainless Steel with Push
 Button**

Model # **LRH3001**



Duct Discharge	Diameter:6 inch
Ceiling Height (Max)	9 feet
Shipping Dimension(in)	32*14*22
Features	<ul style="list-style-type: none"> • Wall Mount Design • Push Button • 3 speed • 400 CFM airflow • Clean canopy design • Easy lamp replacement without tools • Durable brushed stainless steel • Extension chimney included • Dual 50W GU10 halogen light • Vertical vent 6" round • Outlet adapter included • Aluminum filter

Range Hood Size	30in	Appliance Type	Wall Mount
Product Width(in)	30in	CFM	400
Product Depth(in)	19in	Voltage	120V
Product Height(in)	43.5in	Wattage	220W
Duct Length(in)	59 in	Color/Finish	Stainless Steel
Duct Width(in)	Diameter:6in	Certifications	ETL
Duct Shape	Round	UPC #	<u>6926697025611</u>
Amperage		Filter type	430SS Baffle Filter
Gross Weight(lbs.)	31.3	Duct size	Diameter: 6in
Net Weight(lbs.)	25.6	Control type	Push Button

Fan Speeds	3 speed	Ceiling Height (Min.)	8 to 9 feet
Noise level (Max.)	58 dB	Installation type	Wall mount
Lighting	Dual 50W GU10 halogen light	Frequency	60HZ

Model# **LDW2401SS**

Product Description: 24-inch Front Control Stainless Steel Dishwasher, 52db



Dishwasher Size	24in	Amperage(amps)	8.7A
Product Width(in)	23.54	Decibel Rating	52db
Product Depth(in)	22.44	Energy Consumption(kWh/yr)	237
Product Height(in)	32.48	Water Consumption	3.5 gal/cycle
Cut-Out Front to Back Width(in)	23	Hard Food Disposer or Filtration	Filtration
Cut-Out Left to Right Length(in)	23.6	Voltage/Frequency	120V/60Hz
Cut-Out Height(in)	32.5	Gross Weight(lbs.)	75
Door Shut with Handle Depth(in)	22.44	Net Weight(lbs.)	63
Depth with control Panel (in)	22.64	Color/Finish	Stainless Steel
Door Open 90 Degrees Depth	45.35	Certifications	UL/EEC/DOE/NR Can
Maximum Height(in)	34.45	UPC #	6926697012369
Minimum Height(in)	32.48	Appliance Type	Front Control

Features	6 Program	Heavy/Pots & Pans
Delay Start		Normal
Third Layer Cultery Basket		Eco/Energy saver
Cutlery Basket		Glass/China crystal
Height adjustable upper basket		Quick wash/Rapid
Inno wash spray arm		Rinse
Child Lock	3 Options	Hi temp wash
		Heated dry
		Sanitize
	Delay Start	1-24 Hour
	Drying system	Heated dry
	Stainless Tub and Door	
	3 Spray Arms	
	Cutlery Basket	
	Front Control	

**Lycan - 5 in 1 Countertop
1800-watt Convection
Steam Oven with Touch
Control and Rotisserie
Model # NSO2101**



Product Width(in)	20.7	Gross Weight(lbs.)	57.3
Product Depth(in)	19.7	Net Weight(lbs.)	48
Product Height(in)	17.3	Certifications	ETL/FDA/CETL/GS/CE/LFG B/REACH/ROHS
Depth with Door Open 90 Degrees	27.6	Capacity (cu. ft.)	1.41CU.ft
Inside Dimensions(in)	15.7 x 10.8 x 10.2	Wattage(watts)	1800
Color/Finish	Black	Appliance Type	Electric
Power Ratings	120V, 60HZ	Features	Next Page
Cord Length	39.4Inch		

Features

- Electric Oven, Steam Pot, Yogurt Maker, Fruit Dryer and Air Fryer 5 in 1
- LED display, Touch screen, easy operation
- 40 liters, Max power 1800W, 120V,60Hz
- Water Tank: 85 cu in
- 85-450°F adjustable temperature
- Heating modes: Top /Bottom /Back
- Fan Convection system
- Rotating fork
- Timer up to 12 hours
- Stainless steel cavity
- Stainless steel heat elements
- Double-layer and removable glass door (coated)
- Door switch protection
- Inner Lamp
- Children lock
- Water shortage alarm
- Removable front silicone ring
- Removable top heating element, easy for cleaning
- Ferment/ Preheat/ Air Fryer/ Make Yogurt/ Dry Fruit/ Steam/ Roast/ Bake/ DIY mode/ Preset function/ Descaling
- Included Parts: Glove, Grill, Bakeware, Fork Assembly, Fork Handle.