

EDGE

Dimensionality gets an edge with this striking canopy design inspired by a wing's distinctive airfoil shape—perfectly befitting a ventilation device. The beveled stainless steel structure is seamlessly finished with integrated black glass controls, twin halogen lights and stylish stainless steel filters, lending this wall-mount range hood a decidedly professional air. Select poplar wood in a charcoal or wenge finish to complement your cabinetry, or choose the low-profile steel-only option for a perfect match with your kitchen's modern stainless look.



AED-M90ASX

SIZE
36"

NET WIDTH
35 3/8"

COLOR
Stainless Steel



RF Remote Control

ARC COLLECTION

EDGE WALL

MODEL
AED-M90ASX 36"

FEATURES

Controls	Memory Touch Glass
Speed Levels	3
Auto Delay-Off	Yes
CleanAir Function	Yes
Remote Control	Yes, RF
Lighting	Halogen, 20W x 2
Tri-Level Lighting	Yes
Filters	Decorative Mesh x 3
Recirculating	Yes
Duct Cover Extension	Yes

***PERFORMANCE**

Internal Blower - CBI-290A	290 CFM, 3.2 Sones Max.
Internal Blower - CBI-600A	600 CFM, 6 Sones Max.
In-Line Blower - PBN-1000A	1000 CFM, Sones NA
External Blower - CBE-1000	1000 CFM, Sones NA

AC INPUT 120V - 60Hz

****AC POWER**
Hood Only Max. 40W, 0.33 Amps

MOUNTING HEIGHTS
Height from the cooking surface Min. 24" - Max. 36"

HOOD HEIGHTS

Standard	
Minimum Ducted	28"
Minimum Recirculating	33"
Maximum	46"

Extension Kit - Z1C-00LA

Minimum Ducted	44"
Minimum Recirculating	49"
Maximum	81"

DUCT SPECIFICATIONS

Vertical - Internal	6"
Vertical - In-Line/External	10" to 8"***
Horizontal	NA

OPTIONAL ACCESSORIES

Recirculating Kit	ZRC-00LA
Duct Cover Extension Kit (12' ceiling)	Z1C-00LA

WOOD TRIM

Charcoal - 5/8"	AEW-00CH
Wenge (brown) - 5/8"	AEW-00BR

*Requires purchase of Zephyr blower, sold separately. **AC power listed above is for hood with lights only. See blower specs on our website for more AC power details. ***10" round duct connects to external and in-line blower. Must transition from 10" to 8" before duct passes through ceiling. A 10" to 8" adapter is included with the external and in-line blowers.

